## (19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 27 May 2004 (27.05.2004)

**PCT** 

## (10) International Publication Number WO 2004/043999 A2

(51) International Patent Classification<sup>7</sup>:

C07K 14/47

1N7 (CA). SAMUELS, Mark [US/CA]; 2743 West 37th Avenue, Vancouver, British Columbia V6N 2T5 (CA).

(21) International Application Number:

PCT/CA2003/001716

(74) Agent: MBM & CO.; P.O. Box 809, Station B, Ottawa, Ontario K1P 5P9 (CA).

(22) International Filing Date:

12 November 2003 (12.11.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

12 November 2002 (12.11.2002)

60/425,601

US 60/502,453 12 September 2003 (12.09.2003) US

- (71) Applicant (for all designated States except US): XENON GENETICS INC. [CA/CA]; 3650 Gilmore Way, Burnaby, British Columbia V5G 4W8 (CA).
- (72) Inventors; and
- Inventors/Applicants (for US only): LAFRENIERE, Ronald, G. [CA/CA]; 1264 Osborne Avenue, Verdun, Québec H4H 1X5 (CA). DUBÉ, Marie-Pierre [CA/CA]; 4831 Hutchison Street, Montreal, Québec H2V 4A4 (CA). MACDONALD, Marcia, L [CA/CA]; 102-1345 West 13th Avenue, Vancouver, British Columbia V6H

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR,

TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HSAN II RELATED GENE AND EXPRESSION PRODUCTS AND USES THEREOF

(57) Abstract: Methods of utilizing a gene related to pain perception, herein dubbed HSN2, or its encoded protein, dubbed herein "sensorin," for the screening and identification of agents for the treatment of pain, neuropathy and related disorders, especially small organic compounds, as well as methods of using these compounds to treat or otherwise ameliorate pain, neuropathy and related disorders in human patients. Novel polypeptides and polynucleotides, along with their nucleotide and amino acid sequences, are also disclosed.



# HSAN II RELATED GENE AND EXPRESSION PRODUCTS AND USES THEREOF

5

This application claims priority of U.S. Provisional Applications 60/502,453, filed 12 September 2003, and 60/425,601, filed 12 November 2002, the disclosures of which are hereby incorporated by reference in their entirety.

10

#### FIELD OF THE INVENTION

15

The present invention relates to methods of utilizing a gene (HSN2) involved in Hereditary Sensory and Autonomic Neuropathy, type II (HSAN II) and expression products of this gene for the screening and identification of agents, such as small organic compounds, useful in the treatment of pain, neuropathy and related disorders in human patients as well as uses thereof to treat or otherwise ameliorate such disorders.

25

30

35

20

#### **BACKGROUND OF THE INVENTION**

The present invention relates to the medical disorder called Hereditary Sensory and Autonomic Neuropathy – Type II ("HSAN II"), which is a member of a group of hereditary pain disorders known as the Hereditary Sensory and Autonomic Neuropathies (HSAN). HSAN comprises a group of five clinically and genetically heterogeneous disorders which are mainly characterized by variable sensory and autonomic dysfunction, including absence of pain. The pathology of HSAN is characterized by degeneration of peripheral sensory neurons and it appears to be hereditary, making it of considerable scientific interest to determine which gene or genes underlies the disorder.

HSAN II is an autosomal recessive condition with distal generalized sensory loss. (See Online Mendelian Inheritance in Man (OMIM) reference \*201300) Patients with HSAN II typically present with "glove and sock" distribution, meaning that they have reduced or complete loss of pain, temperature and touch sensations in the lower legs and feet as well as hands and forearms. Age of onset is quite early, usually in the first decade of life. They first complain of a numbness in their extremities which is aggravated by the cold, after which pain sensation is reduced. Patients have difficulty with handling small objects (like coins) in their pockets due to the lack of sensation. Some families appear to have a slowly progressive form, where the lack of sensation slowly grows up the legs and arms until in some cases, the patients have reduced sensations in their trunkal regions while others do not Reduced sensation is confined just to the lower legs (usually below the knees), forearms and hands. Muscle atrophy (particularly in calves, and in between the thumb and first finger), ulcerations and infections are major secondary features. Amputations of fingers, toes and sometimes feet and lower limbs, resulting from infections, are not uncommon. Reflexes are diminished or lost. There is very little, if any, autonomic involvement, so sweating and blood pressure are normal.

20

25

15

5

10

The pathology of HSAN II appears to be tied to peripheral nerve degeneration. Biopsy reveals that within the sural nerve there is a severe loss of myelinated axons, and a lesser loss of nonmyelinated fibres. No cutaneous sensory receptors or nerve fibers are seen. (Axelrod, F.B. "Autonomic and sensory disorders". Chapter 117; pages 3146-3161 in <a href="Emery and Rimoin's Principles and Practice of Medical Genetics">Emery and Rimoin's Principles and Practice of Medical Genetics</a> (Fourth Edition) Edited by: David L. Rimoin, J. Michael Connor, Reed E. Pyeritz, Bruce R. Korf. Published: Harcourt Publishers Limited London 2002).

The genetic basis of HSAN II is yet to be determined. No genetic loci have been confirmed, and no mutations in suggested candidate genes have been identified.

10

15

20

25

The HSAN II gene (dubbed herein "HSN2") would present a novel target for therapeutic agents, The functional validation disclosed herein shows that the activity of the gene/protein is involved in very specific human disease processes. Therapeutic agents which modulate the biological activity of the HSAN II gene or its corresponding protein are novel therapeutic agents for the treatment of pain, neuropathy and related disorders.

The screening assays disclosed herein select from a large library of compounds those compounds that interact with, bind to or otherwise modulate the activity of the target gene/protein. A wide body of commercial literature describes the screening of chemical libraries of diverse potential therapeutic agents to identify such potential therapeutic agents.

Therapeutic agents for treatment of pain fall into two main classes - the NSAIDs (non-steroidal anti-inflammatory drugs) and the opioids. NSAIDs treat pain in a way similar to the mechanism of aspirin, the most well-known and oldest member of the class. Common NSAIDs include acetaminophen, ibuprofen and naproxen. These drugs mainly inhibit the body's ability to synthesize prostaglandins. The common mechanism of action for all NSAIDs is the inhibition of the enzyme cyclooxgenase (COX). A major commercial success has been achieved with specific inhibitors of COX-2, such as Celebrex™ from Pharmacia/Pfizer, and Vioxx™ from Merck & Co.

Opioids act through the opioid receptor family. These drugs include the weak opioids such as codeine and Tylenol 3, and strong opioids such as morphine and methadone. Some are long acting, others are of short duration. Opioid analgesics have a tendency to addiction and dependency, and so are not preferred for long-term or chronic pain management.

Outside of the NSAIDs and opioids, there are a number of other suggested analgesic agents in clinical trials (i.e. not yet approved for marketing) which are believed to have alternative targets. Some clinical trials are attempting to establish that central neuropathic pain may respond to ion channel blockers such as blockers of calcium, sodium and/or NMDA (N-

10

15

20

methyl-D-aspartate) channels. The literature provides substantial pre-clinical electrophysiological evidence in support of the use of NMDA antagonists in the treatment of neuropathic pain. Such agents also may find use in the control of pain after tolerance to opioid analgesia occurs, particularly in cancer patients.

Current treatment of neuropathies first entails identifying the cause, then treating the cause if possible. There is a substantial list of disorders that can result in neuropathies, including diabetes and other diseases. Most neuropathies (except the genetic forms) are treatable by treating the root causes, though most treatments are only partially effective. For example vitamin deficiency is treated with vitamins; Guillain-Barre and CIDP are treated with gamma globulins and plasmapheresis. For genetic forms of neuropathy, current clinical practice is to manage patients by supporting their efforts to avoid self-inflicted injury.

In accordance with the present invention, the identification of the hereditary basis for HSAN II facilitates developing more potent agents for treating pain, neuropathy, and related disorders. The underlying genetic mutation provides a therapeutic target for novel therapeutic agents. This therapeutic target permits identification and discovery of more effective analgesics and other therapeutic agents, as well as new methods and compositions for diagnosis of HSAN II distinguish between types of inherited pain disorders.

#### **BRIEF SUMMARY OF THE INVENTION**

In one aspect, the invention relates to the nucleic acid sequence for HSN2, including the genomic sequence, mRNA or cDNA, polymorphic, allelic, isoforms (adult, neo-natal, etc.) and mutant forms thereof, and nucleic acid constructs of the gene, including vectors, plasmids and recombinant cells and transgenic organisms containing or corresponding to HSN2 (or knock-outs thereof).

In another aspect, the invention relates to the gene product of HSN2 (sensorin), including the polypeptide, protein, and amino acid sequence, and the polymorphic, allelic, isoforms (adult, neo-natal, etc.) and mutant forms thereof, and recombinant cells and transgenic organisms wherein this polypeptide or a polypeptide corresponding thereto is expressed.

15

20

25

5

10

In another aspect of the present invention, the HSN2 gene or protein is incorporated into a screening assay whereby test compounds (potential therapeutic agents) are evaluated for their ability to modulate HSN2 gene expression or sensorin activity, thereby identifying modulators of the gene or protein and thus potential therapeutic agents.

In preferred embodiments, the polynucleotide whose expression is to be measured or monitored is present in an intact cell, preferably a mammalian cell, most preferably a peripheral neuron, and may include a recombinant cell. Such polynucleotide may also be present outside of a cell and the expression may be measured *in vitro*.

In another aspect, the present invention relates to a method for identifying an agent that modulates the activity of a polypeptide encoded by a polynucleotide as disclosed herein.

30

In a further aspect, the present invention relates to a method for identifying an agent for the treatment of pain, neuropathy or a related disorder in an animal. Preferably, the animal is a mammal, such as a human being. In

10

15

20

specific embodiments, the pain stimulus is a heat stimulus and reaction or sensitivity to hot and/or cold may be measured. In another embodiment, an electrical stimulus may be used.

In a preferred embodiment of the invention; the compound identified which modulates HSN2 (or sensorin) is selective for the target ahead of related genes or proteins.

In a further aspect, the present invention relates to a method for treating a condition in an animal afflicted with chronic pain, neuropathy or a related disorder comprising administering to said animal an effective amount of an agent first identified by an assay method of the invention. Preferably, said animal is a human patient. Such determined agents may also be applied to alternative or additional indications beyond pain, neuropathy or other disorders, which are found to be treatable by modulating HSN2 or sensorin activity.

In a further aspect, the present invention relates to compounds that modulate HSN2 or sensorin. These compounds include antibodies, antisense compounds, gene therapy vectors and proteins, and small molecule organic compounds. The invention also comprises the use of these compounds in the treatment of pain, neuropathy and related disorders.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

**25** (

30

Figure 1a shows the pedigree for a family designated HSAN4 showing family relationships and haplotypes. Figure 1b shows the pedigree for a family designated HSAN3 showing family relationships and haplotypes. Squares and circles represent males and females, respectively. Filled symbols indicate individuals with HSAN II. Symbols with an "N" indicate individuals diagnosed as normal, and clear symbols and symbols with a question mark indicate individuals who have not been diagnosed

Figure 2. Domain prediction of the HSN2 protein, sensorin. TM topology was predicted using TMPred.

Figure 3. Peptide sequence alignment of human, mouse, rat, fugu and tetraodon sensorin proteins.

Figure 4. Peptide sequence alignment of human and Fugu sensorin.

Figure 5. Peptide sequence alignment of Fugu and Zebrafish orthologs 10 of sensorin.

Figures 6A-6E shows the sequences of HSN2 from various sources. In all cases, cDNA sequences are shown in capital letters. Start and stop codons are underlined.

15

20

25

Figure 6A shows a sequence (SEQ ID NO: 1) for wild-type human HSN2 putative cDNA (with ends based on human ESTs).

Figures 6B-1 and 6B-2 shows the promoter sequence (SEQ ID NO: 6) for human HSN2 (presumably there only 1 promoter used and it is not associated with a CpG-rich island; this corresponds to the segment of PRKWNK1 intron 8 upstream of the HSN2 start codon; the transcription start site and cDNA sequence (shown in capital letters) for HSN2 is tentative and based on 1 EST sequence; the translation start site, and start ATG, is the last 3 bases.

Figure 6C shows the nucleotide sequence (SEQ ID NO: 7) of wild-type mouse HSN2 cDNA predicted (5' and 3' ends not determined). The putative polypeptide is SEQ ID NO: 8.

30

Figure 6D shows the nucleotide sequence (SEQ ID NO: 9) for wild-type rat HSN2 (with the genomic sequence defined by 5' and 3' ends in EST BF522762/Al578184, and containing a polyA tail).

Figure 6E-1 to 6E-6 show the genomic structure and sequence of the human HSN2. (SEQ ID NO. 12), with the figures following in sequence. The HSN2 gene is a single unspliced exon found in intron 8 of the PRKWNK1 gene (also called XH03, below). Here, italics = interspersed repeats, uppercase = exons, bold = exons (or part of exons) found in common isoforms and underlined = start and stop codons, or upstream in-frame stop codon.

Figures 7A-7C show the sequences of cDNAs for three separate mutations identified in individuals afflicted with HSAN II. Start and stop codons are underlined. Figure 7A shows mutation 1 (SEQ ID NO: 14) as human cDNA with mutation c.594delA. Figure 7B shows mutation 2 (SEQ ID NO: 15) as human cDNA with mutation c.918insA. Figure 7C shows mutation 3 (SEQ ID NO: 16) as human cDNA with mutation c.943C>T.

15

5

10

Figure 8 shows three in-frame candidate translation initiation codons.

Figure 9 shows a sequence alignment between the human and pig peptide sequences.

20

25

30

#### **DEFINITIONS**

The following terms have their indicated meaning unless expressly stated otherwise herein.

As used herein, the term "percent identity" or "percent identical," when referring to a sequence, means that a sequence is compared to a claimed or described sequence after alignment of the sequence to be compared (the "Compared Sequence") with the described or claimed sequence (the "Reference Sequence"). The Percent Identity is then determined according to the following formula:

10

15

20

25

## Percent Identity = 100 [1-(C/R)]

wherein C is the number of differences between the Reference Sequence and the Compared Sequence over the length of alignment between the Reference Sequence and the Compared Sequence wherein (i) each base or amino acid in the Reference Sequence that does not have a corresponding aligned base or amino acid in the Compared Sequence and (ii) each gap in the Reference Sequence and (iii) each aligned base or amino acid in the Reference Sequence that is different from an aligned base or amino acid in the Compared Sequence, constitutes a difference; and R is the number of bases or amino acids in the Reference Sequence over the length of the alignment with the Compared Sequence with any gap created in the Reference Sequence also being counted as a base or amino acid.

If an alignment exists between the Compared Sequence and the Reference Sequence for which the percent identity as calculated above is about equal to or greater than a specified minimum Percent Identity then the Compared Sequence has the specified minimum percent identity to the Reference Sequence even though alignments may exist in which the hereinabove calculated Percent Identity is less than the specified Percent Identity.

As used herein, the terms "portion," "segment," and "fragment," when used in relation to polypeptides, refer to a continuous sequence of nucleotide residues, sequence forms a subset of a larger sequence. Such terms include the products produced by treatment of said polynucleotides with any of the common endonucleases, or any stretch of polynucleotides that could be synthetically synthesized. These may include exonic and intronic sequences of the corresponding genes.

30

As used herein the term "encode" and its derivatives mean "can be transcribed into" or "can be translated into" so that a gene or other deoxy polynucleotide sequence can be described in terms of its ability to encode an RNA or polypeptide while the latter terms relate to materials that can be

described in terms of their being encoded by said gene or deoxy polynucleotide. In the same way, an RNA can be said to encode a polypeptide while said polypeptide can be described as being encoded by said RNA.

The words "therapeutic target" mean a gene, an RNA or polypeptide for which therapeutic intervention is achieved with agents that modulate the activity of said gene, RNA or protein. "Modulate" means to increase, to decrease, or to otherwise change the expression or activity, especially of a therapeutic target.

10

15

25

30

5

"HSN2 activity" or "sensorin activity" as used herein, especially relating to screening assays, is to be interpreted broadly and contemplates all directly or indirectly measurable and identifiable biological activities of the HSN2 gene, gene products and sensorin. The HSN2 gene is thus involved with functions related to Hereditary Sensory and Autonomic Neuropathy - Type II ("HSAN II") and is, in the past, has also been called the "HSAN II Susceptibility Gene."

The term "polynucleotide" is used interchangeably with "gene", "cDNA", 20 "mRNA", "oligonucleotide", and "nucleic acid".

The terms "polypeptide," "peptide," and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an analog or mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers.

The term "agent" is used interchangeably with the term "compound" and likewise the term "test agent" is used interchangeably with the term "test compound".

The term "operably linked" refers to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence,

10

15

20

wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

The term "mammal" refers to a member of the zoological class *Mammalia*. Examples of mammals include, without limitation, humans, primates, chimpanzees, mice, rats, rabbits, sheep, and cows.

The term "treat" or "treatment" encompasses therapeutic treatment, preventive treatment and protective treatment. Such protective treatment includes treatment of patients, especially to achieve analgesia.

As used herein, the term "correspond" applied to a gene or polynucleotide, such as a DNA, means that the gene has the indicated nucleotide sequence or that it encodes substantially the same RNA as would be encoded by the indicated sequence, the term "substantially" meaning at least 95% identical as defined elsewhere herein.

The term "DNA segment" refers to a DNA polymer, in the form of a separate fragment or as a component of a larger DNA construct, which has been derived from DNA isolated at least once in substantially pure form, i.e., free of contaminating endogenous materials and in a quantity or concentration enabling identification, manipulation, and recovery of the segment and its component nucleotide sequences by standard biochemical methods, for example, using a cloning vector. Such segments are provided in the form of an open reading frame uninterrupted by internal nontranslated sequences, or introns, which are typically present in eukaryotic genes. Sequences of non-translated DNA may be present downstream from the open reading frame, where the same do not interfere with manipulation or expression of the coding regions.

30

25

"Isolated" in the context of the present invention with respect to polypeptides (or polynucleotides) means that the material is removed from its original environment (e.g., the natural environment if it is naturally occurring). For example, a naturally-occurring polynucleotide or polypeptide present in a

10

15

20

living organism is not isolated, but the same polynucleotide or polypeptide, separated from some or all of the co-existing materials in the natural system, is isolated. Such polynucleotides could be part of a vector and/or such polynucleotides or polypeptides could be part of a composition, and still be isolated in that such vector or composition is not part of its natural environment. The polypeptides and polynucleotides of the present invention are preferably provided in an isolated form, and preferably are purified to homogeneity.

The polynucleotides, and recombinant or immunogenic polypeptides, disclosed in accordance with the present invention may also be in "purified" form. The term "purified" does not require absolute purity; rather, it is intended as a relative definition, and can include preparations that are highly purified or preparations that are only partially purified, as those terms are understood by those of skill in the relevant art. For example, individual clones isolated from a cDNA library have been conventionally purified to electrophoretic homogeneity. Purification of starting material or natural material to at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated. Furthermore, claimed polypeptide which has a purity of preferably 0.001%, or at least 0.01% or 0.1%; and even desirably 1% by weight or greater is expressly contemplated.

The term "coding region" refers to that portion of a gene which either naturally or normally codes for the expression product of that gene in its natural genomic environment, i.e., the region coding *in vivo* for the native expression product of the gene. The coding region can be from a normal, mutated or altered gene, or can even be from a DNA sequence, or gene, wholly synthesized in the laboratory using methods well known to those of skill in the art of DNA synthesis.

30

25

In accordance with the present invention, the term "nucleotide sequence" refers to a heteropolymer of deoxyribonucleotides. Generally, DNA segments encoding the proteins provided by this invention are assembled from cDNA fragments and short oligonucleotide linkers, or from a series of

10

15

oligonucleotides, to provide a synthetic gene which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon.

The term "expression product" means that polypeptide or protein that is the natural translation product of the gene and any nucleic acid sequence coding equivalents resulting from genetic code degeneracy and thus coding for the same amino acid(s).

The term "fragment," when referring to a coding sequence, means a portion of DNA comprising less than the complete coding region whose expression product retains essentially the same biological function or activity as the expression product of the complete coding region.

The term "primer" means a short nucleic acid sequence that is paired with one strand of DNA and provides a free 3'OH end at which a DNA polymerase starts synthesis of a deoxyribonucleotide chain.

The term "promoter" means a region of DNA involved in binding of RNA polymerase to initiate transcription.

The term "open reading frame (ORF)" means a series of triplets coding for amino acids without any termination codons and is a sequence (potentially) translatable into protein.

25

30

As used herein, reference to a DNA sequence includes both single stranded and double stranded DNA. Thus, the specific sequence, unless the context indicates otherwise, refers to the single strand DNA of such sequence, the duplex of such sequence with its complement (double stranded DNA) and the complement of such sequence.

10

15

20

25

## **DETAILED DESCRIPTION OF THE INVENTION**

In accordance with the present invention, the human HSN2 Gene, is disclosed. This gene, when mutated, results in Hereditary Sensory and Autonomic Neuropathy - Type II ("HSAN II"). This gene is designated herein as HSN2 (but in the past has sometimes been referred to as SENS or XH18 are other designations). The polypeptide is referred to as HSN2 Protein or HSN2 peptide. In the past, it has also been referred to as HSAN II polypeptide, HSN2 polypeptide, HSANII peptide. It is also referred to as sensorin, although this latter term has been applied to a minor unrelated protein in the past. This naming is not essential to use of the invention claimed herein.

Thus, the present invention provides a gene and its corresponding protein related to insensitivity to pain, neuropathy and related disorders, referred to as HSN2 and its corresponding polypeptide sensorin or HSN2 protein.

The wild type nucleic acid sequence of human HSN2 is provided at SEQ ID NO. 1. The wild type amino acid sequence of human HSN2 protein is set forth in SEQ ID NO: 2.

Three in-frame candidate translation initiation codons have been identified (Fig. 8). The 3<sup>rd</sup> ATG is closest to the optimal Kozak consensus C-C-[AG]-C-C-A-T-G-G context for initiation of translation, but is not conserved in the rat sequence. Those skilled in the art are capable of characterizing the most efficient translation initiation context by generating three HSN2 cDNA expression vectors, each containing different starting site combinations including one, two or three ATG codons.

30

The human HSN2 gene maps to the HSAN II candidate interval at 12p13.33. The gene encodes a full-length conserved peptide of 434 amino acids. It comprises a single unspliced exon which maps to intron 8 of the PRKWNK1 gene and is transcribed from the same strand as PRKWNK1.

HSN2-encoded protein may be the full length PRKWNK1 protein with a special exon. Thus, the present invention can also encompass a full length PRKWNK1 protein (including cDNA) containing the HSN2 exon.

In one aspect, the present invention relates to an isolated polynucleotide comprising a polynucleotide having a nucleotide sequence with at least 60% identity to, preferably at least 70% identity to, more preferably at least 78% identity to, even more preferably at least 90% identity to, most preferably at least 95% identity to, and especially at least 98% identity to a sequence selected from the group consisting of SEQ ID NO: 1, 6, 7, 9 and 12 wherein said isolated polynucleotide encodes a polypeptide that binds to an antibody specific for a polypeptide having the amino acid sequence of SEQ ID NO: 2. In an especially preferred embodiment, the isolated polynucleotide comprises the nucleotide sequence of SEQ ID NO: 1, 6, 7, 9 or 12.

15

20

10

5

In another aspect, the present invention relates to an isolated polypeptide comprising a polypeptide having an amino acid sequence with at least 90% identity to, preferably at least 95% identity to, more preferably at least 98% identity to and most preferably having the amino acid sequence selected from the group consisting of SEQ ID NO: 2, 8, 10, 11 and 13 wherein said polypeptide binds to an antibody specific for a polypeptide having the amino acid sequence of SEQ ID NO: 2.

As disclosed herein, three separate mutations were identified in individuals affected with HSAN II, none of which are found in the homozygous state in unaffected individuals (see Table 3, SEQ ID NO: 3 to 5). Each mutation affects the open reading frame (ORF) of the HSN2 gene. The cDNA sequences for these mutations are shown in Figure 7 and may be summarized as follows:

30

25

Mutation 1. c.594delA; frameshift in codon 198, protein truncated to 206 aa: A deletion of an A (adenine) at position 594 in the nucleotide sequence (relative to the start ATG), found homozygous in the HSAN4-70 sample, causes a frameshift in codon 198 leading to premature truncation of

a 206 aa peptide. The predicted amino acid sequence of the truncated human sensorin sequence from Mutation 1 is set forth at SEQ ID NO. 3. The same mutation was also later found to be responsible for the disease in the HSAN3 family. This deletion segregated with disease in other members of the HSAN3 and HSAN4 families. The mutation was not detected in any of 217 normal chromosomes from individuals of European descent.

Two different mutations were found in the HSAN5-302 sample.

Mutation 2. c.918insA, frameshift in codon 307, protein truncated to 318 aa. This mutation is a 1 bp insertion of an A between bases 918-919, causing a frameshift in codon 307, and leading to premature truncation to produce a 318 aa (amino acid) peptide. The predicted amino acid sequence of the truncated human sensorin sequence from Mutation 2 is set forth at SEQ 15 ID NO. 4

Mutation 3. c.943C>T; Gln315stop; protein truncated to 314 aa. This mutation is a C>T change at position 943 that changes codon 315 (CAG, encoding glutamine) to a TAG stop codon, therefore prematurely truncating the protein at 314 aa. Each of these mutations was not found in the control sample, dbSNP database, nor available genomic and EST sequences. The predicted amino acid sequence of the truncated human sensorin sequence from Mutation 3 is set forth at SEQ ID NO. 5. The same mutation was also later found to be responsible for the disease in the HSAN6 family.

25

30

20

Segregation of mutations in HSN2 with affected HSAN II patients has now been confirmed in 5/5 affecteds and 0 control (unaffected) individuals.

Promoter: A sequence containing the promoter sequence is set forth at SEQ ID NO. 6. It includes the portion of PRKWNK1 intron 8 upstream of the HSN2 translation initiation site. There are a number of DNA elements that are conserved between human and mouse in the region upstream of the presumed transcription initiation site that may act as promoter elements, including silencers and enhancers, and other transcription factor binding sites.

10

15

Other single nucleotide polymorphisms (SNPs) and variations: there is only 1 documented SNP (rs1054186) in the HSN2 gene, which corresponds to a C>T change at position 1690 of the cDNA, located in the 3'UTR. This putative SNP may not be real, as it is found in only one published expressed sequence tag (EST)and the quality of the sequencing is too poor to evaluate additional SNPs in this gene.

BAC contig: The HSN2 gene maps to BAC (Bacterial Artificial Chromosome) clone AC004765, and there are no gaps in the genomic structure. Based on the structure of the HSN2 gene determined above, the gene spans a maximum of 3 kb, consists of a single exon mapping within intron 08 of the XH03 gene (PRKWNK1), and is transcribed from the same strand as XH03, namely tel 5'-HSN2-3' cen in 12p13.33. There are probably no additional spliced exons, since these would interfere with splicing of XH03. The position of HSN2 within an intron of the PRKWNK1 gene is conserved in human, mouse, rat and fish (form example, Fugu and Tetraodon).

Markers: D12S91 is the closest marker, mapping ~29 kb telomeric to 20 HSN2.

Genomic sequence: the full human genomic sequence illustrating the nucleic acid sequence around HSN2 is set forth at SEQ ID NO. 12.


25

30

#### Conservation of HSN2 in other organisms.

Orthologs of the human HSN2 gene were found in mouse, rat and fish (Takifugu rubripes ("Fugu"), Danio rerio ("Zebrafish"), and Tetraodon nigroviridis ("Tetraodon").)

A conserved mouse ORF, and flanking sequences were identified from a mouse BAC AC113092. The nucleic acid sequence of mouse HSN2 is set forth at SEQ ID NO. 7. The translated amino acid sequence of mouse HSN2



is set forth at SEQ ID NO. 8. No mouse ESTs of HSN2 were identified in a comprehensive public database search.

Likewise the rat ortholog was identified from rat genomic sequences, and verified with the sequence of one rat EST (BF522762). This EST was used to identify the conserved rat ORF based on the genomic sequence found in BAC sequences AC106348 and AC106932. The nucleic acid sequence of wild-type rat HSN2 is set forth at SEQ ID NO. 9. The translated amino acid sequence of wild-type rat sensorin is set forth at SEQ ID NO. 10.

10

5

Analysis of human, mouse and rat orthologs. The human protein is 87% identical to mouse, and 85% identical to rat. The upstream stop codon immediately preceding the start ATG is conserved in human, mouse and rat.

15

Fugu (Takifugu rubripes): The human sensorin peptide sequence was used to screen the fugu genome by sequence similarity searching. One hit gave an E value score of 1e-25 against a Fugu genomic fragment (CAAB01000768). The sequence was extracted and the conserved ORF is set out at SEQ ID NO. 11.

20

25

30

Zebrafish (Danio rerio): The Fugu peptide sequence was used to screen the non-human non-mouse EST database using tBLASTn to identify additional orthologs. An EST from a zebrafish adult retina cDNA library was found (BG304539) which gave a partial protein sequence which is well-conserved to sensorin in Fugu. There were no additional zebrafish ESTs in GenBank.

Tetraodon (Tetraodon nigroviridis): The Fugu peptide sequence was used to screen the publicly available Tetraodon genomic scaffolds (http://fugu.hgmp.mrc.ac.uk/blast/) and a partial sequence of the Tetraodon sensorin ortholog was identified. (SEQ ID No. 13)

Alignment of the human, mouse, rat, Fugu, Tetraodon and zebrafish sensorin amino acid sequences is shown in Fig 3.

## **Evaluation of Sensorin Function**

The membrane topology of the sensorin was assessed using TMPred (located at www.ch.embnet.org/software/TMPRED\_form.html), which predicted a single N-terminal trans-membrane ™ domain, with the N-terminus intracellular. TMPred was used to assess the membrane topology of the sesorin protein. The strongly preferred model predicted only 1 transmembrane domain (score 533, considered significant if >500) located between aa 4 and 22, with the N-terminus located inside the cell. The result of this search is set out at Figure 2.

SignalP, an established signal peptide prediction tool, indicated that the sensorin protein has a signal peptide that is cleaved after the first 17 amino acids. Sensorin may be compact and globular in shape.

15

20

25

30

10

5

Further aspects of sensorin function at the biochemical level may be determined by those skilled in the art using standard techniques. It is clear from the instant invention that sensorin is a survival factor for peripheral nerves, as the absence of this gene in humans leads to the neuropathic condition of HSAN II.

Expression: Based on ESTs, the HSN2 gene is expressed in the sympathetic trunk, kidney, testis, fetal liver spleen, head-neck tumor, germ cell tumors, muscle, uterus, retina, whole eye, and CNS (multiple sclerosis lesions). SAGE expression was detected in pancreatic adenocarcinoma, brain astrocytoma, brain glioblastoma, colon adenocarcinoma, ependymoma and normal vascular endothelial cells. There is no GNF data. Therefore the HSN2 gene appears to be widely expressed in many tissues, but at extremely low levels. HSN2 may be expressed in peripheral sensory neurons or supporting Schwann cells, which usually make up only a small percentage of any given tissue's mass.

It is recognized that those skilled in the art may prefer to use forms of HSN2 or sensorin corresponding to the sequences disclosed herein, although

10

15

20

25

30

not necessarily the same. For example, screening assays may utilize HSN2 or sensorin from a different organism, preferably a vertebrate, and most preferably from a mammalian species. The shared technical features of these forms of HSN2 or sensorin, are that, when expressed, they have similar biological activity, and that they share functional similarity with HSN2 or sensorin, as the case may be, such as may be determined by those skilled in the art. Thus the invention encompasses the use of, including but not limited to, sheep, dog, rat, mouse or horse HSN2 or sensorin, for the same purposes as set out more specifically herein for human HSN2 or sensorin. The HSN2 gene and/or sensorin polypeptide according to the invention may also be obtained from other mammalian species, other vertebrates, invertebrates and microorganisms based on the disclosure herein.

Because of the processing that may take place in transforming the initial RNA transcript into the final mRNA, the sequences disclosed herein may represent less than the full genomic sequence. They may also represent sequences derived from alternate splicing of exons. Consequently, the genes present in the cell (and representing the genomic sequences) and the sequences disclosed herein, which are mostly cDNA sequences, may be identical or may be such that the cDNAs contain less than the full genomic sequence. Such genes and cDNA sequences are still considered corresponding sequences because they both encode similar RNA sequences. Thus, by way of non-limiting example only, a gene that encodes an RNA transcript, which is then processed into a shorter mRNA, is deemed to encode both such RNAs and therefore encodes an RNA corresponding to an HSN2 sequence as disclosed herein. Thus, the sequences disclosed herein correspond to genes contained in the cells and are used to determine relative levels of expression because they represent the same sequences or are complementary to RNAs encoded by these genes. Such genes also include different alleles and splice variants that may occur in the cells used in the processes of the invention.

10

15

20

25

30

## Method of Treatment Using HSN2 as a Therapeutic Target.

The discovery that mutations in HSN2 relate to clearly definable physiological outcomes in humans (namely HSAN II) establishes a clear function for this protein, and now allows the inventors to establish, for the first time, that HSN2 Gene and sensorin are useful as therapeutic targets in humans for the treatment of pain, neuropathy and related disorders. Standard industrial processes are available to those skilled in the art to confirm the identity of the therapeutic agents which modulate the activity of the gene or protein, many of which are set out below.

In accordance with the foregoing, the present invention relates to a method for treating a disorder comprising administering to a person in need of such treatment an effective amount of a selective sensorin agonist or antagonist, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition containing either entity.

In a preferred embodiment, said disorder is pain, neuropathy or a related disorder. In a further preferred embodiment, said administering is by oral or intravenous means.

#### Identification of Therapeutic Agents.

The present invention also readily affords different means for identification of agents for treating pain, neuropathy and related disorders according to their ability to modulate the activity of HSN2 or its protein. Such means involve testing libraries of chemical compounds, either one at a time or in combinations, in an assay format which is designed to measure a biological activity related to HSN2 or sensorin, the protein encoded by HSN2. Those library compounds that modulate the biological activity in the desired fashion are thereby identified as therapeutic agents of the invention.

Exemplary assay methods useful for the identification of such compounds are detailed herein, although those skilled in the art will be aware

10

15

20

25

30

of alternative means. In a first step, compounds are sequentially tested against the assay to determine whether they influence a measurable biological activity of the assay.

Assays may be based one or more of the diverse measurable biological activities of a gene or polypeptide corresponding to HSN2 or sensorin. Relating to the purified sensorin protein, sensorin activity includes, but is not limited to, all those biological processes, interactions, binding behavior, binding-activity relationships, pKa, pD, enzyme kinetics, stability, and functional assessments of the protein. Relating to sensorin activity in cell fractions, reconstituted cell fractions or whole cells, these activities include, but are not limited the rate at which sensorin performs any measurable biological characteristic and all measurable consequences of these effects, including cell growth, development or behavior and other direct or indirect effects of sensorin activity. Relating to HSN2 genes and transcription, HSN2 activity includes the rate, scale or scope of transcription of genomic DNA to generate RNA; the effect of regulatory proteins on such transcription, the effect of modulators of such regulatory proteins on such transcription; plus the stability and behavior of mRNA transcripts, post-transcription processing, mRNA amounts and turnover, and all measurements of the rate or amount of expression and translation of the mRNA into polypeptide sequences. Relating to HSN2 activity or sensorin activity in organisms, this includes but is not limited biological activities which are identified by their absence or deficiency in disease processes or disorders caused by aberrant HSN2 or sensorin biological activity in those organisms. Broadly speaking, HSN2 biological activity or sensorin biological activity can be determined by all these and other means for analyzing biological properties of proteins and genes that are known in the art.

The invention therefore provides numerous assays which measure an activity of HSN2 or sensorin and are useful for the testing of chemical compounds to identify which ones affect such activity.

In one aspect, the present invention relates to a method for identifying an agent that modulates the activity of the HSN2 gene, comprising:

- a) contacting-a test compound with a cell that expresses an HSN2 gene;
- b) determining a change in the expression of said gene as a result of said contacting,

wherein said determined change in expression of the gene indicates modulation, thereby identifying the test compound as an agent that modulates the activity of an HSN2 gene.

10

15

5

In a preferred embodiment of such method, HSN2 is a mammalian HSN2 gene, most preferably where the mammal is mouse, rat or human. Also preferred is where determined modulation is a decrease in expression and/or where the gene is present in a cell, preferably a mammalian cell, preferably a nervous system cell, such as a neuron. Such cells may include a recombinant cell, especially one genetically engineered to contain and express the HSN2 gene. In a preferred embodiment, said gene has the sequence of SEQ ID NO: 1.

In other embodiments, the gene comprises a polynucleotide corresponding to a polynucleotide having a nucleotide sequence selected from the group consisting of SEQ ID NO: 1, 7 and 9.

In another aspect, the present invention relates to a method for identifying an agent that modulates HSN2 gene, comprising:

- (a) contacting a test compound with a genetic construct comprising a reporter gene operably linked to an HSN2 promoter under conditions where the reporter gene is expressed;
- (b) determining a change in expression of the reporter gene as a result30 of said contacting,

wherein a determined change in expression indicates modulation, thereby identifying the test compound as an agent that modulates HSN2 gene.

10

15

20

25

30

In a preferred embodiment thereof, the modulation is a decrease in expression of said reporter gene. Normally the reporter gene is some readily measured gene and is not HSN2 but the HSN2 gene, with promoter sequence, may be used and still lie within the contemplation of the invention, even though the gene is not contained within a cell. Also preferred is where the HSN2 promoter is a mammalian HSN2 promoter, especially where the mammal is mouse, rat or human. Most preferred is where the promoter has the nucleotide sequence of SEQ ID NO: 6 and/or where the genetic construct is present in a cell, preferably a mammalian cell, such as a nervous system cell, preferably a neuron. Of course, such construct will normally be present in a recombinant cell.

The present invention also contemplates a method for identifying an agent that modulates the activity of an HSN2-encoded protein, comprising:

- a) contacting a test compound with an HSN2-encoded polypeptide under conditions where said polypeptide is active; and
- b) determining a change in the activity of said polypeptide as a result of said contacting;

wherein said determined change in activity indicates modulation, thereby identifying the test compound as an agent that modulates the activity of HSN2-encoded protein (such as sensorin).

In a preferred embodiment thereof, the HSN2-encoded polypeptide is a mammalian HSN2-encoded polypeptide, preferably where the mammal is mouse, rat or human. Also preferred is where the determined modulation is a decrease in activity of the polypeptide.

Also preferred is where the polypeptide is present in a mammalian cell, especially where this has been engineered to contain or express said polypeptide, such as by genetic engineering. In one such embodiment, the recombinant cell does not express said polypeptide absent said engineering. Also preferred is where the cell is a cell of the nervous system, especially a neuron, most especially a neuron involved in pain response.

10

15

20

25

30

Also preferred is where the polypeptide is encoded by a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1, 7, and 9, especially where the polypeptide comprises an amino acid sequence of SEQ ID NO: 2, 8, 10 or 11.

In a preferred embodiment, the observed change in activity in step (b) is a decrease in activity and is the result of binding to said polypeptide by said chemical agent of step (b). Also preferred is where the agents are useful for treating pain, neuropathy or a related disorder.

In other preferred embodiments, the polypeptide is part of an intact cell, and the present invention specifically contemplates embodiments in which the cell is engineered by other than genetic engineering, such as where the activity of a polypeptide is to be enhanced and the cell has been engineered to contain, or have on its surface, said polypeptide but wherein the polypeptide is present due to physical insertion of the polypeptide into the membrane or cytoplasm of the cell and not through expression of a gene contained in the cell. Methods well known in the art, such as use of polyethylene glycol, viruses, and the like, are available to effect such insertions and the details of such procedures need not be further described herein.

In one preferred embodiment of such method, the polypeptide is a polypeptide that reacts with and/or binds to, an antibody that binds to, or is specific for, a polypeptide having an amino acid sequence at least 95% identical to, more preferably at least 98% identical to, the sequence of SEQ ID NO: 2 and where any difference in amino acid sequence is due only to conservative amino acid substitutions. In an especially preferred embodiment, the polypeptide has the amino acid sequence of SEQ ID NO: 2.

The sensorin assays of the invention may employ compound screening technology such as (but not limited to) the ability of various dyes to change color in response to changes in assay conditions resulting from the activity of the polypeptides. Compound screening assays can also be based upon the ability of test compounds to modulate the interaction of the target peptide (sensorin) and known interacting proteins. Such interacting proteins can be identified by a variety of methods known in the art, including, for example, radioimmunoprecipitation, co-immunoprecipitation, co-purification, and yeast two-hybrid screening. Such interactions can be further assayed by means including but not limited to fluorescence polarization or scintillation proximity methods.

10

15

20

25

30

5

Agents that have the effect of modulate the half-life of sensorin in cells would also act to induce decreased sensitivity to pain and thereby achieve analgesia. By way of non-limiting example, cells expressing a wild-type sensorin are transiently metabolically labeled during translation, contacted with a candidate compound, and the half-life of the polypeptide is determined using standard techniques. Compounds that modulate the half-life of the polypeptide are useful compounds in the present invention.

In one such assay for which the polypeptides encoded by genes disclosed herein are useful, the polypeptide (or a polypeptide fragment thereof or an epitope-tagged form or fragment thereof) is bound to a suitable support (e.g., nitrocellulose or an antibody or a metal agarose column in the case of, for example, a his-tagged form of said polypeptide). Binding to the support is preferably done under conditions that allow proteins associated with the polypeptide to remain associated with it. Such conditions may include use of buffers that minimize interference with protein-protein interactions. If desired, other proteins (e.g., a cell lysate) are added, and allowed time to associate with the polypeptide. The immobilized polypeptide is then washed to remove proteins or other cell constituents that may be non-specifically associated with it the polypeptide or the support. The immobilized polypeptide can then be used for multiple purposes. In a compound screening embodiment, compounds can be tested for their ability to interfere with interactions between sensorin and other bound molecules (which are presumably sensorin

10

15

20

25

30

interacting proteins). Compounds which can successfully displace interacting proteins are thereby identified as sensorin modulating agents of the invention.

In an alternative embodiment designed to identify sensorin interacting proteins, the immobilized polypeptide is dissociated from its support, and proteins bound to it are released (for example, by heating), or, alternatively, associated proteins are released from the polypeptide without releasing the latter polypeptide from the support. The released proteins and other cell SDS-PAGE gel analyzed, for example, by constituents can be electrophoresis, Western blotting and detection with specific antibodies, phospho-amino acid analysis, protease digestion, protein sequencing, or isoelectric focusing. Normal and mutant forms of such polypeptide can be employed in these assays to gain additional information about which part of the polypeptide a given factor is binding to. In addition, when incompletely purified polypeptide is employed, comparison of the normal and mutant forms of the protein can be used to help distinguish true binding proteins. Such an assay can be performed using a purified or semipurified protein or other molecule that is known to interact with a polypeptide encoded by an HSN2 polynucleotide.

This assay may include the following steps.

- 1. Harvest the encoded polypeptide and couple a suitable fluorescent label to it;
- 2. Label an interacting protein (or other molecule) with a second, different fluorescent label. Use dyes that will produce different quenching patterns when they are in close proximity to each other versus when they are physically separate (i.e., dyes that quench each other when they are close together but fluoresce when they are not in close proximity);
- 3. Expose the interacting molecule to the immobilized polypeptide in the presence or absence of a compound being tested for its ability to interfere with an interaction between the two; and
  - 4. Collect fluorescent readout data.

20

25

30

An alternative assay for such protein interaction is the Fluorescent Resonance Energy Transfer (FRET) assay. This assay can be performed as follows.

- 1. Provide the encoded protein or a suitable polypeptide fragment thereof and couple a suitable FRET donor (e.g., nitro-benzoxadiazole (NBD)) to it;
  - 2. Label an interacting protein (or other molecule) with a FRET acceptor (e.g., rhodamine);
- Expose the acceptor-labeled interacting molecule to the donor labeled polypeptide in the presence or absence of a compound being tested for its ability to interfere with an interaction between the two; and
  - 4. Measure fluorescence resonance energy transfer.

Quenching and FRET assays are related. Either one can be applied in a given case, depending on which pair of fluorophores is used in the assay.

Additionally, drug screening assays can also be based upon polypeptide functions deduced upon antisense interference with the gene function. Intracellular localization of pain-related polypeptides, or effects which occur upon a change in intracellular localization of such proteins, can also be used as an assay for drug screening.

In accordance with the foregoing, the present invention provides the amino acid sequence of a protein, designated sensorin or HSN2 Polypeptide, that is found in neuronal cells (for example, SEQ ID NO: 2 from humans) and which is associated with hereditary transmission of insensitivity to pain and neuropathy. In addition, several mutations, have been found in this sequence derived from individuals found to have such indifference to pain. Thus, agents that mimic the phenotypic effects of this mutations, such as aberrant protein structure and decreased, or absent, function represent candidate compounds for evaluation as therapeutic agents of the invention.

Relating to expression assays, in one aspect the present invention relates to a method for identifying an agent that modulates the activity of a polynucleotide whose expression contributes to pain sensation, comprising:

10

15

20

25

30

- a) contacting under physiological conditions a chemical agent with a polynucleotide corresponding to the promoter region of HSN2 (in a preferred embodiment, the promoter has the sequence of SEQ ID NO: 6); and
- b) detecting a change in the expression of said polynucleotide as a result of said contacting;

thereby identifying an agent that modulates said polynucleotide or gene activity.

Such modulation is preferably a decrease or an increase in expression. In preferred embodiments, such expression is measured by measuring the amount of an expression product. In a convenient embodiment, the promoter region of HSN2 is operably linked to a reporter gene, that is, a gene which whose expression is conveniently measured (for example, reporter genes such as Green Fluorescent Protein, luciferase, chloramphenicol acetyl-transferase (CAT), and the like).

In preferred embodiments, the polynucleotide whose expression is to be measured or monitored is present in an intact cell, preferably a mammalian cell, most preferably a neuronal cell. In additional preferred embodiments, such an intact cell is a cell that has been engineered to comprise said polynucleotide, such as by genetic engineering, most preferably wherein the cell does not express the subject gene or polynucleotide absent having been engineered to do so.

In accordance with the disclosure herein, upstream untranslated regions and promoter regions of HSN2 are readily obtained from SEQ ID No. 12 and other publicly retrievable sequence databases. Such genomic or untranslated regions may be included in plasmids comprising the identified gene, such as in assays to identify compounds which modulate expression thereof. In one such assay, the upstream genomic region is ligated to a reporter gene, and incorporated into an expression plasmid. The plasmid is transfected into a cell, and the recombinant cell is exposed to test compound(s). Those compounds which increase or decrease the expression

10

15

20

25

of the reporter gene are then modulators of the gene/protein, and are considered therapeutic agents of the invention.

The invention also claims recombinant cells engineered to express a polynucleotide or polypeptide as disclosed herein. The gene disclosed herein as being involved in HSAN II in an animal can be used, or a fragment thereof can be used, as a tool to express a protein, where such genes encode a protein, in an appropriate cell *in vitro*, or can be cloned into expression vectors which can be used to produce large enough amounts of protein to use in *in vitro* assays for drug screening. Alternatively, the expression construct may employ the genomic promoter region of HSN2 and link it to a gene, such as a reporter gene, whose expression level is easily measured. Expression systems which may be employed include baculovirus, herpes virus, adenovirus, adeno-associated virus, bacterial systems, and eukaryotic systems such as CHO cells. Naked DNA and DNA-liposome complexes can also be used. The invention thus claims recombinant cell lines containing a heterologous HSN2 gene.

For general molecular biology procedures useful in practicing the present invention, a number of standard references are available that contain procedures well known in the art of molecular biology and genetic engineering and which procedures need not be further described herein. Useful references include Sambrook, et al., Molecular Cloning: A Laboratory Manual, Second Edition, Cold Spring Harbor, N.Y., (1989), Wu et al, *Methods in Gene Biotechnology* (CRC Press, New York, NY, 1997), and *Recombinant Gene Expression Protocols*, in *Methods in Molecular Biology*, Vol. 62, (Tuan, ed., Humana Press, Totowa, NJ, 1997), the disclosures of which are hereby incorporated by reference.

Such recombinant cells may be used in expression assays for analyzing the levels of expression of HSN2 or a suitable reporter gene after contacting said cells with agents that may have analgesic properties. The levels of gene expression can be quantified by Northern blot analysis or RT-PCR, or, alternatively, by measuring the amount of protein produced, by one

of a number of methods known in the art, or by measuring the levels of biological activity of polypeptides encoded thereby or other genes. In this way, the gene expression can serve as a marker, indicative of the physiological response of the cells to the agent. Accordingly, this response state may be determined before, and at various points during, treatment of the individual with the agent.

Recombinant cell lines are also preferred for the preparation of purified protein, if a purified protein assay is desired. Those skilled in the art are capable of producing recombinant cell lines and extracting protein fractions containing highly purified proteins. These samples can be used in a variety of binding assays to identify compounds which interact with the proteins. Compounds that interact are therapeutic agents of the invention, or analogs thereof.

15

20

25

30

10

5

Target selectivity is an important aspect of the development of therapeutic agents. The present invention specifically contemplates the identification of chemical agents, especially small organic molecules, that inhibit the expression of HSN2, as defined herein, or the activity of the sensorin polypeptide (such as SEQ ID NO: 2 from humans) encoded thereby, with high specificity and that have little or no effect on other genes and/or polypeptides.

Thus, in one such preferred embodiment, the methods disclosed herein for identifying an agent that modulates, preferably inhibits, expression of a gene corresponding to the HSAN gene, preferably having the sequence of SEQ ID NO: 1 from humans, or on the activity of a polypeptide encoded thereby, comprises first identifying such agent and then testing such agent for effects on expression or activity of at least one other gene or polypeptide, preferably a gene or polypeptide with important physiological consequences that are preferably not disturbed by therapeutic intervention, and demonstrating little or no effect.

10

15

20

25

30

In another aspect, the invention provides a method for computationally identifying a compound of the invention. The method involves (a) determining the active site of a-sensorin protein (i.e. through X-Ray crystallography or other techniques); and (b) through computational modeling, identifying a compound which interacts with the active site, thereby identifying a compound, or its analog, as a compound which is useful for modulating the activity of such a polypeptide. This process is sometimes referred to as *in silico* screening. Sophisticated software for testing the probability of test compounds to interact with the target protein, which can test tens of millions of computer generated compounds, is available to those skilled in the art.

Potential therapeutic compounds identified using the methods of the invention are usually tested in animal model systems to confirm the putative efficacy. Thus, in a further aspect, the present invention relates to a method for identifying an analgesic agent, comprising:

- (a) administering to an animal an agent found to modulate HSN2 gene or protein activity, and
- b) determining in said animal a decrease in response to a pain stimulus as a result of said administering,

wherein a determined decrease in response to said pain stimulus indicates analgesic activity, thereby identifying said agent an analgesic agent.

Preferably, the animal is a mammal, such as a human being. In specific embodiments, the pain stimulus is a heat stimulus and reaction or sensitivity to hot and/or cold may be measured. In another embodiment, an electrical stimulus may be used. In all cases, the stimulus may be represented as a sharp or dull sensation. In some cases, the animal may otherwise react normally to such stimulus so that a decrease in normal response due to the test agent is being measured whereas in other cases the animal may initially possess a heightened sensitivity to the stimulus prior to administering the test agent. In all cases, observation of an analgesic effect need not necessarily involve a reduced sensitivity or response to pain but may involve simply a reduced sensation of a particular stimulus. The analgesics identified by the

methods of the invention may induce general analgesia in an animal or may have more localized analgesic or anesthetic effects.

In a further aspect, the present invention relates to a method for treating a condition in an animal afflicted with a source of chronic pain comprising administering to said animal an effective amount of an analgesic agent first identified by an assay method of the invention. Preferably, said animal is a human patient, such as a patient afflicted with a chronic ailment, such as a cancerous condition.

10

15

25

30

5

The screening assays of the invention thus simplify the evaluation, identification and development of therapeutic agents for the treatment of pain, neuropathy and related disorders.

invention also includes antibodies and immuno-reactive The substances which target, interact with or bind to sensorin or epitopes thereof. Polypeptides encoded by the polynucleotides disclosed herein can be used as an antigen to raise antibodies, including monoclonal antibodies. Such antibodies will be useful for a wide variety of purposes such as for therapeutic agents, in functional studies, in drug screening assays, in clinical trials and for 20 diagnostics.

For example, in drug screening assays or in clinical trials, the effectiveness of an agent determined by a screening assay as described herein to increase or decrease gene expression, protein levels, or biological activity can be monitored using antibodies specific for sensorin. Alternatively, the effectiveness of an agent determined by a screening assay to modulate expression of HSN2, as well as structurally and functionally related genes, including genes with high homology thereto, and including protein levels, or biological activity can be monitored in clinical trials of subjects exhibiting decreased altered gene expression, protein levels, or biological activity. In such clinical trials, the expression or activity of the genes or polypeptides disclosed herein and, preferably, other genes that have been implicated in, for

10

15

20

25

30

example, congenital resistance to pain stimuli, can be used to ascertain the effectiveness of a particular analgesic drug.

In a preferred embodiment, the present invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (e.g., an agonist, antagonist, peptidomimetic, protein, peptide, antibody, nucleic acid, small molecule, or other drug candidate identified by the screening assays described herein) including the steps of (i) determining that a patient exhibits discomfort due to a disease or disorder that causes some type of painful stimulus; (ii) administering an effective amount of an agent identified using one of the screening assays disclosed herein; (iii) ascertaining a reduction to pain or other stimuli following said administration and (vi) altering the administration of the agent to the subject accordingly. For example, increased administration of the agent may be desirable to decrease the expression or activity of gene or encoded polypeptide, i.e., to increase the effectiveness of the agent.

Where the patient is non-human, biopsy samples can be taken to show a decrease in gene expression, such as by measuring levels of protein, mRNA, or genomic DNA post-administration samples and comparing the level of expression or activity of said protein, mRNA, or genomic DNA in the pre-administration sample with that of the corresponding post administration sample or samples, thereby showing the effects of drug administration on one or more of the genes disclosed herein and concomitant reduction in pain response and/or sensitivity.

Candidate modulators may be purified (or substantially purified) molecules or may be one component of a mixture of compounds (e.g., an extract or supernatant obtained from cells). In a mixed compound assay, gene expression is tested against progressively smaller subsets of the candidate compound pool (e.g., produced by standard purification techniques, e.g., HPLC or FPLC) until a single compound or minimal compound mixture is demonstrated to modulate gene or protein activity or expression in a manner having analgesic effects.

10

15

20

Specific compounds which will modulate HSN2 gene expression, gene transcript levels, and protein levels, in a cell include antisense nucleic acids, ribozymes and other nucleic acid compositions which specifically hybridize with HSN2 (including exons or introns of such genes, promoters, 3'-tails, and the like). These specific compounds are compounds of the invention, and are useful for treating the diseases discussed previously. Design and manufacturing of such compounds are well known to those skilled in the art.

Specific compounds which modulate the activity of HSN2, more specifically of sensorin, include antibodies (polyclonal or monoclonal) which bind specifically to an epitope of said polypeptide. These antibody compositions are compounds of the invention, and are useful for treating the diseases previously discussed. Design and manufacturing of such compounds are well known to those skilled in the art.

Specific compounds which modulate the activity of HSN2, or its encoded protein, the body include gene therapy vectors comprising all or a part of the HSN2 gene sequence or a mutant HSN2 sequence. As is well known to those skilled in the art, gene therapy allows the delivery of HSN2 in an organism to cells where it is taken up and expressed, thus changing the level or amount of sensorin protein in such cell. These vectors thereby modulate the activity of HSN2 or sensorin in the body and are useful for the therapeutic indications disclosed herein.

25

30

Specific compounds which modulate the activity of HSN2 or sensorin in the body include small organic molecules. Such compounds may be naturally occurring, or they may be synthetic. Collections and combinatorial libraries of such compounds are widely available from commercial sources. As know to those skilled in the art, a screening assay, such as the assays disclosed in the instant specification, can be easily adapted to identify therapeutic agents which have the desired HSN2 or sensorin modulating ability. Agonists, antagonists, or mimetics found to be effective at reducing response to pain stimuli may be confirmed as useful in animal models (for example, mice,

chimpanzees, etc.). In other embodiments, treatment with a compound of the invention may be combined with other analgesics to achieve a combined, possibly even synergistic, effect.

Purified or semi-purified HSN2-encoded protein, or sensorin, and any biochemically modified versions thereof, are themselves therapeutic agents of the invention. Recombinant or non-recombinant forms of these proteins or fragments can be administered to persons in need thereof for the treatment of disorders, such as disorders disclosed herein. Preferably, such agents are administered in a pharmaceutically acceptable carrier. Those skilled in the art are familiar with techniques for generating such agents, and for determining conditions of administration.

### Lead Optimization and Analog Development and Selection

15

20

25

30

10

5

In general, novel drugs having analgesic or anesthetic properties, and which modulate sensorin activity, are identified from libraries, possibly large libraries, of both natural product or synthetic (or semi-synthetic) extracts or chemical libraries according to methods known in the art. Those skilled in the field or drug discovery and development will understand that the precise source of test extracts or compounds is not critical to the screening procedure(s) of the invention. Accordingly, virtually any number of chemical extracts or compounds can be screened using the exemplary methods described herein. Examples of such extracts or compounds include, but are not limited to, plant-, fungal-, prokaryotic- or animal-based extracts, fermentation broths, and synthetic compounds, as well as modification of existing compounds. Numerous methods are also available for generating random or directed synthesis (e.g., semi-synthesis or total synthesis) of any number of chemical compounds, including, but not limited to, saccharide-, lipid-, peptide-, and nucleic acid-based compounds. Synthetic compound libraries are commercially available from Brandon Associates (Merrimack, NH) and Aldrich Chemical (Milwaukee, WI). Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant, and animal extracts are commercially available from a number of sources, including Biotics (Sussex,

15

20

25

30

UK), Xenova (Slough, UK), Harbor Branch Oceangraphics Institute (Ft. Pierce, FL), and PharmaMar, U.S.A. (Cambridge, MA). In addition, natural and synthetically produced libraries are produced, if desired, according to methods known in the art, e.g., by standard extraction and fractionation methods. Furthermore, if desired, any library or compound is readily modified using standard chemical, physical, or biochemical methods.

De-replication(e.g., taxonomic dereplication, biological dereplication, and chemical dereplication, or any combination thereof) or the elimination of replicates or repeats of materials already known for their analgesic and/or anesthetic activities may be employed whenever possible.

When a crude extract is found to have analgesic and/or anesthetic activities, or both, further fractionation of the positive lead extract is possible to isolate chemical constituent responsible for the observed effect. Thus, the goal of the extraction, fractionation, and purification process is the careful characterization and identification of a chemical entity within the crude extract having such analgesic and/or anesthetic activities. The same assays described herein for the detection of activities in mixtures of compounds can be used to purify the active component and to test derivatives thereof. Methods of fractionation and purification of such heterogeneous extracts are known in the art. If desired, compounds shown to be useful agents for the treatment of pathogenicity are chemically modified according to methods known in the art. Compounds identified as being of therapeutic value are subsequently analyzed using any standard animal model of diabetes or obesity known in the art.

In general, these screening methods provide a ready means for selecting either natural product extracts or synthetic compounds of interest from a large population (i.e. a chemical library, for example, one produced by combinatorial means) which are further evaluated and condensed to a few active core structures. Multiple analogs of such core structures may be developed and tested to identify those preferred analogs which have improved characteristics as therapeutic agents.

10

15

20

25

Improved analogs may also include compounds with improved stability, biodistribution, pharmacokinetics or other desirable features for therapeutic agents which are not directly related to modulation of the therapeutic target. In a preferred embodiment, the improved analog of the invention is effectively delivered, either by physiological means or assisted means, to cells of the body expressing the sensorin protein. Analog compounds are systematically screened to evaluate whether they modulate the identified biological activity and those that effectively do so are then therapeutic agents, or further analogs thereof, according to the invention.

### Therapeutic Agents and Uses Thereof

The agents contemplated by the present invention are highly selective for the HSN2-encoded protein (sensorin) and administration of such an agent to a human or other animal in need thereof provides a treatment for any of the disorders exemplified by, or later found to be related to, HSAN II (and involving possible mutations of HSN2). For example, an inhibitor mimics the effects of one or more of the mutated forms of the gene as disclosed herein. Alternately, an agonist would reverse a disorder made evident in HSAN II. HSN2 and/or sensorin may also function in the development, survival or maintenance of peripheral sensory neurons, or supporting cells and thus may be useful in identifying agents that act directly to further the life and activities of such cells. Genetic or pharmacological down-regulation of this protein may lead to novel analgesics used to treat pain or other neurological symptoms, whereas up-regulation may lead to novel neuronal survival agents which may be useful in treating a number of neurodegenerative disorders of both the CNS and PNS. As such, the agent identified according to this invention is a treatment for pain, neuropathy or a related disorder.

30

Disorders which may be related to aberrant HSN2 or sensorin activity include pain, for example inflammatory pain, a neuralgia, a nerve entrapment syndrome, and pain associated with a musculoskeletal disorder;

10

15

20

25

neuropathies, for example peripheral, diabetic, autonomic, sensory or motor neuropathy; control of sweating; autonomic dysfunction such as control of blood-pressure, swallowing, posture, hypertension, hypotension, GI — esophageal dysmotility, impotence, apnea, absence of lacrimation; Riley-Day Syndrome, temperature control, hypertonia; delayed gastric emptying, diarrhea, vomiting, neurological disorders such as seizure, migraine, tremor, anxiety, depression, hyperphagia and associated obesity, bipolar disorder, Parkinson's, Huntington's, spinal cord injury, multiple sclerosis, traumatic brain injury, stroke, neurodegenerative disorders such as Alzheimer's Disease and ALS, and the like.

A variety of diseases are also treatable based on sensorin's possible role as a novel neurotrophic growth factor in the nervous system. Sensorin's amino acid sequence is about twice the length of most other known neurotrophic factors, and may represent a proform that is proteolytically cleaved at positions other than at the signal peptide cleavage site. Like other neurotrophic factors, sensorin may be expressed at low levels.

Neurotrophic factors are essential for the development of the nervous system. They exert a diverse set of influences including neuronal cell survival, axonal and dendritic growth and guidance, synaptic structure and connections, neurotransmitter release, long-term potentiation and synaptic plasticity. Alterations in neurotrophic factor levels can influence cell survival and apoptosis during development, myelination, regeneration, pain, aggression, depression, substance abuse, anxiety, hyperphagia, memory acquisition and retention and loss of the peripheral nervous system. It is thus suggested that administration of sensorin protein, or fragments thereof, or modulators of sensorin or HSN2 activity are useful for the treatment of these diseases.

30

Those skilled in the art are familiar with the necessary steps for preclinical and human clinical trials which are used to establish efficacy and safety of the new chemical entities and compounds first identified by the invention for use in treating the diseases mentioned herein.

10

15

20

Compounds first identified as useful in reducing sensitivity to pain stimuli using one or more of the assays of the invention may be administered with a pharmaceutically-acceptable diluent, carrier, or excipient, in unit dosage form. Conventional pharmaceutical practice may be employed to provide suitable formulations or compositions to administer such compositions to patients. Although oral administration is preferred, any appropriate route of administration may be employed, for example, intravenous, parenteral, ophthalmic, intraorbital. intramuscular. intracranial, subcutaneous, intraventricular, intracapsular, intraspinal, intrathecal, epidural, intracisternal, intraperitoneal, intranasal, or aerosol administration. Therapeutic formulations may be in the form of liquid solutions or suspension; for oral administration, formulations may be in the form of tablets or capsules; and for intranasal formulations, in the form of powders, nasal drops, or aerosols.

Methods well known in the art for making formulations are found in, for example, Remington: The Science and Practice of Pharmacy, (19th ed.) ed. A.R. Gennaro AR., 1995, Mack Publishing Company, Easton, PA. Formulations for parenteral administration may, for example, contain excipients, sterile water, or saline, polyalkylene glycols such as polyethylene glycol, oils of vegetable origin, or hydrogenated napthalenes. Biocompatible, lactide/glycolide copolymer, biodegradable polymer, lactide polyoxyethylene-polyoxypropylene copolymers may be used to control the Other potentially useful parenteral delivery release of the compounds. systems for agonists of the invention include ethylenevinyl acetate copolymer particles, osmotic pumps, implantable infusion systems, and liposomes. Formulations for inhalation may contain excipients, or example, lactose, or may be aqueous solutions containing, for example, polyoxyethylene-9-lauryl ether, glycocholate and deoxycholate, or may be oily solutions for administration in the form of nasal drops, or as a gel.

30

25

Combination therapies are also contemplated by the inventors. An analgesic agent identified by one of the screening methods disclosed herein may be administered along with another agent intended to treat a coincident

10

15

20

25

30

conditions, such as where analgesic and antitumor agents are given together or contemporaneously.

The present invention also relates to a process that comprises a method for producing a product, such as by generating test data to facilitate identification of such product, comprising identifying an agent according to one of the disclosed processes for identifying such an agent (i.e., the therapeutic agents identified according to the assay procedures disclosed herein) wherein said product is the data collected with respect to said agent as a result of said identification process, or assay, and wherein said data is sufficient to convey the chemical character and/or structure and/or properties of said agent. For example, the present invention specifically contemplates a situation whereby a user of an assay of the invention may use the assay to screen for compounds having the desired enzyme modulating activity and, having identified the compound, then conveys that information (i.e., information as to structure, dosage, etc) to another user who then utilizes the information to reproduce the agent and administer it for therapeutic or research purposes according to the invention. For example, the user of the assay (user 1) may screen a number of test compounds without knowing the structure or identity of the compounds (such as where a number of code numbers are used the first user is simply given samples labeled with said code numbers) and, after performing the screening process, using one or more assay processes of the present invention, then imparts to a second user (user 2), verbally or in writing or some equivalent fashion, sufficient information to identify the compounds having a particular modulating activity (for example, the code number with the corresponding results). This transmission of information from user 1 to user 2 is specifically contemplated by the present invention.

In accordance with the foregoing, the present invention encompasses a method for producing test data with respect to the gene modulating activity of a compound comprising:

(a) contacting a test compound with a HSN2 gene under conditions where said gene is being expressed;

10

15

20

25

- b) determining a change in the expression of said gene as a result of said contacting, and
- (c) producing test data with respect to the gene modulating activity of said test compound based on a change in the expression of the determined gene as a result of said contacting.

### Diagnostics and Pharmacogenomics

In a further embodiment, the invention relates to diagnostic and pharmacogenomic compounds, kits and methods. This aspect relates to analysis HSN2 for the diagnosis of insensitivity or indifference to pain, other pain disorder, or in the selection of a therapeutic agent for a patient (i.e. pharmacogenomics).

For example, nucleic acid analysis can be used to identify the HSN2 mutations disclosed herein, thus confirming the diagnosis of HSAN II. Many nucleic acid diagnostic techniques are well known to those skilled in the art. Such techniques include DNA sequencing, hybridization probing, single stranded conformational analysis, PCR based techniques such as mismatch amplification, and myriad other well known methods. All such analysis can be performed on a small sample of blood, saliva, urine or other tissue provided by the patient.

Alternatively, protein based analyses such as antibody based assays (Elisa, Radioimmunoassay and the like) can be employed to identify the expression, amount or presence or absence of a mutant protein (such as sensorin encoded by a mutant HSN2), such as those disclosed herein.

Gene expression, both comparable and absolute, as well as biological activity, and mutational analysis can each serve as a diagnostic tool for pain or neuropathic disorders; thus determination of the amount of HSN2 mRNA can be used to diagnose the presence or absence of a mutation correlated with such pain or neuropathic disorder.

10

15


20

25

Pharmacogenomics deals with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons (Eichelbaum, M., Clin. Exp. Pharmacol. Physiol., 23:983-985, 1996; Linder, M. W., Clin. Chem., 43:254-266, 1997). In general, two types of pharmacogenetic conditions can be differentiated. Genetic conditions transmitted as a single factor altering the way drugs act on the body (altered drug action) or genetic conditions transmitted as single factors altering the way the body acts on drugs (altered drug metabolism). Altered drug action may occur in a patient having a polymorphism (e.g., an single nucleotide polymorphism or SNP) in promoter, intronic, or exonic sequences of HSN2. Thus by determining the presence and prevalence of polymorphisms in HSN2 in an individual, one may predict a patient's response to a particular therapeutic agent.

This pharmacogenomic analysis can lead to the tailoring of drug treatments according to patient genotype, including prediction of side effects upon administration of therapeutic agents, particularly therapeutic agents for treating disorders disclosed in this specification. Pharmacogenomics allows for the selection of agents (e.g., drugs) for therapeutic or prophylactic treatment of an individual based on the genotype of the individual (e.g., the genotype of the individual is examined to determine the ability of the individual to respond to a particular agent).

Diagnostics employing a gene or protein corresponding to HSN2 can also be useful in selecting patients for clinical trials of a potential therapeutic agent. Patients can be stratified according to the DNA or protein sequence of HSN2 and their response to drug treatment can be evaluated. Such stratification can greatly reduce the number of patients required to establish efficacy for a potential therapeutic agent.



### Example 1

### Identification of the genetic mutation responsible for Hereditary Sensory and Autonomic Neuropathy – Type II (HSAN II).

5

10

15

20

We performed a genomewide screen in two geographically isolated families, who are likely related, to map the HSAN II locus. We expanded a consanguineous multigenerational family with eight affecteds (HSAN4) from a sibship reported previously and collected a smaller family with two affecteds (HSAN3). Most of the patients live within a 100-mile radius in a geographically isolated region. In both families the mode of inheritance was autosomal recessive and affected members presented with severe and early-onset HSAN II. Sensory loss was predominantly distal, but the progression of the disorder varied, involving the trunk in some patients. Because of the common geographic origin of our subjects and the relationships established through family history, it became clear that the different degrees of sensory loss were part of a continuum of a single disease process, and both families were expected to segregate the identical mutation. Pedigrees are shown in Fig 1. Additionally, unrelated affected samples from a different population were available, and these consisted of two affected sisters (HSAN5-301 and HSAN5-302) and another affected individual with no close family ties to the affected sisters (HSAN6-301).

25

30

Fifteen family members from HSAN4 and seven family members from HSAN3 were genotyped at 763 autosomal markers and at 48 X markers. A genome-wide two-point analysis identified five regions with cumulative two-point LOD scores >2.0. Only one region contained a marker that was homozygous in the three affected siblings in HSAN4 (patients 70-72) and the two affected siblings in HSAN3 (patients 31-42). This marker, D12S352, with a positive cumulative LOD score of 2.64 at zero recombination, suggested that HSAN type II likely maps to chromosome 12p13. In addition, this was the only genomic segment where a three-marker haplotype was shared between all affecteds. Analysis of additional microsatellite markers demonstrated that

10

15

20

25


30

all affected individuals in both families were homozygous for each marker in a 1.2 Mb common haplotype. Marker order was consistent between the Genethon and Marshfield genetic maps and the Build 30 human genome sequence assembly, suggesting that there were no gross inconsistencies or recombination hotspots. 22 markers gave significant positive cumulative LOD scores, the highest one being 8.4 for marker CA1AC005343 at zero recombination.

The core region of shared marker alleles (see Table 1) places the HSAN II locus within a region on chromosome 12p13 between markers CA1AC0021054 (forward primer: 5'-ACCATCACCTAAGGAGACAGACC (SEQ ID NO: 30) and reverse primer: 5'-TGCAACAAATGTACCACTCTGG (SEQ ID NO: 31)) and D12S1642 (forward primer: 5'-AGCTCCTAAATCCCCG (SEQ ID NO: 32), and reverse primer: 5'-GCCATGTCTATAAATACCCTG (SEQ ID NO: 33)) based on recombination breakpoints in individuals HSAN4-171 and HSAN4-124.

We also screened the additional affecteds from a different population. Individual HSAN6-301 was homozygous for all markers in the region defined in the HSAN4 family. The two affected sisters, HSAN5-301 and HSAN5-302, were not homozygous in the 12p13 region, and instead shared alleles on one chromosome with individual HSAN6-301. Alleles on the other chromosome are shared between the two sisters, suggesting that they are compound heterozygotes and that there are two founder mutations in this population. A recombination in one of the HSAN5 sisters positions the linked region above marker CA1AC005183x2.

The genomic sequence for the region defined in family HSAN4 is well defined, with a BAC contig consisting of 12 completely finished and one incomplete BAC sequences. The syntenic region in mouse is ~900 kb in size and located on chr 6. The gene order is conserved between human and mouse.



_
0
=
χ,
~
(I)
픑
<u>a</u>
.0
0
Ü
O
7
ë
.⊆
=
=
=
=
Z
•
S
I
a
~
Ŧ
4
0
$\subseteq$
ō
\$
=
<b>=</b> ;
<del>o</del>
ŏ
ble 1. Definition of the HSAN II minimal candidate region
_:
~
<u>•</u>
互

			4NASH brit	B ENASH	səəıbipəd u	i bənifəb nolgər əfsbibns:	
	G. 1.00 O. D. 1044	236	23	39 33	S 8 8 8	246 207 288 297 253 188	•
	d-106-3NA2H	236 2		_			
	8-106-3NASH	246 2;			(4	246 7 207 7 207 9 269 0 288 3 297 3 253 3 253 6 188 6 188	
	HSAN5-302-b					248 207 207 207 200 200 200 200 200 200 200	
٠	HSAN5-302-a	234				207 207 207 297 297 188 185	
	HSAN5-301-b	246		_		248 207 269 288 297 297 183 188	
<u>io</u>	s-10£-3NA2H	234	123	284 201 179	255 206 156 308	246 207 209 288 297 297 253 188 188	•
region	HSAN4-122/124	216	237 433 122	201	249	217 194 190	371 151 109 213
	601-4NASH	297 369 216 246	237 122 174	281 201 181	249 164 300	250 217 271 290 290 305 194 190	381 197 153 103 363 215
ida	d-171-4NA2H	317 154 369 216 246	237 437 172 174	281 201 181	249 164 300	250 217 271 290 290 305 245 194 190	381 197 103 363 213
candidate	6-171-4NASH			_		250 217 271 280 280 305 194 190	
	4-07-4µA≳H					250 217 227 230 305 194 196	
minimal	6-07-4NASH					250 217 271 290 305 194 190	
nin	d-t3-4NA2H	325 160 369 216 246	237 433 122 174	281 181 181	249 164 300	250 271 271 290 305 305 194 190	381 197 153 103 363 215 188
=	6-73-4NASH	317 154 369 216 246	237 122 174	28 18 18 18 18 18	249 199 300	250 271 271 285 305 190 190	381 197 153 103 363 363 188
Z	HSAN3-42-b	297 154 369 216 246	237 437 122 174	281 18 201 18 18 1	249 199 164 300	250 271 271 280 305 194 190	381 197 153 103 363 nd
HSAN	B-21-ENASH	297 154 369 216 246	237 122 174	281 201 181	25 4 4 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	250 271 271 271 272 305 305 194 190	383 163 163 163 168 168 168
the	d-18-enarh	297 154 369 216 246	237 122 174	284 201 184 184	249 164 300.	250 271 271 285 305 190 190	381 197 163 103 363 nd 188
of t	6-16-ENASH	325 154 369 216 246	237 437 122 174	201	249 199 300	250 271 271 290 305 194 190 159	381 153 103 363 nd
	<b>Jnue</b> S005 (kp)	181 515 573 632 635	639 684 702 738	. 751 763 800	949 984 1403	1628 1630 1679 1745 1783 1785 1878	1975 2037 2048 2207 2258 2642 3034
ini	Marshfield (cM)	0	0.62	1.17	1.71		
Definition	Genethon (cM)	o ·	0.6	<del>.</del> .	. 000	3.3 2.7	8.8.8.8. 8.8.8.8
Table 1.	Marker	GGAT2AC007406 D12S352 GAAAZAC021054 GAAA1AC021054 CA1AC021054	CA2AC021054 GAAA3AC021054 D12S341 CA1AC004765	CA2AC004765 D12S94 D12S91	CA1AC004803 A1AC004803 D12S389 D12S1285	CA1AC005182 CA1AC005182 CA1AC005183x2 CA3AC005343 CA2AC005343 CA1AC005343 CA1AC090840 D12S1642	CA2AC005342 CA1AC005342 D12S100 D12S1689 D12S1694 D12S1616

candidate region defined in pedigrees HSAN5 and HSAN6

10

15

20

25

30

Candidate genes: A list of the genes mapping to this candidate interval was compiled based on the Apr2002 freeze of the human genome assembly available from UCSC. A total of 13 known or predicted transcripts are located between markers D12S352 and D12S1615. These included NINJ2 (NM\_016533), FLJ31553 (AK056115), PRKWNK1 (NM\_018979), RAD52 WNT5B (BM714852), (NM 015064), PPA **ELKS** (NM 002879). (NM\_030775), FLJ21432 (BM453101), CACNA2D4 (AL137658), SLIT2L (BI754042), FLJ25180 (AK057909), FLJ31638 (AK056200) and CACNA1C (NM\_000719). The transcripts were categorized according to their evidence for being real genes, according to the following scheme: 1 - confirmed mRNA; 2 - mRNA supported by ESTs; 3 - spliced ESTs with other evidence to support; 4 - single spliced EST; 5 - unspliced EST; 6 - pseudogene not expressed. Many unspliced ESTs were found, and no serious effort was taken to label these as transcripts, given the known contamination of genomic DNA or unspliced intronic contamination within the cDNA libraries used to generate dbEST. Also, gene predictions were generally ignored unless there was independent evidence from mRNA sequence, EST, or non-human gene in which case the mRNA was used as transcript information.

Sequencing of the coding regions of these initial 13 candidate genes did not identify any relevant mutations. A more exhaustive search for candidate genes was therefore conducted based on conserved homologies between human and mouse genomic assemblies. The human genomic sequence representing the entire HSAN II candidate interval (1.2 Mb) was downloaded from the Human Genome Browser website (genome.ucsc.edu/) with case toggled to highlight the mouse translated BLAT track (which represents regions showing significant protein homology between human and mouse). A similar human sequence showing the translated Tetraodon BLAT track was also downloaded. These sequences were assembled into a contig, to which all exons of previously identified candidate genes were added. Then the contig was scanned for novel conserved fragments, roughly >80% conserved over >100 bp. This identified 64 novel fragments, which were then tested for functional homology using: 1) BLASTn against the nr database available

10

15

20

from the NCBI website (at www.ncbi.nlm.nih.gov/BLAST/). The HSN2 gene contained the only novel well-conserved ORF identified in this screen.

Assembly of HSN2 cDNA contig and transcripts: A total of 21 human EST sequences (from 8 different cDNA libraries), including BG428619, BF522762, and N98701, and a genomic sequence from BAC AC004765, were assembled into a contig. A putative cDNA sequence was derived from the genomic sequence, with ends based on human ESTs (SEQ ID NO. 1). The start ATG is immediately preceded by a stop TGA codon, and there is no further indication of a conserved splicing site upstream of the ORF, suggesting that this gene consists of a single unspliced exon. The identified open reading frame (ORF) encoding a peptide of 434 aa (SEQ ID NO. 2) was used to identify the mouse, rat, and fish orthologs from their respective genome assemblies. A consensus genomic sequence was downloaded from the UCSC website (SEQ ID NO. 12). The HSN2 gene maps to intron 8 of the PRKWNK1 gene, and consists of a single exon that is transcribed from the same strand as PRKWNK1.

To screen the ORF for nucleic acid mutations, three separate amplicons were designed (XH18x01a, XH18x01b, and XH18x01c). PCR primers (XGR0720 to XGR0725) were designed using PrimerSelect (DNASTAR, Madison WI) and purchased from BioCorp (Montreal). The primer sequences, and amplicon sizes are given in Table 2. The TD1 protocol for PCR amplification consisted of the following: initial denaturation for 5 min. at 94C, followed by 17 cycles of denaturation at 95°C for 30 sec, annealing at a temperature starting at 70°C and ending at 54°C (-1°C per cycle), and 45 sec elongation at 72C, followed by 25 cycles of denaturation at 95°C for 30 sec., annealing at 54°C for 30 sec. and elongation at 72°C for 45 sec., followed by a single cycle at 72°C for 5 min.

25



Table 2.

Amplicon	Forward primer	Reverse primer	Size (bp)	Protocol
XH18x01a	XGR0720: (SEQ ID NO: 24)	XGR0721: (SEQ ID NO: 25)	677	TD1
	TTCCAGAAGCATTGTTATTTATTT	CCCCTTGTACTGGCTTCT		
XH18x01b	XGR0722: (SEQ ID NO: 26)	XGR0723: (SEQ ID NO: 27)	638	TD1
	CACCAGAGGCCGTAGTTATGTTG	TTGAGGAGGCAGTTCTTCTTGATT		l l
XH18x01c	XGR0724: (SEQ ID NO: 28)	XGR0725: (SEQ ID NO: 29)	669	TD1
	GCGCCTGCTGTGTTAACTCATAA	CCAAAGATGGGGAAACTCTACTGA		

Samples were amplified using Taq polymerase (Qiagen) on a PE 9700 thermocycler. All amplified fragments were tested by agarose gel electrophoresis. Samples tested were HSAN4-70 (affected homozygous), HSAN4-371 (normal control from same pedigree) and HSAN5-302 (affected). Amplified products and sequencing primers were sent to the Montreal Genome Centre sequencing facility for sequence determination. Traces were then aligned using a genomic sequence contig constructed in SeqManII (DNASTAR), and variations identified and annotated to an Excel spreadsheet. Publicly available predicted SNPs (from NCBI dbSNP) were identified, or those found in the cDNA contig were noted. Sequence variants were documented by printing the screen image in MS PhotoEditor, selecting the relevant sequence trace and pasting into MSWord to make a Figure.

15

20

25

10

5

Identification of mutations in HSN2: Three separate mutations were identified that were predicted to gravely affect the ORF of the HSN2 gene (see Table 3, SEQ ID NO: 3 to 5). A deletion of an A at position 594 (relative to the start ATG), found homozygous in the HSAN4-70 sample, is predicted to cause a frameshift in codon 198 leading to premature truncation of a 206 aa peptide. Two different mutations were found in the HSAN5-302 sample. The first is a 1 bp insertion of an A between bases 918-919, causing a frameshift in codon 307, and leading to premature truncation of a 318 aa peptide. The second is a C>T change at position 943 that changes codon 315 (CAG, encoding Glutamine) to a TAG stop codon, therefore prematurely truncating the protein at 314 amino acids. Each of these mutations was not found in the control sample, dbSNP database, nor available genomic and EST sequences.




Table 3. Sequence ID Numbers

SEQ ID NO.	Description
1	Wild-Type Human HSN2 putative cDNA (ends based on human ESTs)
2	Wild-Type Human sensorin
3	Mutation 1 - Amino acid sequence of truncated human sensorin in HSAN4-
4	Mutation 2 - Amino acid sequence of truncated human sensorin in HSAN4-302
5	Mutation 3 - Amino acid sequence of truncated human sensorin in HSAN4-302
6	Genomic promoter sequence for human HSN2
7	Wild-Type Mouse HSN2 cDNA predicted (5' and 3' end not determined)
8	Wild-Type Mouse sensorin amino acid sequence. 433 amino acids
9	Wild-type Rat HSN2 nucleic acid sequence. (genomic sequence defined by 5' and 3' ends in EST BF522762/AI578184, contains polyA tail)
10	Wild-type rat sensorin amino acid sequence. 434 amino acids
11	Wild-type Fugu sensorin amino acid sequence
12	Genomic structure and sequence of the human HSN2
13	Partial wild-type amino acid sequence of Tetraodon sensorin
14	Human cDNA; mutation 1, c.594delA
15	Human cDNA; mutation 2, c.918insA
16	Human cDNA; mutation 3, c.943C>T
17	Pig HSN2 Nucleotide Sequence
18	Pig HSN2 Amino Acid Sequence
18 ·	Human HSN2 translated from 2 <sup>nd</sup> ATG
20	Human HSN2 translated from 3 <sup>rd</sup> ATG
21	Mouse HSN2 translated from 2 <sup>nd</sup> ATG
22	Mouse HSN2 translated from 3 <sup>rd</sup> ATG
23	Rat HSN2 translated from 2 <sup>nd</sup> ATG

SEQ ID NO: 17 is the complete sequence of pig (Sus scrofa) cDNA clone, which was determined from clone MI-P-AY1-nrg-c-02-0-UI generated by Pig Genome Project and partially sequenced with Genbank accession number BI399422. SEQ ID NO: 18 is the sequence for the pig HSN polypeptide.

10

5

Analysis of SEQ ID NO: 19 to 23 shows that the 3rd ATG is closest to the optimal Kozak consensus C-C-[AG]-C-C-A-T-G-G context for initiation of translation, but is not conserved in rat Hsn2 genomic sequence.

15

20

### WHAT IS CLAIMED IS:

- 1. A method for identifying an agent that modulates the activity of the HSN2 gene, comprising:
- a) contacting a test compound with a cell that expresses an HSN2 gene;
- b) determining a change in the expression of said gene as a result of said contacting,

wherein said determined change in expression of the gene indicates modulation, thereby identifying the test compound as an agent that modulates the activity of an HSN2 gene.

- 2. The method of claim 1 wherein said HSN2 gene is a mammalian HSN2I gene.
  - 3. The method of claim 2 wherein the mammal is mouse, rat or human.
- 4. The method of claim 1 wherein said modulation is a decrease in expression.
  - 5. The method of claim 1 wherein said cell is a mammalian cell.
  - 6. The method of claim 5 wherein said cell is a recombinant cell.
- 7. The method of claim 5 wherein said cell is a cell of the nervous system.
- 8. The method of claim 1 wherein said gene comprises a polynucleotide corresponding to a polynucleotide having a nucleotide 30 sequence selected from the group consisting of SEQ ID NO: 1, 7 and 9.
  - 9. A method for identifying an agent that modulates HSN2 gene, comprising:

15

30

- (a) contacting a test compound with a genetic construct comprising a reporter gene operably linked to an HSN2 promoter under conditions where the reporter gene is expressed;
- (b) determining a change in expression of the reporter gene as a result of said contacting,

wherein a determined change in expression indicates modulation, thereby identifying the test compound as an agent that modulates HSN2 gene.

- 10 10. The method of claim 9 wherein said modulation is a decrease in expression of said reporter gene.
  - 11. The method of claim 9 wherein said HSN2 promoter is a mammalian HSN2 promoter.
  - 12. The method of claim 11 wherein the mammal is mouse, rat or human.
- 13. The method of claim 9 wherein said promoter is the promoter of SEQ ID NO: 6.
  - 14. The method of claim 9 wherein said genetic construct is present in a cell.
- 25 15. The method of claim 9 wherein said cell is a mammalian cell.
  - 16. The method of claim 9 wherein said cell is a recombinant cell.
  - 17. The method of claim 15 wherein said cell is a nervous system cell.
  - 18. A method for identifying an agent that modulates the activity of an HSN2-encoded protein, comprising:
  - a) contacting a test compound with an HSN2-encoded polypeptide under conditions where said polypeptide is active; and

15

30

b) determining a change in the activity of said polypeptide as a result of said contacting;

wherein said determined change in activity indicates modulation, thereby identifying the test compound as an agent that modulates the activity of HSN2-encoded protein.

- 19. The method of claim 18 wherein said HSN2-encoded protein is a mammalian HSN2-encoded polypeptide.
- 10 20. The method of claim 19 wherein the mammal is mouse, rat or human.
  - 21. The method of claim 18 wherein said modulation is a decrease in activity.
  - 22. The method of claim 18 wherein said protein is present in a mammalian cell.
- 23. The method of claim 22 wherein said cell has been engineered to contain said protein.
  - 24. The method of claim 23 wherein said cell was engineered by genetic engineering.
- 25. The method of claim 23 wherein said cell does not contain said protein absent said engineering.
  - 26. The method of claim 22 wherein said cell is a cell of the nervous system.
  - 27. The method of claim 22 wherein said protein is encoded by a polynucleotide having a sequence selected from the group consisting of SEQ ID NO: 1, 7, and 9.

25

30

- 28. The method of claim 22 wherein said protein comprises an amino acid sequence of SEQ ID NO: 2, 8, 10 or 11.
- 29. A method of treating a pain-related disorder comprising
   administering to an animal in need thereof a therapeutically effective amount of an HSN2 modulator.
  - 30. The method of claim 29 wherein said HSN2 modulator exhibits modulating activity in an assay method of one of claims 1 to 28.
  - 31. The method of claim 29 wherein said agent was first identified as an HSN2 modulator using an assay method of one of claims 1 to 28.
- 32. A method for treating an HSN2-related disorder comprising administering to a person in need thereof an effective amount of a selective sensorin agonist or antagonist, or a pharmaceutically acceptable salt thereof, or a pharmaceutical composition containing said agonist or antagonist.
- 33. The method according to claim 32 wherein said disorder is pain,20 neuropathy or a related disorder.
  - 34. The method of claim 33, wherein said pain disorder is selected from the group consisting of inflammatory pain, a neuralgia, a nerve entrapment syndrome, and pain associated with a musculoskeletal disorder.
  - 35. A method of diagnosing the presence of, or risk of developing, an HSN2-related disorder comprising determining the presence of a mutation in the nucleic acid sequence of the HSN2 gene of said individual or in the amino acid sequence of an HSN2-encoded protein of said individual.
  - 36. A method for identifying an agent that modulates HSN2 gene activity or sensorin activity, comprising: (a) contacting a test compound with a cell expressing HSN2; and (b) determining a change in expression of a HSN2 nucleic acid or the activity of sensorin, wherein said change indicates

20

30

modulation thereby identifying the test compound as an agent that modulates HSN2 gene activity or sensorin activity.

- 37. The method of claim 36, wherein the test compound is a small molecule.
  - 38. The method of claim 36, wherein the test compound is an antisensorin antibody.
- 10 39. The method of claim 36, wherein the test compound is an antisense HSN2 nucleic acid molecule.
  - 40. The method of claim 36, wherein the test compound is a HSN2 ribozyme.
  - 41. An isolated polynucleotide comprising a nucleotide sequence with at least 60% identity to a sequence selected from the group consisting of SEQ ID NO: 1, 6, 7, 9 and 12 wherein said isolated polynucleotide encodes a polypeptide that binds to an antibody specific for a polypeptide having the amino acid sequence of SEQ ID NO: 2.
  - 42. The isolated polynucleotide of claim 41 wherein said identity is at least 70%.
- 43. The isolated polynucleotide of claim 41 wherein said identity is at least 78%.
  - 44. The isolated polynucleotide of claim 41 wherein said identity is at least 90%.
  - 45. The isolated polynucleotide of claim 41 wherein said identity is at least 95%.

- 46. The isolated polynucleotide of claim 41 wherein said identity is at least 98%.
- 47. The isolated polynucleotide of claim 41 wherein said polynucleotide has a sequence selected from the group consisting of SEQ ID NO: 1, 6, 7, 9 and 12.
  - 48. An isolated polypeptide comprising an amino acid sequence with at least 90% identity to an amino acid sequence selected from the group consisting of SEQ ID NO: 2, 8, 10, 11 and 13 wherein said polypeptide binds to an antibody specific for a polypeptide having the amino acid sequence of SEQ ID NO: 2..
- 49. The isolated polypeptide of claim 48 wherein said percent identity is at least 95%.
  - 50. The isolated polypeptide of claim 48 wherein said percent identity is at least 98%.
- 51. An isolated polypeptide comprising a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO: 2, 3, 4, 5, 8, 10, 11 and 13.
  - 52. A method for identifying an analgesic agent, comprising:
- a) administering to an animal an agent found to modulate HSN2 gene or HSN2-encoded polypeptide activity, and
  - b) determining in said animal a decrease in response to a pain stimulus as a result of said administering,
- wherein a decrease in response to said pain stimulus indicates 30 analgesic activity, thereby identifying said agent as an analgesic agent.
  - 53. The method of claim 52 wherein said animal is a mammal.

- 54. The method of claim 53 wherein said mammal is a mouse, a rat or a human being.
- 55. A method for producing test data with respect to the gene modulating activity of a compound comprising:
  - (a) contacting a test compound with a HSN2 gene under conditions where said gene is being expressed;
  - b) determining a change in the expression of said gene as a result of said contacting, and
- (c) producing test data with respect to the gene modulating activity of said test compound based on a change in the expression of the determined gene as a result of said contacting.

Figure 1A




Figure 1B







Fig. 2. Domain prediction of the sensorin protein. Predicted TM topology using TMPred.





Peptide sequence alignment of the human, mouse, rat, Tetraodon and Fugu sensorin orthologs. က



## Fig.4. Peptide sequence alignment of human and Fugu sensorin proteins

21		72
<b>ÖSI</b>	Ŷ	ŎNN
Human: 10 LIQPQSMAHPCGGTPTYPE-SQIFFPTIHERPVSFSPPFTCPPKVAISQ 57	+ P+ + + FP+I ERP+SFSPPPT PPK	LSQQHSVPHPYSGGAGGAGGNIPLASLPDPTTVLFPSIPERPISFSPPFTMPPKAYNNQ 72
LIQPQSMAHPCGG	I Q S+ HP G	LSQQHSVPHPYSGGAGO
10		13
Human:		Fugu:

58

Human:

337 IGQNWPIGSPEYSSDSSQITSSDPSDFQSPPP Human:

351 AGLTAKDKSPDPSSDS--LASSDNGEFQSPPP +FQSPPP SP+ SSDS Fugu:

<sup>350</sup> 291 MASRLFRARRSSMDLPLEDNTGAGSGGSGTYVRLQPVTEELYSYVSPELPLPPGSLFLHH Fugu:

# Fig. 5. Peptide sequence alignment of Fugu and Zebrafish orthologs of sensorin.

156 146 PPLFMVNPGFAAAAQRLGVGEPLHLPGQSDPSLYGYKDMRAEHGEAMRRLSLNQ PSMFMM-PGMPA--QRLT--DPLHLQPPTE-SLYGYKDVRAEQEETVRRLSLNQ E +RRLSLNQ SLYGYKD+RAE +PLHL QRL P +FM+ PG 103 Zfish:

## Figure 64

cgtggtggcgcacgcgtgtagtcccagctacttgggaggctgaggcagaagaatcccttgaacccaggaggcggaggttgcagtaagccaagattgtca tcactagtcaaattatatatettttactatccaccaaaaatctcttctgatttctggttagaaggcatactattaattgataagaaaataaaactgaag acattttgtgatttaactctgtaacatgtttcatgtagtaaaaatataaaaactattaatcatcttagcttgggagagataggagaaagacattactg GATACAGGTCCATCCTATGTTTGAACCATCTCAAGTTTACAGTGACTATAGACCTGGACTAGTACTTCCAGAAGAAGCTCACTATTTTATTCCTCAGGA atagggttacacagaactacccagttgtgcatgtctgatgtaatttcacata<u>tga</u>ATGTATGAATTACTTGTCTTATTCATGTTGATACGCCTCAGTC CATGGCGCATCCGTGTGGGGGGACCCCAACATACCCAGAATCACAGATATTTTTCCCAACTATTCATGAACGTCCAGTTTCTTTTTTACACCTCCAC AAGTCTTCTTCCACCTGGTGGCAGCCCAACTAACTGGACACCAGAGGCCGTAGTTATGTTGGGTACTACAGCCAGTAGAGTAACTGGAGAGTCATGTGA AGCAGTGTATGTAGCTGGGGTACATTACCAGGCCCGGGTGGCAGAACAGTATGAGGGCATTCCATACAACTCATCAGTACTGTCAAGTCCTATGAAACA TCCTCATTCTGCGCCTGCTGTTAACTCATAACAATGAGAGCAGAAGCAACTGTGTATTTGAATTTCATGTTCACACACCAAGCTCCTTCAGGAGA AGGAGGTGGAATTTTACCTCAGCGTGTTTACCGAAATCGGCAGGTTGCAGTGGACTTGAATCAAGAAGAACTGCCTCCTCAATCAGTTGGATTACATGG CTACTIGCAGCCIGIGACIGAAGAAAAGCATAATTACCAIGCCCCAGAATIGACCGITITCIGIGGIAGAGCCTAICGGACAGAACIGGCCAAIAGGAAG GATACCTGAACAGAAGCCAGTACAAGGGGGCCCTACTTCAAGTTCTGTCTTTGAATTTCCATCTGGACAGGCTTTCCTGGTAGGACACCTTCAGAATCT AACTGCCTCATTTTCTTCAGGAGGATCTGCACTTCATCAGGTTATAGGAAAACTTCCACAATTATTAAActacctactttgcaccataacatt AAGATTAGATTCTGGATTGGGTCCGGGATCTCCCCTCTCTAGTATTTCTGCACCTATCAGTACAGATGCTACACGTTTGAAATTTCACCCTGTCTTGT CCCAGAATAÎTCCAGTGATTCCTCACAAATCACTTCTTCAGACCCCAGTGATTTTCAGTCACCTCCCCCTACAGGGGGAGCAGCTGCACCTTTTGGCTC taaattttotattoottatttoootgaatoatggattttggagaaatattgtttaattttatoagtagagtttooooatotttggggggttgtgaaota  $\mathsf{atgccttgttttagttcttactctttaactcttttctgttgatgtaatttacatttaccatttaatgcttaagagtgaacttttttaagtgtgggtaaaac<math>\mathsf{c}$ catatatgcatttaaaaaacaaaatgtgagagagctacctgatttacctattatatgtgaaaaccagtggaaaaaacaacaaaaactagaattttagtca tttgaggtaatattaataatacacagaattttcattagtgtcgaaggatctaaaaaagacaaagtatatcatgggaataaaaaagatagaaaaggaaac 

## Figure 6B-1

gaagtagaaaatataaaatgctgtctctaaaagccttattatagagtaggatatagacattaatgtgtgggcattagctgaactgcctacatgaagca atacaaatgttttgcgggtggggggagaagagtttttcaaaagcttgttaaaatgattactaagtattcctgtaagattccctattgtacaaaacaca gctatgtgcaagatttagattagtctgcatttttactaaagggaacgctctctttagcacttaagatgttgaaactattcacagcaacaaaagctggac tgtgttttacattagacactcttgtttctcatatagagaatgttaaagtagatcatcagataataccccatttctttgttgacctcagaggaaaataa tcagaaagcttttaatctaaactttgtggaattcttgctcttctttaaatgaaaatctttctctgttaagaaaatacttctgctggttcgattttttat gtaagtaaatgettaagageatgtaatactacaatgagageeaatggatagtetgetaaattaaaattetettgtacaaaceaagtaaeagtatgagtet ggtaagaccttcaaaccattatagaatgctgcatgtgagtactctagattgagggaatcctttatttgaatgactgtttaatttagcgcttgtgtgttgag aactaatatactaactttttaaaaacaatctactttctgtctttaaaataattgagggtagaatagaagaactttataaaagactgcacagàaaatatatt ggtgggaatacagtggcgtgatcttggctcactgcaactttcacctcctgggttcaagtgattctcctgcctcagcctcccagtagctaagattacagttaatotagotatatttattgatgotctaaaagcagacgttottgotttttaatgacagtattotatggaggtattatgaagaattattaaatattgag aatttaaaaatttgtotaattotattottgtotoatttcaggaatgtggottacaataataggacaaattataagtgaaattttagaaattagaattagaataa aagaaataaggotagagagaaatcaaaacaggaatgaaactaaacaatcatatgatgatatgtaaatacttggtattggtgggccacagatttggccca aagcattctacacagccaagttttggaaatgaaaacatagtttcatagttcacaacatctaaaaggaaaataacagtcttattcaagacaacctttatg gcacccatcaccacgcccagctaatttttgtattttttagtagagacacagtttcaccgtgttggctaggctggtcttgaactcttgacctcaagtg atccacctgcctcggcctcccaaagtgccaggattacaggtgtgagccaccatgcccggcctaaattattattatagagattcagattgaagatattctcccattgattactttgtaaaagtacaaaatatttcctatatccagttgtgaatttcttctagaaagctaaactttttcctagtagatcatgacttttttta cetttacaaataaaagagtggcaagtataagaaatactgtgagccaacaactttecateteatgtettetaaaatagaaatgagaatettttetgaggt tgtgctatgttgagttatagctctcccaaaaaaaaaaactgactttgtggaattgggagaggatggaacatttcttcatgcaactatgccctgttatca 

## Figure 6B-2

ggactgccccgaggaaacttttgccgaaaagctttctaaagcattggagagtgtcctgcctatgcactctgcctctcagcgcaagcaccgacgctccag tcccatctttctgctgttgcctgtgtcccgcatctcccagtgctcttccaccccaccgccagtactgtctgcacctcttctccttccctcctcc  ${ t tgtacttttgttttatttttcacagtactgtgttttcatgtgtgttttgttttgttttgt<math>{ t ttgttttgtgttgagcctcgtcgtcgtgccgtagcatgtcggtttgtgt}$ cctgccttccctctttgtcagtactgtatgtaactgtaaacttctgacaaatgaacaattattaccaatgaatacatccaggcaacaagaattttaatt aaaattgaataaagaacaggactaaacttggttatattatgcttctaggataccagttattcctgtaggaaacttttttgtaataaggctttaaggggg ttggagtgaacatttattttaatttaatcatttatgtaagatgatgtatcagcaaaccaaagaactacataatgttcccccatggaagtattttttcct tctatcttataaaaattattttaagcatgtgggtccttgctgcttttccaaataaagaatatagttaactttctgaactagcaaccccagaattttcaga aatccttatttagctattgtgaacagttgatctactttgccagctcgataaggatcttccctatggaagaatgaaactgaattcttttaaaaagcgggg  ${ t gaggetgtgatagtgaattettactatttactta}$  ${\tt ctcgactcacggcaacctctgcctcctgggttcaagtgattctcctgcctcagcctcccgagtagctaggactacaggcgcatgccaccacaccagct}$ a atttttgtattttagtagagatgtttcaccatgtttggccaggatggtcttgatctcctgacattgtgatccaccccttcagcctcccacgcatctagaactgcttctagaataaaaagtgctatcaaataaaattggctgtcatttatatttacccttttcagttgattagaacaccaggatgtcagaatc gaccagcctggccaacatggcgaaatgtgtctctactaaaaatacaaaatta<math>gctggggggggggg*tgggattacaggcgtgagccaccgcgcccagc*gggtaatgaattattatagtgtatattgtttgcatttggcaagctgtgtttctaaatttagtctta  ${\tt agaaaattcat}$ ggctcag ${\tt ggctcagcctgcacgcctgt}$ TGAGGCAGÀAGAATCCCTTGAACCCAGGAGGCGGAGGTTGCAGTAAGCCAAGATTGTCACTGCACTCCAGCCTGGGCGAAAGAGGAAGACTCCATCTCA aaaaaaaaaaaaaatitcatggttatgcaactcttatttatgatcagaaaaatggacattttgtgatttaactctgtaacatgtttcatgtagta ttagttcaatagtttaaattaaagcacacttcttacagtatagaactagtcgggcttttatgccttgttttagttcttactcttcctttaactcttttt tctcttctgatttctggttagaaggcatactattaattgataagaaaataaactgaaggcctcttaacatatcacagggtaataagaatatagggaaag cataatiticcagaagcattg*itatitatitaatitaatitaaatitia*gtgiaaaccatticatagggitacacagaactacccagttgigcatgtctgatg aataaaaagcaaggaggtaatgagagagaatacctataatgtccttggcacataccagcatgtgtccaataaaatttacctttcattatatcttcctg ttoctatogacataaaattotttoattttoatattotagttttaaaaggattaattttaaagttattgoottaatoaaaagoaaattttatoaaaaca TAATTTCACATATGAATG

## Figure 6C

tcatggggttacacagaactatccagctgtgcatgtctgatgtaattttacatattgaATGTATGAATTACTTGTCTTATTCATG AGCTGGGGTGCATTACCAGGCCCCAGGTGGCAGGACAGTATGAGGGCATTTCATACAACTCACCAGTACTGTCAAGTCCTATGAAA CAGATATCTGAACAGAAGCCAGTGCCGGGGGGCCCTGCCTCAAGTTCTGTCTTTGAATTTCCTTCTGGACAGGCTTTCCTGGTAG CCAGAGGCCATAGTTATGTTGGGTGCTACAGCCAATAGAGTAAATAGAGAGCTATGTGAGATGCAGGTCCAACCTGTGTTTGAGC CAACCCAGATTTACAGTGACTATAGACCTGGACTAGTACTGGCAGAAGAAGCTCACTATTTTTATTCCTCAGGAAACAGTATATCT SACACCTTCAGAATTTAAGATTAGATTCTGGACCAAGTCCAGCATCACCCCTCTCTAGTATTTCTGCGCCTAACAGTACAGATGC TACACATCTGAAATTTCACCCTGTCTTTGTACCTCATTCTGCACCAGCTGTGTTAACTAATAGCAATGAGAACAGAAGCAACTGT GTATTTGAATTTCATGCTCAAACACCCAAGTTCTTCAGGAGAAGGAGGTGGGATTTTACCTCAACGTGTTTACCGAAATCGGCAGG TAATAACCATGCCCCGGAATTGACCATTTCTGTGGTAGAACCTATGGGACAAATCTGGCCAATAGGAAGCCCAGAATATTCCAGT GATTCCTCTCAAATTACTTCTTCAGATCTCAGTGATTTTCAATCACCTCCCCTACAGGGGGGGCACAGCTGCACCTTTTGGCTCTG ACGTCTCATTGCCCTTTATTCGCCTGCCTCAGACAGTGTTACAAGAATCCCCACTATTCTTCTTGTTTCCCCCCAAGGAACCACATC tagtaggatttctttgtggttataaatacttgtagtaaaaaaatgaactataaaagcagaaaatacctggtttgcctgtgatttta aacgtccagtttcttttcaccacctcccacctgtccacgaaagtagccatttccaaggaggtttcccaa actaccctattatacaccagtgcatttaaattctctatctcatttacctgaatcatggatttataaggaatgttgtttattttcc TTGATACAGCCTCAGTCCATGGCGCATCCGTGTGGGGGGACCCCAACATACCCAGAATCACAGATATTTTTCCCAACTATTCAT attgtcagaatcaatgactaatctctttggaattttgtggtagtaatgaaaatgc

### Figure 6

gcagcttttttttttcattcaaggaagtgccacagattgactttattggccctggatgtatttaatggattttaatggatttttgctataaattcc aaaagcattgttagttattaaaaatttttggtgtagccacttcatggggttacacagaactatccagctgtgcatgtctgatgtaat tttacatattgaATGTATGAATTACTTGTCTTATTCATGTTGATACAGCCTCAGTCCGTGGCGCATCCGTGTGGGGGGGACCCCAA <u> AATCATCTTCCACCTGGTGGCAGCCCAACTAACTGGACACCCAGAGGCCATAGTTATGTTGGGTACTACAGCCAATAGAGTAAATA</u> GAGAGCTATGTGAGATGCAGGTCCAACCTGTGTTTGAGACAACCCAGATTTACAGTGACTATAGACCTGGACTAGTACTGGCAGA CTGTCTTTGAATTTCCTTCTGGACAGGCTTTCCTAGTAGGACACCTTCAGAATTTAAGATTAGATTCTGGACCAAGTCCAGCATC ACCCCTGTCTAGTATTTCTGCGCCTAACAGTACAGATGCTACACATTTGAAATTTCACCCTGTCTTGTACCTCATTCTGCACCA SCTGTGTTAACTCATAGCAATGAGAACAGAAGCAACTGTGTATTTGAATTTCATGCTCAAACACCAAGTTCCTCTTCAGGAGAAG <u> AGAAGCTCGCTATTTTATCCTCAGGGAAACAGTATATCTAGGTGGGGTGCATTACCATCCCCATGCGGCAGGACAGTATGAGGGT</u> <u> ATGGGACAAAACTGGGCAGTAGGAAGCCCAGAATATTCCAGTGATTCCTCTCAAATTACTTCTTCAGATATCAGTGATTTTCAAT</u> AGAATCCCCACTATICITCIGITITCCCCCAAGGAACCACATCICAGCAGGICITATCTGCITCATATITTTCTTCAGGAGGATCIGCA actttaaagtggaaaatacctggtttacctgtgattttagttgtcagaatcaatgactaatgtagtggaattttgtgggtagtag TGGATTACACTGCCACCTGCAGCCTGTTACTGAAGAACAGCGTAATAACCATACCCCAGAATTGACCATTTCTGTGGTAGAACCT CTCCATCCACAGGTTATAGGAAAACTTTCACAATTCTTTTAAaataccctattatgcaccaatgcatttaaaattctctgtctcat CATACCCAGAATCACAGATATTTTTTCCCAACTATTCATGAACGTCCAGTTTCTTTTTCACCACCTCCTACCTGTCCACGAAAGT AGCCATTICCCAGCGACGTAAGAGIACCICCTICCTGGAAGCICAAACTCGCCACTTCCAACCCCTGCTGAGGACTGTTGGCCAĀ taaaaatgcaattgtc

gacagataggctaatgattctcctaattggtttttttagcttcttgttattttgcactggctttttggtttttgaattatgaatcctactatt atacaaaatttgaaatggttgtcgtctagcttctctttattcttatatctgtgactaggagaatagaaggatggggtggtaaggaaatgtga ttaataatgaagaatgaacaagcttggctactaaaattgaacccatcagtctggttgagctcttttagcaaagctgaatggtatatagacta aaaactaatgagaacactggttattaatttaattacttgtttaatactgagaacctcctggcctccataattaagactttgaaagctgtgtc aaatttaaggottatagtgtttcatgotgtttcoottactcotcaggtggtaagattotgtgatagooatatggattootoatttaaatata gaaatctactgaatatggctacaattcattttttatttagttcaaatctgtgcaaggaataactagttacccctaatataatgggtctaaat gtagaacctgaagaacctgaggcagatcaacatcaacaactacagtaccagcaacccagtatatotgtgttatgtacgtatcttgggaagt& ccagtgcttcccagacaggaatcaagcagctcccttctgctagcaccggcatacctactgcttctaccacttcagcttcagtttctacaca taccetttttattetgtaggtagagtetgggtatgtetgtgaaggtgatcacaagaccatggetaaagetatcaaagacagagtatcattaai 

GAACAGGCACATTCTACAGGCACAGTCCCAGGGCATATACCTTCTACTGTCCAAGCACAGTCTCAGCCCCATGGGGTATATCCACCCTCAAG XHO3xO8 (PRKWNK1

tteetgaaaeattttatgettgtataeaeataeaeacaeaeaeattateetgtgtttttaeattagaeaetettgttteteatatagagaatgt gtaagtaaatgottaagagcatgtaatactacaatgagagccaatggatagtctgctaaattaaaattctttgtacaaaccaagtaacagt

## Figure 6E-2

gagacacagtttcaccgtgttggctaggctggtcttgaactcttgacctcaagtgatccacctgcctcggcctccaaagtgccaggattacaggtgtgagccaccatgcccggcctaaattattatttagagattcagattgaagatattctccccattgattactttgtaaaagtacaaaata aattottgotottotttaaatgaaaatotttototgttaagaaaataottotgottgttogattttttatootacagottggaataaaagat attaaatattgagaatttaaaaatttgtctaattctattcttgtctcatttcaggaatgtggcttacaataataggacaaatttggacaaattataagtga gaaaataacagtcttattcaagacaacctttatggtattgatcatactgccttatagccatattaaaccctgtgcctgaaca*ttttttaag* tttoctatatocagttgtgaatttottottagaaagotaaactttttootagtagatoatgaottttttaoottttacaaataaagagtggoaa gagccattaatctagctatatttattgatgctctaaaagcagacgttcttgctttttaatgacagtattctatggaggtattatgaagaatt gtattggtgggccacagatttggcccaaagcattctacacagccaagtttttggaaatgaaacatagtttcatagttcacaacatctaaaag ttttttttttttttttgacagcgtctcactctgtctcccaggtgggaatacagtggcgtgatcttggctcactgcaactttcacctcctggtaaagtagatcatcagataataccccatttcttttgttgacctcagaggaaaataaaatacgtcatctgcctctgaaaggtattagaaaata 

## Figure 6E-3

tagaaatccttatttagctattgtgaacagttgatctactttgccagctcgataaggatcttccctatggaagaatgaaactgaattctttt tggcacataccagcatgtgtccaataaaatttacctttcattatatcttcctgtttcctatcgacataaaattcttcatttcatattcta taatcatttatgtaagatgatgtatcagcaaaccaaagaactacataatgttcccccatggaagtattttttccttaggtttcaacctaagg aaaaagcggggggaggctgtgatagtgaattcttactattatttactta*tttatttatgttttggagatggaatctcgctctgtcgccaggct* ggagtgcagtggcacgatctcgactcacggcaacctctgcctcctgggttcaagtgattctcctgcctccagcctccgagtagctaggactacaggegea tgecaceacaceagetaa tttttgta ttttagtagaga tgggttteacea tgtttggecagga tggtettga teteetgaeat tttgcatttggcaagctgtgtttctaaatttagtcttaaatctagaactgcttctagaataaaaagtgctatcaaataaaattggctgtcat tatattacccttttcagttgattagaacaccaggatgtcagaatcagaaattcatggttac*ggccgggctcagtggctcacgcctgtaat* cctagcactttgggaggccgaagtgagcagatcacctgaggtcaggagttcgagaccagcctggccaacatggcgaaatgtgtctctactaa aaaattattttaagcatgtgggtccttgctgcttttccaaataaagaatatagttaactttctgaactagcaaccccagaattttcagatt aaatacaaaaattagctggg

ISN2×01

GATAGGAGAAAGACATTACTGTCACTAGTCAAATTATATATCTTTTACTATCCACCAAAAATCTCTCTGATTTCTGGTTAGAAGGCCATACT attaattgataagaaaataaaactgaaggcctctaacatatcacagggtaataagaatatagggaaagttaggttcaatagtttaaattaaag 

# Figure 6E-4

GCAGTGTATGTAGCTGGGGTACATTACCAGGCCCGGGTGGCAGAACAGTATGAGGGCATTCCATACAACTCATCAGTACTGTCAAGTCCTAT CATACCCAGAATCACACAGATATTTTCCCCAACTATTCATGAACGTCCAGTTTCTTTTTCACCACCTCCCACCTGCCCACCGAAAGTAGCCATT GAAACAGATACCTGAACAGAAGCCAGTACAAGGGGGCCCCTACTTCAAGTTCTGTCTTTGAATTTCCATCTGGACAGGCTTTCCTGGTAGGAC **ACCTICAGAATCTAAGATTAGATTCTGGATTGGGTCCGGGATCTCCCCTCTCTAGTATTTCTGCACCTATCAGTACAGATGCTACGCTTTG** TCACACACCAAGCTCCTCTTCAGGAGAAGGAGGTGGAATTTTACCTCAGCGTGTTTACCGAAATCGGCAGGTTGCAGTGGACTTGAATCAAG TCCCAGCGGCGTAAGAGCACCTCCTTCCTGGAAGCCCCAAACTCACCACTTCCAACCCCTGCTGAGGACTGTTGGCCAAAGTCTTCTTCCACC TGGTGGCAGCCCAACTAACTGGACACCAGAGGCCGTAGTTATGTTGGGTACTACAGCCAGTAGAGTAACTGGAGAGTCATGTGAGATACAGG TCTGTGGGTAGAGCCTATCGGACAGAACTGGCCAATAGGAAGCCCAGAATATTCCAGTGATTCCTCACAAATCACTTCTTCAGACCCCAGTGA ITTICAGTCACCTCCCCTACAGGGGGAGCAGCTGCACCTTTTGGCTCTGACGTCTCAATGCCCTTTATCCATCTGCCTCAGACAGTGTTAC CCACAGGTTATAGGAAAACTTCCACAATTATTTTAAACTACCCTACTTTGCACATAACATTTTAAATTTTCTATTCCTTATTTCCCTGAATC aagaactgcctcctcaatcagttggattacatggctacttgcagcctgtgatgaaaaaggaataattaccatgaattgccccagaattgaccgt **IGTGAGAGGAAGCTACCTGATTTACCTATTATATGTGAAAACCAGTGGAAAAAACACAAAAACTAGAATTTTAGTCATTCTTCACAATCACGA** igaggtaataataatacacagaattttcattagtgtcgaaggatctaaaaaggcaagacaaagtatatcatgggaataaaaaaagatagaaag **PAAAATGCTAATTCATAAAATTAAGG** 

# Figure 6E-5

aagcttgacagctatacatgggcatgcagtatattcacatcagtattcaagttgcagcccctattataaatattaatgtattgccagtaatt atcctttagactttccaaagtaaaaaaataccaggtagttaatttatagacatactacagaaggaatcaatatttataatagttaagctgcag tggaatgtgatattatatccatgtaagctttaaggaaccccttgtaaactgaaatggaatgacaaaagtggtagccttttcatttcgttaac atacctatatatagtcctgcatcatttctcactttctagtgagaaacactgtagttg*gggtttctcagactcaacacatgttgacatctgagg* ttggataattctttgttgtgggctgttctatgtattgtaggctatttagaacatccttggtttatacc<math>tcctaatacctaaatactatgtaatgaatgtaatagaattcaaaagtacagtcagtgtttactgtttcatatatcatttggtattttgtattttatcaaatgtgtacatctta atgttcttccttcatcaggagcataaacaactcccaaaatgtgcacaaattatcaattattatttagtgctgtactaagacacaaaaagatccag taccaaatacctttctttaattcttcagataaatttcagattgatagtattaataattgttcctgattattgtatttctaatáacaaattt tattatgaatctgacgattctagccagctaaaattacagcctgagcagcattgacagcttaggttttcactgtcagtgggtttttgcatgggt ccotaggtacttggcagttgatgataacagattttttgatacttttgataaaagtcattgtggcactacaagaagtattaccaaattagcat tgtttcattttgatcaagcaaactctgaggagattaaatattcattgcáaaagcctgacctctatacacttactttaggccttctctaattt aaaatctacatagaagactatgcagttatatatitgaagacatttggatatcctacataaagtactatgtgttgttcttcctactttcttct gttgtgttcacttctttccttcag

XHO3xO9 (PRKWNK1)

GCACAGGGGCAGAGCCAGGGTCAGCCATCCTCAAGTAGCTTAACAGGGGTTTCATCTTCCCAACCCATACAACATCCTCAGCAG

 ${\tt ctcagctttccacgtagctgggactacaggtgcctgccaccaccactcagctaattttgtattttagtagagacggggtttcaccatgctg}$ 

# Figure 6E-6

cattgtgcttgcctctactaatcctgcacttcttttaattttctaatctgtagaatgatgtgtcagattttacgctaagaagcatctaa tatacatgcattcactccgtgaactgaaggactgggacttatatgctttgttttgcacctgtcctttcttccaaacaagactggttaaattc gttgagaatggaagtactgagtactaatctcctaacttgcttatctttggatgtagacgaacaaccaatgaactgagcaaattgtatgtgtctc taaatatttatagtgcatcactgatattagttaatagtaattatttgcaagggaataatgcatttttggcataattgaatacttattagcta ggettetgtttetattagtttttggttttgaaacaaagtttteggttettaattacaaatggeeetttteagtecaaeataggteatgt gtcattcgatactggtttaagatcaggagttgcttgtacaagatgaaaatcacttaaaggcactttctacagaaacagttgattagtttgtt aagtaaacatatttttgccaaccttaacaaatctgttttattctattaacagttcctaattagaatgcaaattacaagtdacataaagctg ttctacataaaaatttgtagccactatgtatgtaatgcaaacttcctaatgttagttccccatgtgggttttttaatcagcaaactctaaact cctggattctacacataatttacggtacaaagagtatgtcattccttttctcttttccactgcttgcagcagtgatttgtcattagegegtgecactatgeceagetaatttttgtattaegttetaacttatgeetggetaatttagtagagatggegttteaeeatgttggeeag ttcattgagtttcatgttaagaaagagtgtgagaaaagaagaagagagcagtaccataaatgtcagattaaaagaattaggtagctacctctcca catgigitgiagaatcacaaaaitgagccctcgatatatataggaagtgiattcggictagaataattaactictccaaagicactiagata tgtagggtctcgtatagtgatatactagatcttagcaaggtaccaaaaatagctgcctcctgctgaaaagctttgtgaccacaaaacaaagtt atatggatagtctatttttagacatgatttttgttttacgtactttcaggtcccaatcccaacttagagaaccatatctcttgttttatttt ctggtcttgaactcctgacctcaagtgatccacccgctttggcctcccaaagtgctgggagccactgtgcccagccaaaaatatttaactt<math>ttgttttggggggcttgttccagaaagttcaaggaattcaagagattagtgtcatcctgatacatccaacagtaaaactggtaattctaaaa agtgaggaaagaaatatacttttgctaaaatttactttatttcatgcgtttcttgaacatagtaaatgaggaattgcttttttgtgtgtttt

cgtggtggcgcacgcgtgtagtcccagctacttgggaggctgaggcagaagaatcccttgaacccaggaggcggaggttgcagtaagccaagattgtc ggacattttgtgatttaactctgtaacatgtttcatgtagtaaaaatataaaaactattaatcatcatctagcttgggagagataggagaaagacatta cttttatgccttgttttagttcttactcttcctttaactctttttctgttgatgtaatttacattaatgcttaagagtgaactttttaagtgtggggta accatttcatagggttacacagaactacccagttgtgcatgtctgatgtaatttcacatatgaATGTATGAATTACTTGTCTTATTCATGTTGATACA GCCTCAGTCCATGGCGCATCCGTGTGGGGGGACCCCCAACATACCCAGAATCACAGATATTTTCCCAACTATTCATGAACGTCCAGTTTCTTTTTCAC TTATTCCTCAGGAAGCAGTGTATGTAGCTGGGGTACATTACCAGGCCCGGGTGGCAGAACAGTATGAGGGCATTCCATACAACTCATCAGTACTGTCA AGAGTCATGTGAGATACAGGTCCATCCTATGTTTGAACCATCTCAAGTTTACAGTGACTATAGACCTGGACTAGTACTTCCAGAAGAAGCTCACTATT agtcctatgaaacagatacctgaacagaagccagtacaagggggccctacttcaagttctgtctttg**at**ttccatctggacaggctttcctggtagga GCTCCTCTTCAGGAGAAGGAGGTGGAATTTTACCTCAGCGTGTTTACCGAAATCGGCAGGTTGCAGTGGACTTGAATCAAGAAGAACTGCCTCCTCAA TCAGTIGGATTACAIGGCIACTIGCAGCCIGIGACTGAAGAAAGCAIAATIACCAIGCCCCAGAAITGACCGTITCIGIGGIAGAGCCIAICGGACA GAACTGGCCAATAGGAAGCCCCAGAATATTCCAGTGATTCCTCACAAATCACTTCTTCAGACCCCAGTGATTTTCAGTCACCTCCCCCTACAGGGGGGAG CAGCTGCACCTTTTGGCTCTGACGTCTCAATGCCCTTTATCCATCTGCCTCAGACAGTGTTACAAGAATCCCCCACTTTTCTTCTGTTTCCCCCAAGGA CACCTTCAGAATCTAAGATTAGATTCTGGATTGGGTCCGGGATCTCCCCTCTCTAGTATTTCTGCACCTATCAGTACAGATGCTACGCTTTGAAATT  $\mathtt{ACCACATCTCAGCAGGTCTTAACTGCCTCATTTTCTTCAGGAGGATCTGCACTTCATCCACAGGTTATAGGAAAACTTCCACAATTATTAAActac}$ cctactttgcaccataacatttaaattttctattccttatttccctgaatcatggattttggagaaatattgtttaattttatcagtagagtttcccc aacatggaaaatagggaatgctgtttttgaggtaatattaataatacacagaattttcattagtgtcgaaggatctaaaaagacaaagtatatcatgg tattatatgtccaaataaaatgctaattcataaaattaagg

T/CA2003/001716

# Figure 7E

cgtggtggcgcacgcgtgtagtcccagctacttgggaggctgaggcagaagaatcccttgaacccaggaggcggaggttgcagtaagccaagattgtc ggacattttgtgatttaactctgtaacatgtttcatgtagtaaaaatataaaaactattaatcatctagcttgggagagataggagaaaagacatta cttttatgccttgttttagttcttactcttcctttaactctttttctgttgatgtaatttacattaatgcttaagagtgaactttttaagtgtgggta accatttcatagggttacacagaactacccagttgtgcatgtctgatgtaatttcacatatgaArGrArGAArrACrrGrCrrArrCArGrrGrTGATACA GCCTCAGTCCATGGCGCATCCGTGTGGGGGGACCCCAACATACCCAGAATCACAGATATTTTTCCCAACTATTCATGAACGTCCAGTTTCTTTTTCAC AGAGTCATGTGAGATACAGGTCCATCCTATGTTTGAACCATCTCAAGTTTACAGTGACTATAGACCTGGACTAGTACTTCCAGAAGAAGCTCACTATT TTATTCCTCAGGAAGCAGTGTATGTAGCTGGGGTACATTACCAGGCCCGGGTGGCAGAACAGTATGAGGGCATTCCATACAACTCATCAGTACTGTCA TTCACCCTGTCTTTGTTCCTCATTCTGCGCCTGCTGTGTTAACTCATAACAATGAGAGCAGAAGCAACTGTGTATTTGAATTTCATGTTCACACACCA **AGCTCCTCTTTCAGGAGAAGAAGAGGAGGTGGAATTTTACCTCAGCGTGTTTACCGAAATCGGCAGGTTGCAGTGGACTTGAATCAAGAAGAACTGCCTCCTCA** AGTCCTATGAAACAGATACCTGAACAGAAGCCAGTACAAGGGGGCCCTACTTCAAGTTCTGTCTTTGAATTTTCCATCTGGACAGGCTTTCCTGGTAGG ACACCTTCAGAATCTAAGATTAGATTCTGGATTGGGTCCGGGATCTCCCCTCTCTAGTATTTCTGCACCTATCAGTACAGATGCTACACGTTTGAAAT **AA**TCAGTTGGATTACATGGCTACTTGCAGCCTGTGACTGAAGAAAAGCATAATTACCATGCCCCAGAATTGACCGTTTCTGTGGTAGAGCCTATCGGA **AGCAGCTGCACCTTTTGGCTCTGACGTCTCAATGCCCTTTATCCATCTGCCTCAGACAGTGTTACAAGAATCCCCCACTTTTCTTCTGTTTCCCCCAAG** CAGAACTGGCCAATAGGAAGCCCAGAATATTCCAGTGATTCCTCACAAATCACTTCTTCAGACCCCCAGTGATTTTCAGTCACCTCCCCCTACAGGGGG GAACCACATCTCAGCAGGTCTTAACTGCCTCATTTTCTTCAGGAGGATCTGCACTTCATCCACAGGTTATAGGAAAACTTCCACAAATTATTTAAact accctactttgcaccataacatttaaattttctattccttatttccctgaatcatggattttggagaaatattgtttaattttatcagtagagtttcc ccatctttggggggttgtgaactacatatatgcatttaaaaacaaaatgtgagagaagctacctgatttacctattatgtgaaaaccagtggaaaa gaaggeetetaacatateacagggtaataagaatatagggaaagttagtteaatagtttaaattaaagcaecaettettacagtatagaaetagtegg aaaacatggaaaatagggaatgctgttttgaggtaatattaataatacacagaattttcattagtgtcgaaggatctaaaaagacaaagtatatcat attattatatgtccaaataaaatgctaattcataaaattaagg

# Figure 7C

cgtggtggcgcacgcgtgtagtcccagctacttgggaggctgaggcagaagaatcccttgaacccaggaggcggaggttgcagtaagccaagattgtc ggacattttgtgatttaactctgtaacatgtttcatgtagtaaaaatataaaaactattaatcatcatctagcttgggagagataggagaaagacatta gaaggeetetaacatateacagggtaataagaatatagggaaagttagtteaatagtttaaattaaagtaacaeettettacagtatagaaetagtegg accatttcatagggttacacagaactacccagttgtgcatgtctgatgtaatttcacatatgaATGTATGAATTACTTGTCTTATTCATGTTGATACA AGAGTCATGTGAGATACAGGTCCATCCTATGTTTGAACCATCTCAAGTTTACAGTGACTATAGACCTGGACTAGJACTTCCAGAAGAAGCTCACTATT TTATTCCTCAGGAAGCAGTGTATGTAGCTGGGGTACATTACCAGGCCCGGGTGGCAGAACAGTATGAGGGCATTCCATACAACTCATCAGTACTGTCA **AGTCCTATGAAACAGATACCTGAACAGAAGCCAGTACAAGGGGGCCCTACTTCAAGTTCTGTCTTTGAATTTTCCATCTGGACAGGCTTTCCTGGTAGG** TTCACCCTGTCTTTGTTCCTCATTCTGCGCCTGCTGTGTTAACTCATAACAATGAGAGCAGAAGCAACTGTGTATTTGAATTTCATGTTCACACACCA AGCTCCTCTTCAGGAGAAGGAGGTGGAATTTTACCTCAGCGTGTTTACCGAAATCGGCAGGTTGCAGTGGACTTGAATCAAGAAGAACTGCCTCCTCA ACACCTTCAGAATCTAAGATTAGATTCTGGATTGGGTCCGGGATCTCCCCTCTCTAGTATTTCTGCACCTATCAGTACAGATGCTACACGTTTGAAAT atcagtiggattacatggctacttgtagcctgtgactgaaaaaagcataattaccatgcccccagaattgaccgtttctgtggtagagcctatcggac AGAACTGGCCAATAGGAAGCCCAGAATATTCCAGTGATTCCTCACAAATCACTTCTTCAGACCCCAGTGATTTTCAGTCACCTCCCCTACAGGGGGA GCAGCTGCACCTTTTGGCTCTGACGTCTCAATGCCCTTTATCCATCTGCCTCAGACAGTGTTACAAGAATCCCCACTTTTCTTGTTTCCCCAAGG AACCACATCTCAGCAGGTCTTAACTGCCTCATTTTCTTCAGGAGGATCTGCACTTCATCAGGTTATAGGAAAACTTCCACAATTATTTAAACta ccctactttgcaccataacatttaaattttctattccttatttccctgaatcatggattttggagaaatattgtttaattttatcagtagagtttccc aaacatggaaaatagggaatgctgtttttgaggtaatattaataatacacagaattttcattagtgtcgaaggatctaaaaagacaaagtatatcatg  ${ t ctttatgccttgttttagttcttactcttcctttaactctttttctgttgatgtaatttacattaatgcttaagagtgaactttttaagtgtgggt$ ttattatatgtccaaataaaatgctaattcataaaattaagg

T/CA2003/001716






Figure 8



### Figure 9

Alignment with	human hsn2pep:		
pESTframe+ : human :	* 20 * 40 *  MYELLVLEMLIQEQSMAHERGGTETYPESQIFFETIHEREVSESPEPTCE  MYELLVLEMLIQEQSMAHEGGGTETYPESQIFFETIHEREVSESPEPTCE  MYELLVLEMLIQEQSMAHE GGTETYPESQIFFETIHEREVSESPEPTCE	:	50 50
pESTframe+ : human :	60 * 80 * 100  PKVAISQRRKSTSFLEAQTHHFQPLLRTVGQSLLPPGGSPTNMTPEAVVM  PKVAISQRRKSTSFLEAQTHHFQPLLRTVGQSLLPPGGSPTNMTPEAVVM  PKVAISQRRKSTSFLEAQTHHFQPLLRTVGQ LLPPGG PTNMTPEAVVM	:	100 100
pESTframe+ : human :	* 120. * 140 *  LGTTASRVTGE CEIQVQPLFEPTQVYSDTRPGLVLPEEAHYFIPQEAVY  LGTTASRVTGE CEIQV P6FEP3QVY D RPGLVLPEEAHYFIPQEAVY  LGTTASRVTGE CEIQV P6FEP3QVY D RPGLVLPEEAHYFIPQEAVY	:	150 150
pESTframe+ : human :	160 * 180 * 200 VAGVHYQT MAEQFEGIPYNS VLSSPMKQIPEQKPVQGGP SSSVFEFP VAGVHYQT VAEQYEGIPYNS VLSSPMKQIPEQKPVQGGP SSSVFEFP VAGVHYQ 6AEQ5EGIPYNS VLSSPMKQIPEQKPVQGGP SSSVFEFP	:	200 200
pESTframe+ : human :	* 220 * 240 *  SGQAFLVGHLQNLRLDSGLSPGSPLSSISTPISTDATRLKFHPVFVPHSA  SGQAFLVGHLQNLRLDSGLSPGSPLSSISTPISTDATRLKFHPVFVPHSA  SGQAFLVGHLQNLRLDSGL PGSPLSSIS PISTDATRLKFHPVFVPHSA	:	250 250
pESTframe+ : human :	260 * 280 * 300  PAVLTHNMESRSNCVFEFHVHTPSSSSGEGG PAVLTHNMESRSNCVFEFHVHTPSSSSGEGGELPQRVYRNRQVAVDLNQ PAVLTHNMESRSNCVFEFHVHTPSSSSGEGG 6LPQR6YRNRQVAVDLNQ	:	299 300
pESTframe+ : human :	* 320 * 340 * EEPPPQSAGLHGLQPVTEEQHNEQPPELTVSVVEPTGQSMPIGSPEYSS EERPPQSVGLHGYLQPVTEERHNY PELTVSVVEPTGQMMPIGSPEYSS EE PPQS GLHG LQPVTEE HN5 PELTVSVVEP GQ WPIGSPEYSS	:	349 350
pESTframe+ : human :	360 * 380 * 400 DSSQITSSDPSDFQSPPTTGGTAAPFGSDVSLPFIHLPQTVIQESPLFFC DSSQITSSDPSDFQSPPTTGGAAPFGSDVSMPFIHLPQTVLQESPLFFC DSSQITSSDPSDFQSPPPTGG AAPEGSDVS6PFIHLPQTV6QESPLFFC	:	399 400
pESTframe+ : human :	* 420 * FPQGTTSQULSASFSSGSALHPQVIGKLFQES: 433 FPQGTTSQUVLTASFSSGSSALHPQVIGKLFQLE: 434 FPQGTTS Q6L3ASFSSGGSALHPQVIGKLPQ		





1920


```
<110> Xenon Genetics Inc.
      HSAN II Related Gene and Expression Products
       and Uses Thereof
      760050-110
<130>
<140>
<141>
<150>
      US/60/425,601
       2002-11-12
<151>
<150>
       US/60/502,453
<151>
       2003-09-12
<160>
       33
<170>
      PatentIn version 3.0
<210>
<211> 2786
<212>
      DNA
<213>
       Homo sapiens
<400>
      1
cgtggtggcg cacgcgtgta gtcccagcta cttgggaggc tgaqqcaqaa qaatcccttq
                                                                       60
aacccaggag gcggaggttg cagtaagcca agattgtcac tgcactccag cctqqqcqaa
                                                                      120
agaggaagac tccatctcaa aaaaaagaaa aaagaaattt catggttatg caactcttat
                                                                      180
ttatgatcag aaaaatggac attttgtgat ttaactctgt aacatgtttc atgtagtaaa
                                                                      240
aatataataa aactattaat catctagctt gggagagata ggagaaagac attactgtca
                                                                      300
ctagtcaaat tatatatctt ttactatcca ccaaaaatct cttctgattt ctggttagaa.
                                                                      360
ggcatactat taattgataa gaaaataaaa ctgaaggcct ctaacatatc acagggtaat
                                                                      420
aagaatatag ggaaagttag ttcaatagtt taaattaaag cacacttctt acagtataga
                                                                      480
actagtcggg cttttatgcc ttgttttagt tcttactctt cctttaactc tttttctgtt
                                                                      540
gatgtaattt acattaatgc ttaagagtga actttttaag tgtgggtaaa aacgaaataa
                                                                      600
ttacttacaa agtttaattc ttccatttcc tttgagagag gaaagttatg gaaaagcagc
                                                                      660
tettatetaa agcaaagage ceacagattg attteattgg ecetggatgt atttaatgga
                                                                      720
tttttactat gcacataatt tccagaagca ttgttattta tttattaatt ataaatttag
                                                                      780
tgtaaccatt tcatagggtt acacagaact acccagttgt gcatgtctga tgtaatttca
                                                                      840
catatgaatg tatgaattac ttgtcttatt catgttgata cagcctcagt ccatggcgca
                                                                      900
tccgtgtggg gggaccccaa catacccaga atcacagata tttttcccaa ctattcatga
                                                                      960
acgtccagtt tctttttcac cacctcccac ctgcccaccg aaagtagcca tttcccagcg
                                                                     1020
gcgtaagagc acctccttcc tggaagccca aactcaccac ttccaacccc tgctgaggac
                                                                     1080
tgttggccaa agtcttcttc cacctggtgg cagcccaact aactggacac cagaggccqt
                                                                     1140
agttatgttg ggtactacag ccagtagagt aactggagag tcatgtgaga tacaggtcca
                                                                     1200
tcctatgttt gaaccatctc aagtttacag tgactataga cctggactag tacttccaga
                                                                     1260
agaagctcac tattttattc ctcaggaagc agtgtatgta gctggggtac attaccaggc
                                                                     1320
ccgggtggca gaacagtatg agggcattcc atacaactca tcagtactgt caagtcctat
                                                                     1380
gaaacagata cctgaacaga agccagtaca agggggccct acttcaagtt ctgtctttga
                                                                     1440
atttccatct ggacaggett teetggtagg acacettcag aatctaagat tagattetgg
                                                                     1500
attgggtccg ggatctcccc tctctagtat ttctgcacct atcagtacag atgctacacg
                                                                     1560
tttgaaattt caccetgtet ttgtteetea ttetgegeet getgtgttaa eteataacaa
                                                                     1620
tgagagcaga agcaactgtg tatttgaatt tcatgttcac acaccaagct cctcttcagg
                                                                     1680
agaaggaggt ggaattttac ctcagcgtgt ttaccgaaat cggcaggttg cagtggactt
                                                                     1740
gaatcaagaa gaactgcctc ctcaatcagt tggattacat ggctacttgc agcctgtgac
                                                                     1800
tgaagaaaag cataattacc atgccccaga attgaccgtt tctgtggtag agcctatcgg
                                                                     1860
```

acagaactgg ccaataggaa gcccagaata ttccagtgat tcctcacaaa tcacttcttc

agad cttcagga actt gaaa atat ccag ttat agga ataa ata	ccca cgtct ctctc ctcat ctatt gcat ctat ct	cca a control of the	gattt atgco cccca cttca ttaat aaaaca ccaaca ccaaca ctttt caata	cettt lagga lateca cattt leacaaa leacaaa ceagt laatecaea laaaaq laatga	ta to a co	ccato cacat ggtta ggtag gtaga ccaga aagta aagta aagta aagta aagta acagt acagt	ctgccctat atago cctat gagtt gagaa attaa attaa accatt aagga ccaa	to to to a go to to a a go to to a a go to a a a a a a a a a a a a a a a a a a	agaca aggto aactt cccat cccat gtgta gtgta cctto atgga cagtto	agtg etta ecca ettc ectt egat etct ecta atga gaag etag	ttac acto caat ccto ttac taat caaa tago gato gaat	aaga geeto tatt gaato geato geat gaat taaa ttaaa	tat deat to the tat of	cccca cttct aaact ggatt cgaac catgt gactt cgacc cttaa gacaa caacaa	T/CA200 aggete accet tragga accet accet accet accet accet acces accet ac	03/001716 1980 2040 2100 2160 2220 2280 2340 2400 2520 2580 2640 2700 2760 2786
<210 <211 <212 <213	.> 4 ?> F	2 134 PRT Homo	sapi	lens												
<400 Met 1			Leu	Leu 5	Val	Leu	Phe	Met	Leu 10	Ile	Ģln	Pro	Gln	Ser 15	Met	
Ala	His	Pro	Cys 20	Gly	Gly	Thr	Pro	Thr 25	Tyr	Pro	Glu	Ser	Gln 30	Ile	Phe	
Phe	Pro	Thr 35	Ile	His	Glu	Arg	Pro .40	Val	Ser	Phe	Ser	Pro 45	Pro	Pro	Thr	
Cys	Pro 50	Pro	Lys	Val	Ala	Ile 55	Ser	Gln	Arg	Arg	Lys 60	Ser	Thr	Ser	Phe	
Leu 65	Glu	Ala	Gln	Thr	His 70	His	Phe	Gln	Pro	Leu 75	Leu	Arg	Thr	Val	Gly 80	
Gln	Ser	Leu	Leu	Pro 85	Pro	Gly	Gly	Ser	90 Pro	Thr	Asn	Trp	Thr	Pro 95	Glu	
Ala	Val	Val ·	Met 100	Leu	Gly	Thr	Thr	Ala 105	Ser	Ärg	Val	Thr	Gly 110	Glu	Ser	
Суз	Glu	Ile 115	Gln	Val	His	Pro	Met 120	Phe	Glu	Pro	Ser	Gln 125	Val	Tyr	Ser	
Asp	Tyr 130	Arg	Pro	Gly	Leu	Val 135	Leu	Pro	Glu	Glu	Ala 140	His	Туг	Phe	Ile	
Pro 145	Gln	Glu	Ala	Val	Туг 150	Val	Ala	Gly	Val,	His 155	Tyr	Gln	Ala	Arg	Val 160	
Ala	Glu	Gln	Tyr	Glu 165	Gly	Ile	Pro	Tyr	Asn 170	Ser	Ser	Val	Leu	Ser 175	Ser	
Pro	Met	Lys	Gln 180	Ile	Pro	Glu	Gln	Lys 185	Pro	Val	Gln	Gly -	Gly 190	Pro	Thr	

Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly 195 200 205





His Leu Gln Asn Leu Arg Leu Asp Ser Gly Leu Gly Pro Gly Ser Pro 210 215 220

Leu Ser Ser Ile Ser Ala Pro Ile Ser Thr Asp Ala Thr Arg Leu Lys 225 230 235

Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His 245 250 255

Asn Asn Glu Ser Arg Ser Asn Cys Val Phe Glu Phe His Val His Thr 260 265 270

Pro Ser Ser Ser Gly Glu Gly Gly Gly Ile Leu Pro Gln Arg Val 275 280 285

Tyr Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Leu Pro 290 295 300

Pro Gln Ser Val Gly Leu His Gly Tyr Leu Gln Pro Val Thr Glu Glu 305 310 315 320

Lys His Asn Tyr His Ala Pro Glu Leu Thr Val Ser Val Val Glu Pro 325 330 335

Ile Gly Gln Asn Trp Pro Ile Gly Ser Pro Glu Tyr Ser Ser Asp Ser 340 345 350

Ser Gln Ile Thr Ser Ser Asp Pro Ser Asp Phe Gln Ser Pro Pro Pro 355 360 365

Thr Gly Gly Ala Ala Ala Pro Phe Gly Ser Asp Val Ser Met Pro Phe 370 380

Ile His Leu Pro Gln Thr Val Leu Gln Glu Ser Pro Leu Phe Phe Cys 385 390 395

Phe Pro Gln Gly Thr Thr Ser Gln Gln Val Leu Thr Ala Ser Phe Ser 405 410 415

Ser Gly Gly Ser Ala Leu His Pro Gln Val Ile Gly Lys Leu Pro Gln . 420 430

Leu Phe

<210> 3

<211> 206

<212> PRT

<213> Homo sapiens

<400> 3

Met Tyr Glu Leu Leu Val Leu Phe Met Leu Ile Gln Pro Gln Ser Met 1 5 10 15

Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile Phe 20 25 . 30

Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro Thr 35 40 45 .

Leu Glu Ala Gln Thr His His Phe Gln Pro Leu Leu Arg Thr Val Gly 65 70 75 80

Gln Ser Leu Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro Glu 85 90 95

Ala Val Val Met Leu Gly Thr Thr Ala Ser Arg Val Thr Gly Glu Ser 100 105 110

Cys Glu Ile Gln Val His Pro Met Phe Glu Pro Ser Gln Val Tyr Ser 115 120 125

Asp Tyr Arg Pro Gly Leu Val Leu Pro Glu Glu Ala His Tyr Phe Ile 130 135 140

Pro Gln Glu Ala Val Tyr Val Ala Gly Val His Tyr Gln Ala Arg Val 145 150 155 160

Ala Glu Gln Tyr Glu Gly Ile Pro Tyr Asn Ser Ser Val Leu Ser Ser 165 170 175

Pro Met Lys Gln Ile Pro Glu Gln Lys Pro Val Gln Gly Gly Pro Thr 180 185 190

Ser Ser Ser Val Phe Asp Phe His Leu Asp Arg Leu Ser Trp 195 200 205

<210> 4

<211> 318

<212> PRT

<213> Homo sapiens

<400> 4

Met Tyr Glu Leu Val Leu Phe Met Leu Ile Gln Pro Gln Ser Met 1 5 10 15

Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile Phe 20 25 30

Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro Thr 35 40 45

Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser Phe 50 55 60

Leu Glu Ala Gln Thr His His Phe Gln Pro Leu Leu Arg Thr Val Gly 65 70 75 80

Gln Ser Leu Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro Glu 85 90 95

Ala Val Val Met Leu Gly Thr Thr Ala Ser Arg Val Thr Gly Glu Ser 100 105 110

Cys Glu Ile Gln Val His Pro Met Phe Glu Pro Ser Gln Val Tyr Ser 115 120 125

T/CA2003/001716

Ile.

Leu Ser Ser Ile Ser Ala Pro Ile Ser Thr Asp Ala Thr Arg Leu Lys 230 Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His

250

Asn Asn Glu Ser Arg Ser Asn Cys Val Phe Glu Phe His Val His Thr

Pro Ser Ser Ser Gly Glu Gly Gly Ile Leu Pro Gln Arg Val

Tyr Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Leu Pro

Pro Gln Ile Ser Trp Ile Thr Trp Leu Leu Ala Ala Cys Asp 310

<210> 5 <211> 314 <212> PRT

<213> Homo sapiens

<400> 5

Met Tyr Glu Leu Val Leu Phe Met Leu Ile Gln Pro Gln Ser Met

Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile Phe

Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro Thr

Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser Phe

Leu Glu Ala Gln Thr His His Phe Gln Pro Leu Leu Arg Thr Val Gly

Gin Ser Leu Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro Glu 90

WO 2004/043999 T/CA2003/001716 y Thr Thr Ala Ser Arg Val Thr Gly Ala Val Val Met Let Ser 105 Cys Glu Ile Gln Val His Pro Met Phe Glu Pro Ser Gln Val Tyr Ser 120 Asp Tyr Arg Pro Gly Leu Val Leu Pro Glu Glu Ala His Tyr Phe Ile Pro Gln Glu Ala Val Tyr Val Ala Gly Val His Tyr Gln Ala Arg Val 150 155 Ala Glu Gln Tyr Glu Gly Ile Pro Tyr Asn Ser Ser Val Leu Ser Ser 165 170 Pro Met Lys Gln Ile Pro Glu Gln Lys Pro Val Gln Gly Gly Pro Thr 185 Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly 200 His Leu Gln Asn Leu Arg Leu Asp Ser Gly Leu Gly Pro Gly Ser Pro 215 Leu Ser Ser Ile Ser Ala Pro Ile Ser Thr Asp Ala Thr Arg Leu Lys Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His 250 Asn Asn Glu Ser Arg Ser Asn Cys Val Phe Glu Phe His Val His Thr 265 Pro Ser Ser Ser Gly Glu Gly Gly Ile Leu Pro Gln Arg Val Tyr Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Leu Pro Pro Gln Ser Val Gly Leu His Gly Tyr Leu 310 <2:10> 6 <211> 5562 <212> DNA <213> Homo sapiens

<400> 6

gtaagtaaat gettaagage atgtaatact acaatgagag ceaatggata gtetgetaaa 60 ttaaaattct ttgtacaaac caagtaacag tatgagtctg aagtagaaaa tataaaatgc 120 tgtgtctcta aagccttatt atagagtagg atatagacat taatgtgtgg gcattagctg 180 aactgcctac atgaagcagc tatgtgcaag atttagatta gtctgcattt ttactaaagg 240 gaacgetete tttagcaett aagatgttga aactatteae agcaacaaaa getggaeata 300 caaatgtttt gcgggtgggg cgagaagagt ttttcaaaag cttgttaaaa tgattactaa 360 gtatttcctg taagattccc tattgtacaa aacacaggta agaccttcaa accattatag 420 aatgctgcat gtgagtactc tagattgagg gaatccttta tttgaatgac tgtttaattt 480 agegettgtg ttgagttaat cateagttge tgtgtgtgtt cetgeettt aaagtetgtg 540 ttggacacaa gttccttccc cagtatatgt tcttttgctt tttcccttta gttggtaact 600 gtittattac tgatttattt tcagaatcaa cttatagaaa ttatttcctg aaacatttta 660 tgcttgtata cacatacaca cacacaatta tcctgtgttt tacattagac actcttgttt 720

gtagatcate agataatace ceatttettt tgttgacete ctcatataga gaatgtta 780 agaggaaaat aaaatacgtc atctgcctct gaaaggtatt agaaaataag taacttgtca 840 ctgtacagca cttgtttagt gagatettta ageagacaga ttttcccctt ctcagaaage 900 ttttaatcta aactttgtgg aattcttgct cttctttaaa tgaaaatctt tctctgttaa 960 gaaaatactt ctgcttgttc gattttttat cctacagctt ggaataaaag atgttcattt 1020 gtttcagagt ccgtttaatc ctgctttggc taggtctcaa aatgaatggc.cacagtaaca 1080 caaataaaaa actaatatac taacttttta aaacaatcta ctttctgtct ttaaaataat 1140 tgagggtaga atagaagaac tttataaaga ctgcacagaa aatatattc tgtgttctga 1200 caaatattac ttgtcagcat ttcttgtcag tttctacctt taattgtttt ttttctggat 1260 tattataact agattttgct aagacttttt ttttaaaatt ttctcttgtc tatactcatc 1320 atgggggagc attaggtctc tattttagaa agcaagtaga atgacatgaa gatattattt 1380 gagccattaa tctagctata tttattgatg ctctaaaagc agacgttctt gctttttaat 1440 gacagtattc tatggaggta ttatgaagaa ttattaaata ttgagaattt aaaaatttgt 1500 ctaattctat tcttgtctca tttcaggaat gtggcttaca ataatatgga caaattataa 1560 gtgaaatttt agaaattaga ataaaagaaa taaggctaga gagaaatcaa aacaggaatg 1620 aaactaaaca atcatatgat gatatgtaaa tacttggtat tggtgggcca cagatttggc 1680 ccaaagcatt ctacacagcc aagttttgga aatgaaaaca tagtttcata gttcacaaca 1740 totaaaagga aaataacagt cttattcaag acaaccttta tggtattgat catactgcct 1800 tatagecata ttaaaccetg tgeetgaaca tttttttaag ttttttttt ttttttgae 1860 agegicteae tetgteteee aggtgggaat acagtggegt gatettgget cactgcaact 1920 ttcacctcct gggttcaagt gattctcctg cctcagcctc cccagtagct aagattacag 1980 gcacccatca ccacgcccag ctaatttttg tattttttt agtagagaca cagtttcacc 2040 gtgttggcta ggctggtctt gaactcttga cctcaagtga tccacctgcc tcggcctccc 2100 aaagtgccag gattacaggt gtgagccacc atgcccggcc taaattatta tttagagatt 2160 cagattgaag atattctccc attgattact ttgtaaaagt acaaaatatt tcctatatcc 2220 agttgtgaat ttcttctaga aagctaaact ttttcctagt agatcatgac ttttttacct 2280 ttacaaataa agagtggcaa gtataagaaa tactgtgagc caacaacttt ccatctcatg 2340 tcttctaaaa tagaaatgag aatcttttc tgaggtttcc agagctcttg caaaataatc 2400 caatcttaaa attetetgta tettttaatg taetttaaac taatagaatt cattettgtt 2460 gaatcttaag tttgccaaag ttgcaagcta atattcattg ttttccctgt ctgcaccctt 2520 cagtcagttg gtcattctta aattcataca cttgtaacac ttggtgttat ttcagaatat 2580 ttagcatgat aactgatcat tatcatgatc attcattaaa cctgtccttg actgacaacg 2640 cagaatagtt gtgaatagtt gtgatctgtc agatgtgcta tgttgagtta tagctctcct 2700 caaaaaaaa actgactttg tggaattggg agaggatgga acatttcttc atgcaactat 2760 gccctgttat cattgtactt ttgtttattt tgttttcaca gtactgtgtt tttcatgtgt 2820 gtgtttgttt tgtgttgage ctcgtcgtgg ccgtagcatg tcggtttgtg ttcccatctt 2880 tetgetgttg cetetgtgte cegeatetet cecagtgete ttecacceca cegecagtae 2940 tgtctgcacc tctttctcct tccctcctcc ggactgcccc gaggaaactt ttgccgaaaa 3000 getttetaaa geattggaga gtgteetgee tatgeactet geeteteage geaageaceg 3060 acgetecage etgeettece tetttgteag tactgtatgt aactgtaaac ttetgacaaa 3120 tgaacaatta ttaccaatga atacatccag gcaacaagaa ttttaattaa aattgaataa 3180 agaacaggac taaacttggt tatattatgc ttctaggata ccagttattc ctgtaggaaa 3240 cttttttgta ataaggcttt aagggggaat aaaaagcaag gaggtaatga gagagaatac 3300 ctataatgtc cttggcacat accagcatgt gtccaataaa atttaccttt cattatatct 3360 tectgtttee tategacata aaattettte atttteatat tetagtttta aaaggattaa 3420 ttttaaagtt attgccttaa tcaaaagcaa attttatcaa acattaccca aacattttt 3480 ctcctcactt tattctaagg agacactaat aaaactggat gagtcctttt ttttttaat 3540 aaccttagtc agcaaagaat aaccttggag tgaacattta ttttaattta atcatttatg 3600 taagatgatg tatcagcaaa ccaaagaact acataatgtt cccccatgga agtattttt 3660 cettaggttt caacetaagg tgggactgta getetaatga atgeattaga tgeatatata 3720 gtatgtatga ctttctttgg ctccattaat gtttataaaa gatctatctt ataaaattat 3780 tttaagcatg tgggtccttg ctgcttttcc aaataaagaa tatagttaac tttctgaact 3840 agcaacccca gaattttcag atttttactt aggagaatga agaactatac agtgttatta 3900 tggctttgag acataccatg agtaaataac aataaaatga gcattctgac tgaaaataga 3960 aatcettatt tagetattgt gaacagttga tetaetttge cagetegata aggatettee 4020 ctatggaaga atgaaactga attetttaa aaageggggg aggetgtgat agtgaattet 4080 tactattatt tacttattta tttatgtttt ggagatggaa tctcgctctg tcgccaggct 4140 ggagtgcagt ggcacgatet cgactcacgg caacctctgc ctcctgggtt caagtgattc 4200 tectgeetea geeteeegag tagetaggae tacaggegea tgecaccaea eccagetaat 4260 ttttgtattt tagtagagat gggtttcacc atgtttggcc aggatggtct tgatctcctg 4320 acattgtgat ccacccctt cagcctccca cagtgctggg attacaggcg tgagccaccg 4380

T/CA2003/001716

_					
WO 2004/043999				T/CA20	03/001716
cgcccagcgg gtaatgaa	attatagtgt	atattgtttg	catttggcaa	gc stattte	4440
taaatttagt cttaaatcta	gaactgcttc	tagaataaaa	agtgctatca	2212222114	4500
gctgtcattt atattaccct	tttcagttga	ttagaacacc	aggatgtcag	aatcacaaaa	4560
ttcatggtta cggccgggct	cagtggctca	cacctataat	cctagcactt	taggagggg	4620
aagtgagcag atcacctgag	gtcaggagtt	cgagaccagc	ctggccaaca	taacaaata	4680
tgtctctact aaaaatacaa	aaattagctg	aacataataa	cacacacata	tagtogaaatg	4740
tacttgggag gctgaggcag	aagaatccct	tgaacccagg	addicadadda agaddagadda	tageceeage	
caagattgtc actgcactcc	agectgggcg	agaacccagg	actccatcto	rgcagtaage	4800
aaaaagaaat ttcatggtta	tocaactett	atttatdatc	20222222±~~	aaaaaaaga	4860
atttaactct gtaacatgtt	tcatotagta	aaaatataat	agaaaaatgg	acactttgtg	4920
ttgggagaga taggagaaag	acattactot	cactacteac	addactatta	atcatctage	4980
caccaaaaat ctcttctgat	ttctcattac	accagicaa	attacatacc	ttttactatc	5040
aactgaaggc ctctaacata	tcacaggggag	aaggcatact	actaattgat	aagaaaataa	5100
tttaaattaa agcacacttc	ttacagtata	acaayaacat	agggaaagtt	agttcaatag	5160
attettacte tteetttaae	tottttt	gaactagteg	ggctttatg	ccttgtttta	5220
gttcttactc ttcctttaac	annegation	ttgatgtaat	ttacattaat	gcttaagagt	5280
gaacttttta agtgtgggta	teenses	aattacttac	aaagtttaat	tcttccattt	5340
cctttgagag aggaaagtta	rggaaaagca	gctcttatct	aaagcaaaga	gcccacagat	5400
tgatttcatt ggccctggat	gratttaatg	gatttttact	atgcacataa	tttccagaag	5460
cattgttatt tatttattaa	ttataaattt	agtgtaacca	tttcataggg	ttacacagaa	5520
ctacccagtt gtgcatgtct	gatgtaattt	cacatatgaa	tg		5562
<210> 7					
<212> DNA					
<213> Mus musculus					•
4400> 7			,		
<400> 7		•	•		
tttgctttga cagagcaagt	ttgtgggaaa	gcaactgggg	tggtttttt	ttttttttt	60
carreadyda agryceaeag	attaacttta	ttaaccctaa	atotatttaa	+~~~++++~	120
Claidaile Cadaagcatt	gttatttatt	aaaattttco	tataaccact	#aataaatt	180
acacagaact atccagctgt	gcatgtctga.	+ataattta	02+0++~~~+		240
citytettat teatqttgat	acadectead	tecatoococ	atgogtatas	****	300
acacaccay aarcacayar	atttttccca	actattcato	aacotooact	++-++++	360
coaccicca cityticato	qaaaqtaqcc	atttcccaac	gacgtaaga	canataatta	420
crygaayeee aaactegeea	CTTCCaaccc	ctoctoacoa	ctattaggg		480
ccacciggia gcagcccaac	taactggaca	ccagaggcca	tagttatgtt	anat mat a a a	540
gecaatayay taaatagaqa	actatataaa	atgcaggtcc	aacctatatt	+ ~ ~ ~ ~ ~ ~ ~ ~ ~	600
cagacitaca gigaciatag	acctggacta	gtactggcag	aagaagetea	ヘナットナナナッナナ	
corcaygada cagratatot	adctadaata	cattaccado	cccanataga	20020204	660
yayyycattt catacaactc	accagtacto	tcaagtccta	trassesses	2+ a+ a2 2 2 2 2	720
aayeeayeye eggggggggccc	tacctcaaat	tetatetta	aatttootto	+~~~~~	780
ttcctggtag gacaccttca	gaatttaaga	ttagattctg	daccesetee	rggacagget	840
ctctctagta tttctgcgcc	taacagtaca	gatgetacag	atatasantt	ageateacee	900
recycaccic atticipated a	adctdrarra	actaatacca	2+~~~~~~~		960
gtatttgaat ttcatgctca	aacaccaadt	tetterese	acgagaacag	aagcaactgt	1020
caacgtgttt accgaaatcg	acaaattaca	ataasatass	aaggaggtgg	gattttacct	1080
cagtcagttg gattacattg	ccacctagaa	grayactcaa	atcaggaaga	actgtctcct	1140
qccccgaat toaccattte	tataataaa	actatace	aagaacagcg	taataaccat	1200
gcccccgaat tgaccatttc	ctctcccc+	cctatgggac	aaatctggcc	aataggaagc	1260
ccagaatatt ccagtgattc	occidaatt	acttetteag	atctcagtga	ttttcaatca	1320
cctccccta cagggggac a	ayorycacct	tttggctctg	acgtctcatt	gccctttatt	1380
cgcctgcctc agacagtgtt a	acaagaatcc	ccactattct	tctgtttccc	ccaaggaacc	1440
acaccicage agginitate	tucttcatat	tetteaggag	matctacact.	aaataaa	1500
yrtatayyaa aactttcaca a	attetttaa	actaccctat	tataaaaa	A	1560
coccator datitacera a	aatcarooat	ttataannaa	+ ~+ + ~+ + + - +	4-4-4	1620
ggaccici iqiqqilala a	aacacttora	MTAAAAAAA	~~~+~+~~~		1680
organica igranica a	attgtcagaa	tcaatgacta	atctctttgg	aattttgtgg	1740
tagtaatgaa aatgc			- 4	2 23	1755
					- · - •

### **WO 2004/043999** <211> 433

<212> PRT

<213> Mus musculus

<400> 8

Met Tyr Glu Leu Leu Val Leu Phe Met Leu Ile Gln Pro Gln Ser Met 1 5 . 10 15

Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile Phe 20 25 30

Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro Thr 35 40 45

Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser Phe 50 60

Leu Glu Ala Gln Thr Arg His Phe Gln Pro Leu Leu Arg Thr Val Gly 65 70 75 80

Gln Asn His Leu Pro Pro Gly Ser Ser Pro Thr Asn Trp Thr Pro Glu 85 90 95

Ala Ile Val Met Leu Gly Ala Thr Ala Asn Arg Val Asn Arg Glu Leu 100 105 110

Cys Glu Met Gln Val Gln Pro Val Phe Glu Pro Thr Gln Ile Tyr Ser 115 120 125

Asp Tyr Arg Pro Gly Leu Val Leu Ala Glu Glu Ala His Tyr Phe Ile 130 135 140

Pro Gln Glu Thr Val Tyr Leu Ala Gly Val His Tyr Gln Ala Gln Val 145 150 155 . 160

Ala Gly Gln Tyr Glu Gly Ile Ser Tyr Asn Ser Pro Val Leu Ser Ser 165 170 175

Pro Met Lys Gln Ile Ser Glu Gln Lys Pro Val Pro Gly Gly Pro Ala 180 185 190

Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly 195 200 205

His Leu Gln Asn Leu Arg Leu Asp Ser Gly Pro Ser Pro Ala Ser Pro 210 215 220


Leu Ser Ser Ile Ser Ala Pro Asn Ser Thr Asp Ala Thr His Leu Lys 225 230 235 240

Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr Asn 245 250 255

Ser Asn Glu Asn Arg Ser Asn Cys Val Phe Glu Phe His Ala Gln Thr 260 265 270

Pro Ser Ser Ser Gly Glu Gly Gly Gly Ile Leu Pro Gln Arg Val Tyr .275 280 285

Arg Asn Arg Gln Val Ala Val Asp Ser Asn Gln Glu Glu Leu Ser Pro 290 295 300



Gln Ser Val Gly Leu His Cys His Leu Gln Pro Val Thr Glu Glu Gln 310 Arg Asn Asn His Ala Pro Glu Leu Thr Ile Ser Val Val Glu Pro Met 325 330 Gly Gln Ile Trp Pro Ile Gly Ser Pro Glu Tyr Ser Ser Asp Ser Ser 340 345 Gln Ile Thr Ser Ser Asp Leu Ser Asp Phe Gln Ser Pro Pro Pro Thr 360 Gly Gly Thr Ala Ala Pro Phe Gly Ser Asp Val Ser Leu Pro Phe Ile 375 380 Arg Leu Pro Gln Thr Val Leu Gln Glu Ser Pro Leu Phe Phe Cys Phe 390 395

Pro Gln Gly Thr Thr Ser Gln Gln Val Leu Ser Ala Ser Tyr Ser Ser 405 410

Gly Gly Ser Thr Leu His Pro Gln Val Ile Gly Lys Leu Ser Gln Phe 425

Phe

<210> 9 1716 <211> <212> DNA <213> Rattus rattus

#### <400> 9

gcagcttttt ctttcattca aggaagtgcc acagattgac tttattggcc ctggatgtat 60 ttaatggatt tttgctataa attccaaaag cattgttagt tattaaaatt ttggtgtagc 120 cacttcatgg ggttacacag aactatccag ctgtgcatgt ctgatgtaat tttacatatt . 180 gaatgtatga attacttgtc ttattcatgt tgatacagcc tcagtccgtg gcgcatccgt 240 gtggggggac cccaacatac ccagaatcac agatatttt cccaactatt catgaacgtc 300 cagtttettt tteaceacet cetacetgte caeegaaagt agecatttee cagegaegta 360 agagtacctc cttcctggaa gctcaaactc gccacttcca acccctgctg aggactgttg 420 gccaaaatca tcttccacct ggtggcagcc caactaactg gacaccagag gccatagtta 480 tgttgggtac tacagccaat agagtaaata gagagctatg tgagatgcag gtccaacctg 540 tgtttgagac aacccagatt tacagtgact atagacctgg actagtactg gcagaagaag 600 ctcgctattt tatcctcagg gaaacagtat atctaggtgg ggtgcattac catccccatg 660 cggcaggaca gtatgagggt atttcataca actcaccagt actgtcaagt cctatgaaac 720 agataactga acagaageca gtgcctgggt gccctgcctc aagttctgtc tttgaatttc 780 cttctggaca ggctttccta gtaggacacc ttcagaattt aagattagat tctggaccaa 840 gtccagcatc acccctgtct agtatttctg cgcctaacag tacagatgct acacatttga 900 aatttcaccc tgtctttgta cctcattctg caccagctgt gttaactcat agcaatgaga 960 acagaagcaa ctgtgtattt gaatttcatg ctcaaacacc aagttcctct tcaggagaag 1020 gaggtgggat tttacctcaa cgtgtttacc gaaatcgaca ggttgcagtg gactcaagtc 1080 aggaagaact gtctcctcag tcagttggat tacactgcca cctgcagcct gttactgaag 1140 aacagcgtaa taaccatacc ccagaattga ccatttctgt ggtagaacct atgggacaaa 1200 actggccagt aggaagccca gaatattcca gtgattcctc tcaaattact tcttcagata 1260 tcagtgattt tcaatcacct ccccctacag ggggaacagc tgcacctttt ggctctgacg 1320 tctcattgcc ctatattcgc ctgcctcaga cagtgttaca agaatcccca ctattcttct 1380 gtttccccca aggaaccaca tctcagcagg tcttatctgc ttcatattct tcaggaggat 1440 ctgcactcca tccacaggtt ataggaaaac tttcacaatt cttttaaaat accctattat 1500 gcaccaatgc atttaaattc tctgtctcat ttccctgaat catggattta taagaaatgt 1560

WO 2004/043999
tattttctta gtaggatt ttttgtggtt ataaatatat gtactaaaaa aasgaacttt 1620
aaagtggaaa atacctggtt tacctgtgat tttagttgtc agaatcaatg actaatatct 1680
gtggaatttt gtggtagtag taaaaatgca attgtc 1716

<210> 10 <211> 434 <212> PRT <213> Rattus rattus <400> 10 Met Tyr Glu Leu Leu Val Leu Phe Met Leu Ile Gln Pro Gln Ser Val Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile Phe 25 Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro Thr 40 Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser Phe Leu Glu Ala Gln Thr Arg His Phe Gln Pro Leu Leu Arg Thr Val Gly Gln Asn His Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro Glu Ala Ile Val Met Leu Gly Thr Thr Ala Asn Arg Val Asn Arg Glu Leu Cys Glu Met Gln Val Gln Pro Val Phe Glu Thr Thr Gln Ile Tyr Ser Asp Tyr Arg Pro Gly Leu Val Leu Ala Glu Glu Ala Arg Tyr Phe Ile Leu Arg Glu Thr Val Tyr Leu Gly Gly Val His Tyr His Pro His Ala

Ala Gly Gln Tyr Glu Gly Ile Ser Tyr Asn Ser Pro Val Leu Ser Ser 165 170 175

Pro Met Lys Gln Ile Thr Glu Gln Lys Pro Val Pro Gly Cys Pro Ala 180 185 190


Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly 195 200 205


His Leu Gln Asn Leu Arg Leu Asp Ser Gly Pro Ser Pro Ala Ser Pro 210 215 220

Leu Ser Ser Ile Ser Ala Pro Asn Ser Thr Asp Ala Thr His Leu Lys 235 230 235

Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His 245 250 255

Ser Asn Glu Asn Arg Ser Asn Cys Val Phe Glu Phe His Ala Gln Thr 260 265 270





Tyr Arg Asn Arg Gln Val Ala Val Asp Ser Ser Gln Glu Glu Leu Ser 290 295 300

Pro Gln Ser Val Gly Leu His Cys His Leu Gln Pro Val Thr Glu Glu 305 310 315 320

Gln Arg Asn Asn His Thr Pro Glu Leu Thr Ile Ser Val Val Glu Pro 325 330 335

Met Gly Gln Asn Trp Pro Val Gly Ser Pro Glu Tyr Ser Ser Asp Ser 340 345 350

Ser Gln Ile Thr Ser Ser Asp Ile Ser Asp Phe Gln Ser Pro Pro 355 360 365

Thr Gly Gly Thr Ala Ala Pro Phe Gly Ser Asp Val Ser Leu Pro Tyr 370 380

Ile Arg Leu Pro Gln Thr Val Leu Gln Glu Ser Pro Leu Phe Phe Cys 385 390 395

Phe Pro Gln Gly Thr Thr Ser Gln Gln Val Leu Ser Ala Ser Tyr Ser 405 410 415

Ser Gly Gly Ser Ala Leu His Pro Gln Val Ile Gly Lys Leu Ser Gln 420 425 430

Phe Phe

<210> 11

<211> 486

<212> PRT

<213> Takifugu rubripes

<400> 11

Ser His Phe Glu Cys His Ser Ile His Cys Ile Ser Leu Ser Gln Gln 1 5 10 15

His Ser Val Pro His Pro Tyr Ser Gly Gly Ala Gly Gly Ala Gly 20 25 30


Gly Asn Ile Pro Leu Ala Ser Leu Pro Asp Pro Thr Thr Val Leu Phe 35 40 45

Pro Ser Ile Pro Glu Arg Pro Ile Ser Phe Ser Pro Pro Pro Thr Met 50 55 60

Pro Pro Lys Ala Tyr Asn Asn Gln Arg Arg Lys Ser Thr Ser Ile Leu 65 70 75 80


Glu Ala His Thr Arg His Phe Gln Pro Ala Tyr Thr Arg Tyr Gly Ser 85 90 95

Asn Leu His Pro Phe Ser Gly Met Glu Thr Val Glu Pro Pro Pro Leu 100 105 110



- Phe Met Val Asn Pro Gly Phe Ala Ala Ala Ala Gln Arg Leu Gly Val 115 120 125
- Gly Glu Pro Leu His Leu Pro Gly Gln Ser Asp Pro Ser Leu Tyr Gly 130 135 140
- Tyr Lys Asp Met Arg Ala Glu His Gly Glu Ala Met Arg Arg Leu Ser 145 150 155 160
- Leu Asn Gln Ala Ala Leu Leu Asp His Tyr Glu Ala Met Ala Tyr Gly
  165 170 175
- Gly Tyr Pro Met Thr Ala His Gln Leu Ser Arg Leu Ser Phe His Gln 180 185 190
- Gln Arg His Ala Ala Ala Ala Ala Ala Ser Phe Ala Phe Glu Gln Pro 195 200 205
- Gly Phe Leu His Pro His Leu Ile Gln Arg Met Ser Ala His Ser Pro 210 215 220
- Val Pro Pro Pro Leu Ala Pro Leu Ser Ala Pro Ser Gly Thr Ser Met 225 235 235
- Ser Ala Ser Ser Glu Gly Cys Tyr Pro Ser Pro Gln His Ala Ala Val 245 250 255
- Ser Thr Phe Ala Ile Ser Ala Pro Pro Val Met Pro Asp Ala Ala Pro 260 265 270
- Pro Thr Gly Asn Val Phe Glu Phe His Leu Ala Ala Gly Asp Pro 275 280 285
- Asn Leu Met Ala Ser Arg Leu Phe Arg Ala Arg Arg Ser Ser Met Asp 290 295 300
- Leu Pro Leu Glu Asp Asn Thr Gly Ala Gly Ser Gly Gly Ser Gly Thr 305 310 315 320
- Tyr Val Arg Leu Gln Pro Val Thr Glu Glu Leu Tyr Ser Tyr Val Ser 325 330 335
- Pro Glu Leu Pro Leu Pro Pro Gly Ser Leu Phe Leu His His Ala Gly 340 345 . 350
- Leu Thr Ala Lys Asp Lys Ser Pro Asp Pro Ser Ser Asp Ser Leu Ala 355 360 365
- Ser Ser Asp Asn Gly Glu Phe Gln Ser Pro Pro Pro Pro Pro Leu Leu 370 380
- Pro Ser Phe Asp Ser Ser Ser Ala Gln Ser Ile Pro His Thr Ala Ser 385 390 395 400
- Thr Ala Met Tyr Asp Pro Ser Thr Gly Met Leu Pro Ile Asp Pro Gln
  405 410 415
- Gly His Pro Pro Ser Met Gln Ser Phe Leu Pro Pro Thr Pro Ser Ser 420 425 430

y Ala Pro Ser Thr Gln Leu Glu Thr D



Gln Ser Ala Trp Ala Arg His Gly Gly Val Val Pro Ala Gln Pro Asp 450 455 460

Met Thr Tyr His Glu Ser Leu Leu Ala Met Gln Ala Val Asn Pro Ser 465 470 475 480

Leu Val Leu Leu Arg Phe

<210> 12 <211> 13546 <212> DNA <213> Homo sapiens

<400> 12

ccctcaagta tctacaaaga tggtagggaa atgcataatg cagattttac agttcggtta 60 aggccagtcc tgagagaatt ctttcttcct cctcttctct acttttttta caatgccttt 120 ttttttttt gcgggggtg gtggtggggg gtgttgttt ctttcaatat actactgctt 180 aatttaccct titattctgt aggtagagtc tgggtatgtc tgtgaaggtg atcacaagac 240 catggctaaa gctatcaaag acagagtatc attaattaag aggaaacgag agcagcggca 300 gttggtacgg gaggagcaag aaaaaaaaa gcaggaagag agcagtctca aacagcaggt 360 agaacaatcc agtgcttccc agacaggaat caagcagctc ccttctgcta gcaccggcat 420 acctactgct tctaccactt cagcttcagt ttctacacaa gtagaacctg aagaacctga 480 ggcagatcaa catcaacaac tacagtacca gcaacccagt atatctgtgt tatgtacgta 540 tettgggaag tggacagata ggetaatgat teteetaatt ggttttttta gettettgtt 600 attttgcact ggctttttgg ttttgaatta tgaatcctac tattatacaa aatttgaaat 660 ggttgtcgtc tagcttctct ttattcttat atctgtgact aggagaatag aaggatgggg 720 tggtaaggaa atgtgattag gatacaaaat aattttataa gcttcaacat cttggaggtt 780 tcaatttgta gatttctact tttcacaatt tatttaaata aaacagattt aataatgaag 840 aatgaacaag cttggctact aaaattgaac ccatcagtct ggttgagctc ttttagcaaa 900 gctgaatggt atatagacta aaaactaatg agaacactgg ttattaattt aattacttgt 960 ttaatactga gaacctcctg gcctccataa ttaagacttt gaaagctgtg tcaaatttaa 1020 ggcttatagt gtttcatgct gtttccctta ctcctcaggt ggtaagattc tgtgatagcc 1080 atatggattc ctcatttaaa tatagaaatc tactgaatat ggctacaatt catttttat 1140 ttagttcaaa tctgtgcaag gaataactag ttacccctaa tataatgggt ctaaatatga 1200 gaaaatgtga acctccattt tgtgatttgt ctttctctct ctctttttt tggcgattca 1260 tttttccttc agctgatggg acggttgaca gtggtcaggg atcctctgtc ttcacagaat 1320 ctcgagtgag cagccaacag acagtttcat atggttccca acatgaacag gcacattcta 1380 caggeacagt cccagggeat atacetteta etgtecaage acagteteag ecccatgggg 1440 tatatccacc ctcaagtgtg gtaagtaaat gcttaagagc atgtaatact acaatgagag 1500 ccaatggata gtctgctaaa ttaaaattct ttgtacaaac caagtaacag tatgagtctg 1560 aagtagaaaa tataaaatgc tgtgtctcta aagccttatt atagagtagg atatagacat 1620 taatgtgtgg gcattagctg aactgcctac atgaagcagc tatgtgcaag atttagatta 1680 gtctgcattt ttactaaagg gaacgctctc tttagcactt aagatgttga aactattcac 1740 agcaacaaaa gctggacata caaatgtttt gcgggtgggg cgagaagagt ttttcaaaag 1800 cttgttaaaa tgattactaa gtatttcctg taagattccc tattgtacaa aacacaggta 1860 agaccttcaa accattatag aatgctgcat gtgagtactc tagattgagg gaatccttta 1920 tttgaatgac tgtttaattt agcgcttgtg ttgagttaat catcagttgc tgtgtgtgtt 1980 cctgcctttt aaagtctgtg ttggacacaa gttccttccc cagtatatgt tcttttgctt 2040 tttcccttta gttggtaact gttttattac tgatttattt tcagaatcaa cttatagaaa 2100 ttatttcctg aaacatttta tgcttgtata cacatacaca cacacaatta tcctgtgttt 2160 tacattagac actcttgttt ctcatataga gaatgttaaa gtagatcatc agataatacc 2220 ccatttettt tgttgacete agaggaaaat aaaatacgte atetgeetet gaaaggtatt 2280 agaaaataag taacttgtca ctgtacagca cttgtttagt gagatcttta agcagacaga 2340 ttttcccctt ctcagaaagc ttttaatcta aactttgtgg aattcttgct cttctttaaa 2400 tgaaaatctt tctctgttaa gaaaatactt ctgcttgttc gattttttat cctacagctt 2460

WO 2004/043999 T/CA2003/001716 tgtctctact aaaaatacaa aaattagctg ggogtggtgg ctggccaaca tggcgaa cgcacgcgtg tagtcccage tacttgggag gctgaggcag aagaatccet tgaacccagg 6240 aggcggaggt tgcagtaagc caagattgtc actgcactcc agcctgggcg aaagaggaag 6300 actocatoto aaaaaaaga aaaaagaaat ttoatggtta tgcaactott atttatgato 6360 agaaaaatgg acattttgtg atttaactct gtaacatgtt tcatgtagta aaaatataat 6420 aaaactatta atcatctage ttgggagaga taggagaaag acattactgt cactagtcaa 6480 attatatatc ttttactatc caccaaaaat ctcttctgat ttctggttag aaggcatact 6540 attaattgat aagaaaataa aactgaaggc ctctaacata tcacagggta ataagaatat 6600 agggaaagtt agttcaatag tttaaattaa agcacacttc ttacagtata gaactagtcg 6660 ggcttttatg cettgtttta gttettaete tteetttaae tettttetg ttgatgtaat 6720 ttacattaat gettaagagt gaaettttta agtgtgggta aaaacgaaat aattacttae 6780 aaagtttaat tetteeattt eetttgagag aggaaagtta tggaaaagea getettatet 6840 aaagcaaaga gcccacagat tgatttcatt ggccctggat gtatttaatg gattttact 6900 atgcacataa tttccagaag cattgttatt tatttattaa ttataaattt agtgtaacca 6960 tttcataggg ttacacagaa ctacccagtt gtgcatgtct gatgtaattt cacatatgaa 7020 tgtatgaatt acttgtctta ttcatgttga tacagcctca gtccatggcg catccgtgtg 7080 gggggacccc aacataccca gaatcacaga tatttttccc aactattcat gaacgtccag 7140 tttetttte accacctece acctgeccae egaaagtage cattteecag eggegtaaga 7200 gcacctectt cetggaagee caaacteace acttecaace cetgetgagg actgttggee 7260 aaagtettet tecacetggt ggeageeeaa ctaactggae accagaggee gtagttatgt 7320 tgggtactac agccagtaga gtaactggag agtcatgtga gatacaggtc catcetatgt 7380 ttgaaccatc tcaagtttac agtgactata gacctggact agtacttcca gaagaagctc actattttat teeteaggaa geagtgtatg tagetggggt acattaceag geeegggtgg 7440 cagaacagta tgagggcatt ccatacaact catcagtact gtcaagtcct atgaaacaga 7500 tacctgaaca gaagccagta caagggggcc ctacttcaag ttctgtcttt gaatttccat 7620 ctggacagge tttcctggta ggacaccttc agaatctaag attagattct ggattgggte 7680 egggatetce cetetetagt atttetgeac ctateagtae agatgetaea egtttgaaat ttcaccetgt ctttgttcct cattctgcgc ctgctgtgtt aactcataac aatgagagca 7740 gaagcaactg tgtatttgaa tttcatgttc acacaccaag ctcctcttca ggagaaggag 7800 7860 gtggaatttt acctcagegt gtttaccgaa atcggcaggt tgcagtggac ttgaatcaag aagaactgcc tecteaatea gttggattac atggetaett geageetgtg actgaagaaa 7920 7980 agcataatta ccatgcccca gaattgaccg tttctgtggt agagcctatc ggacagaact ggccaatagg aagcccagaa tattccagtg attcctcaca aatcacttct tcagacccca 8040 gtgattttca gtcacctccc cctacagggg gagcagctgc accttttggc tctgacgtct 8100 caatgeeett tatecatetg ceteagacag tgttacaaga ateceeactt ttettetgtt 8160 8220 tececeaagg aaccaeatet cageaggtet taactgeete atttettea ggaggatetg 8280 cacttcatcc acaggttata ggaaaacttc cacaattatt ttaaactacc ctactttgca ccataacatt taaattttct attccttatt tccctgaatc atggattttg gagaaatatt 8340 8400 gtttaatttt atcagtagag tttccccatc tttggggggt tgtgaactac atatatgcat 8460 ttaaaaacaa aatgtgagag aagctacctg atttacctat tatatgtgaa aaccagtgga 8520 aaaaacacaa aaactagaat tttagtcatt cttcacaatc acgacttcta tgcacgttat 8580 tttcaaccag tagtgaaaat gcaagtgtat gtaatgtatg gttgacccag cattatttag gaatacaaat cttaagtatt actticttcc tccaaacaag tttttaaaaa ataggataaa 8640 8700 ttttttttttt ataaaatata aaacatggaa aatagggaat gctgtttttg aggtaatatt 8760 aataatacac agaattttca ttagtgtcga aggatctaaa aagacaaagt atatcatggg 8820 aataaaaaaa gatagaaaag gaaacagttt aggaatttgc cttaacaaat gaaaatgcct ttttaaaatg gcatcagtca agcaagttgc tgtgcattat tatatgtcca aataaaatgc 8880 taattcataa aattaaggac tgattctaat tittagcaac taacaatcta gtgagtggtg 8940 9000 ggcttttttt ttttgttata agaatttgtg atatgttgca agctaaggaa cagtagacat cttaggcctt gtattttcct caacaaattt aattttagtt atttatgtgt atgagcatat 9060 acacacttag caaataaaga caatgtaatg aatgtaatag aattcaaaag tacagtcagt 9120 gtttactgtt tcatatattc atttggtata ttttatcaaa tgtgtacatc ttataaaatc 9180 tacatagaag actatgcagt tatatattga agacatttgg atatcctaca taaagtacta 9240 tgtgttgttc ttcctacttt cttcctatgt tcttccctca tcaggagcat aaacaactcc 9300 caaaatgtgc acaaattatc aattatttag tgctgtacta agacacaaaa agatccagaa 9360 gettgacage tatacatggg catgeagtat atteacatea gtatteaagt tgeageceet 9420 9480 attataaata ttaatgtatt gccagtaatt atcctttaga ctttccaaag taaaaaatac 9540 caggtagtta atttatagac atactacaga aggaatcaat atttataata gttaagctgc 9600 agtggaatgt gatattatat ccatgtaagc titaaggaac cccttgtaaa ctgaaatgga atgacaaaag tggtagcett ttcatttcgt taacatacct atatatagte ctgcatcatt 9660 tctcactttc tagtgagaaa cactgtagtt ggggtttctc agactcaaca ctgttgacat 9720 9780

#### WO 2004/043999 T/CA2003/001716 tagaa 9840 ctgaggttgg ataattct ttgtggtgg gctgttctat gtattgtagg ct. Ctagaa catecttggt ttatacetee taaatactag tageageaat eteceteagt tgtgacaace 9900 agaaatgtet ccacatattg ccaagtgeec ceetgggggt ggeaggattg etcetggata 9960 gcaatgatcg ccctaggtac ttggcagttg atgataacag attttttgat acttttgata 10020 aaagtcattg tggcactaca agaagtatta ccaaattagc attaccaaat acctttcttt 10080 aattottcag ataaatttca gattgatagt attaatactt tgttcctgat tattgtattt 10140 ctaataacaa attttattat gaatctgacg attctagcca gctaaaatta cagcctgagc 10200 agcattgaca gcttaggttt tcactgtcag tgggttttgc atgggttggg atcagaacat 10260 gttgtgtgt atgateettt tetaaatttt tettacaaaa gttgacecag aggeetetee 10320 catacataat caggttaatg tttcattttg atcaagcaaa ctctgaggag attaaatatt cattgcaaaa gcctgacctc tatacactta ctttaggcct tctctaattt gttgtgttca cttctttcct tcaggcacag gggcagagcc agggtcagcc atcctcaagt agcttaacag gggtttcatc ttcccaaccc atacaacatc ctcagcaggt gagaacaatg cattgcaaca ttttatgaat tagcagtggc cagaacacta ttttaacttt tgtgatttgt tatataaatg gcctgctaag tttttgaaag gaaaattaag aggcatacca tgtcttgtgt tcagtaacaa agaaaaaaaa gagacttttc tgtgtttcag aaaaatctct tttgtttaat atacttttga acaatttagt agacatacat tattactgat ataattatct ttttaaaaga ggattctaca cettttttt gagacaaagt etcactetgt cacceagget ggagtgeagt ggtgeaatet tageteactg caaccacege etcecaggtt caagcagtee teetgeetea getttecaeg tagctgggac tacaggtgcc tgccaccaca ctcagctaat ttttgtattt ttagtagaga 10980 cggggtttca ccatgctggc caggctggtc tcaaactcct gacctcaggt aatccaccct 11040 cctcggcttc ccaaagtgct gggattacag gcatgcgcca cctcacccag cctggattct 11100 acacataatt tacggtacaa agagtatgtc attecttttc tettttttc cactgcttgc 11160 agcagtgatt tgtcattacc ttcattgtgc ttgcctctac taatcctgca cttctttta 11220 attatttcta atctgtagaa tgatgtgtca gattttacgc taagaagcat ctaatgaaaa 11280 cctaagaaca attacttcaa gaacatttat ttatttattt attttattt attttgagac 11340 agecttgete tgttgeecag getggagtge agtggtgeaa tettggetea etgeaactte catcteccag gttcaageta ttetcacgee teageegeee gagtagetgg gactacagge gcgtgccact atgcccagct aatttttgta ttacgttcta cttatgcctg gctaatttag 11520 tagagatggc gtttcaccat gttggccagg ctggtcttga actcctgacc tcaagtgatc 11580 caccegettt ggcctcccaa agtgctggga gccactgtgc ccagccaaaa tattttaact 11640 tttgttttgg ggggcttgtt ccagaaagtt caaggaattc aagagattag tgtcatcctg 11700 atacatccaa cagtaaaact ggtaattcta aaattaaata tttatagtgc atcactgata 11760 ttagttaata gtaattattt gcaagggaat aatgcatttt tggcataatt gaatacttat 11820 tagctattct acataaaatt tgtagccact atgtatgtaa tgcaaacttc ctaatgttag ttccccatgt gggtttttta atcagcaaac tctaaactgg cttctgtttc tattagtttt tggttttgaa acaaagtttt cggttcttaa ttacaaatgg ccctttttca gtccaacata tggtcatgta gtcattcgat actggtttaa gatcaggagt tgcttgtaca agatgaaaat cacttaaagg cactttctac agaaacagtt gattagtttg tttatacatg cattcactcc 12120 gtgaactgaa ggactgggac ttatatgctt tgttttgcac ctgtcctttc ttccaaacaa 12180 gactggttaa attcaagtaa acatattttt gccaacctta acaaaatctg ttttattcta 12240 ttaacagttc ctaattagaa tgcaaattac aagtcacata aagctggttg agaatggaag 12300 tactgagtac taatctccta acttgcttat ctttggatgt agacgaacac caatgaactg 12360 agcaaattgt atgtgctctg ttttttcttt tccaaaggaa ttggttatct gtcttgtatt 12420 12480 ttcatgttaa gaaagagtgt gagaaaagaa gagagcagta ccataaatgt cagattaaaa 12540 gaattaggta gctacctctc caggagaaaa aaatatggct aaatgctatc tctacagcag 12600 aaacaaaaat taatttttgt ttcagtgatg tttttgtttt agatactttt atagcatgtg 12660 ttgtagaatc acaaaattga gccctcgata tatataggaa gtgtattcgg tctagaataa 12720 ttaacttctc caaagtcact tagataataa gggagctaca aattataacc cagaattcaa 12780 gattcctaga atagtattgt ttcttccatt ttaaataaag ttctgcaggg acttaatgat 12840 tctgcaaatg tacctcagaa gctgtcttta tttgttttaa ttattggagt tccacgtttg 12900 aaaaaagaaa ggttgaaaac tttttgtact atatggatag tctattttta gacatgattt 12960 ttgttttacg tactttcagg tcccaatccc accttagaga accatatctc ttgttttatt 13020 ttagtgagga aagaaatata cttttgctaa aatttacttt atttcatgcg tttcttgaac 13080 atagtaaatg aggaattgct tttttgtgtg tttttgtagg gtctcgtata gtgatatact 13140 agatettage aaggtaceaa aaatagetge eteetgetga aaagetttgt gaecacaaac 13200 aaagttgtga actitgtcag acacagtgcc agctacttgg aaggctgagg caggaagatc 13260 acttgagccc aggagttcaa ggctacagtg aactatgata ttgccaccat actccagcct 13320 gggcaacaga gcatgactca tctcaaaaaa aaaaaagcac cgaagttgtg aactacctac 13380 cctactatcc ataaagtctg tttgaactgg tttcatgagg caagcttggg cagagcatga


13440

### WO 2004/043999 tgctaaactg ttaagcta ccaccctgc ctggctgaag tgctgattat tagcagtgg 13500 gactgcgcac agcagatcat catgtacttc tggcatatcc agaggt 13546

											_	•			
<21 <21 <21 <21	1> 2>	13 509 PRT Tetr	aodo	n ni	grov	irid	is								
<22 <22		Part	ial	amin	o ac	id s	eque	nce							
<22 <22 <22 <22	1> : 2>	(326	_fea )( unde	397)		ami	no a	cid							
<40	0> 1	3													
			Ala	Leu 5	Ser	Phe	Ile	Ser	Ser 10	Gly	Leu	Cys	Trp	Gly 15	Phe
Ser	Leu	Phe	His 20	Ser	Glu	Cys	His	Ser 25	Glu	Ile	His	Cys	Ile 30	Ser	Leu
Ser	Gln	Gln 35	His	Ser	Met	Pro	His 40	Pro	Tyr	Ser		Gly 45	Ala	Gly	Ġly
Gly	Ala 50	Gly	Gly	Asn	Val	Pro 55	Leu	Ala	Ser	Leu	Pro 60	Asp	Pro	Thr	Ala
Val 65	Leu	Phe	Pro	Ser	Ile 70	Pro	Glu	Arg	Pro	Ile 75	Ser	Phe	Ser	Pro	Pro 80
Pro	Thr	Met	Pro	Pro 85	Lys	Ala	Tyr	Asn	Thr 90	Gln	Arg	Arg	Lys	Ser 95	Thr
Ser	Ile	Leu	Glu 100	Ala	His	Thr	Arg	His 105	Phe	Gln	Pro	Ala	Tyr 110	Pro	Arg
Tyr	Gly	Ser 115	Asn	Leu	His	Pro	Phė 120	Ser	Gly	Met	Glu	Ala 125	Val	Glu	Pro
Pro	Pro 130	Leu	Phe	Met	Val	Asn 135	Pro	Gly	Phe	Pro	Ser 140	Ala	Ala	Gln	Arg
Leu 145	Gly	Val	Gly	Glu	Pro 150	Leu	His	Leu	Pro	Gly 155	Gln	Ser	Asp	Pro	Ser 160
Leu	Tyr	Gly	Tyr	Lys 165	Asp	Met	Arg	Ala	Glu 170	His	Gly	Ģlu	Ala	Val 175	Àrg
Arg	Leu	Ser	Gln 180	Ala	Ala	Leu	Leu	Asp 185	His	Tyr	Glu	Ala	Met 190	Ala	Tyr

Gly Gly Tyr Pro Met Ala Ala His Gln Leu Gly Arg Leu Thr Phe His 200 210 215 Ser Phe Gly Phe Asp Gln Pro Gly Phe Leu His Pro His Leu Val Gln





Arg Met Ser Ala His Ser Pro Val Pro Pro Pro Leu Ala Pro Leu Ser 245 250

Ala Pro Ser Gly Thr Ser Ile Ser Ser Ser Glu Gly Cys Tyr Pro 265

Pro Pro His Ala Ala Ala Ser Pro Phe Ala Val Ser Ala Pro Pro Val 280 285

Met Ala Asp Ser Ala Ala Pro Pro Thr Gly Asn Val Phe Glu Phe His

Leu Ala Ala Ala Gly Asp Pro Asn Leu Met Ala Ser Arg Leu Phe Arg 310

325 330

340 345

360

375 380

390 395

Pro Pro Pro Pro Leu Leu Pro Ser Phe Asp Ser Ser Cys Ala Gln 410

Ser Ile Pro His Ser Thr Ser Thr Ala Thr Tyr Asp Pro Pro Gly Gly 425

Met Phe Pro Ile Asp Pro Gln Gly His Pro Pro Ser Met Gln Ser Phe

Leu Pro Pro Thr Pro Ser Ser Glu Leu Pro Leu Gly Gly Ala Pro Ser 450 455

Thr His Leu Glu Thr Leu Met Gln Ser Ala Trp Ala Arg His Gly Gly 470

Val Val Pro Ala Gln Pro Asp Met Thr Tyr His Glu Ser Leu Leu Ala 490

Met Gln Ala Val Lys Pro Ser Leu Val Leu Leu Pro Phe 500

<210> 14

<211> 2785

<212> DNA

<213> Homo sapiens

<400> 14

WO 2004/043999					
catagtagea caeacata	Tt coopeat a	attaaaaa		T/CA20	03/001716
cgtggtggcg cacgcgtg	g ccccagcca	cugggaggo	rgaggcagaa	gaarcccttg	60
aacccaggag gcggaggtt	, caytaagcca	agattgicac	tgcactccag	cctgggcgaa	120
agaggaagac tccatctca	aaaaaayaaa	aaagaaattt	catggttatg	caactcttat	180
ttatgatcag aaaaatggad	- ostotacett	ttaactctgt	aacatgtttc	atgtagtaaa	240
aatataataa aactattaa	ttactagett	gggagagata	ggagaaagac	attactgtca	300
ctagtcaaat tatatatctt	cuacuateca	ccaaaaatct	cttctgattt	ctggttagaa	360
ggcatactat taattgataa	yaaaataaa * ***	ctgaaggeet	ctaacatato	acagggtaat	420
aagaatatag ggaaagttag	ttotalaget	taaattaaag	cacacttctt	acagtataga	480
actagtcggg cttttatgc	ttaagaataa	cettaetett	cctttaactc	tttttctgtt	540
gatgtaattt acattaatgo	ttccatttca	actttttaag	tgtgggtaaa	aacgaaataa	600
tcttatctaa agcaaagag	CC2C2C1ttC	cttgagagag	gaaagttatg	gaaaagcagc	660
ttttactat gcacataatt	tccacagatty	ttattattyg	ccctggatgt	atttaatgga	720
tgtaaccatt tcatagggtt	. scacadaagca	accorattet	ccattaatt	ataaatttag	780
catatgaatg tatgaattad	ttatatat	catattanta	geatgtetga	tgtaatttca	840
tccgtgtggg gggaccccaa	catacccaca	atororata	cayecteagt	ccatggcgca	900
acgtccagtt tcttttcac	: cacateceaga	ctacacagaca	cuttuccaa	ctattcatga	960
gcgtaagagc acctccttcc	tageagacae	andtender	aaagtagcca	tttcccagcg	1020
tgttggccaa agtcttcttc	: cacctddtdd	Cagoggaagt	CCCaaccc	tgctgaggac	1080
agttatgttg ggtactacag	. ccantagagt	aactagagaa	tactggacac	cagaggccgt	1140
tcctatgttt gaaccatctc	: aagttgage	taactggagag	ccatgtgaga	tacaggtcca	1200
agaageteae tatttatte	ctcaggaagg	agtotataga	cctggactag	tacttccaga	1260
ccgggtggca gaacagtato	agggcattcc	atacaactca	gorggggtac	attaccaggc	1320
gaaacagata cctgaacaga	agccagtaca	acacaaccca	ccagtactgt	caagtcctat	1380
tttccatctg gacaggcttt	Cctaataaaa	Caccttcaca	acticaagtt	ctgtctttga	1440
regggeeegg gateteege	CTCTAGTATT	trtrracecta	+020+20	Annual Control	1500
regadatite accepting	LUTTCCTCAT	tetacaceta	ct		1560
gagageagaa qeaaccututu	alltgaarrr	Catattaaaa	0000000-		1620
gaaggaggig gaalillacc	tcadcatatt	taccccasato	~~~~~~	and and the state of the state	1680
datedaagaag aactiqcctcc	ccaatcagrr	OCATTACATA	act set teres		1740
gaagaaage ataattacca	tuccccadaa	TTGaccattt	C+ C+ CC+ C		1800
ouguacegge caataqqaaq	cccagaatar	TCCactcatt	catasassa	man maked at 1.3	1860
gaccouging activition	accecccr	acaddddaaa	0200+cc	4-1-1	1920
gacgeceaa eqeeee	CCATCTCCCT	Canacantet	+2022222		1980 2040
trongettee eccaaggaac	Cacateteag	caddicttaa	Ctacctcatt	++ <++ <	2100
ggacotgoac tttatttatt	uullatadda	aaacttccac			2160
occupation taleatities	attttctatt	Cottatttcc	ctcaatcatc	~~ + + + +	2220
addition table to	aqtagagttt	ccccatcttt	anagagetest	~~~~ <del>~~~~~~~~</del>	2280
catgeattta aaaataaat	στσασασαασ	Ctacctcatt	+200+2+2+		2340
cuytyyaaaa aacacaaaaa	ctagaatttt	agtcattctt	cacaatcacc	20++0+-+	2400
acguiate caaccagtag	tuaaaatuca	antntatnta	2 t ~t 2 t ~~ + L		2460
Lattrayyaa tacaaatctt	aagtattact	ttcttcctcc	2220220411		2520
ggacaaactt ttttttata	aaatataaaa	Catogaaaat	annnaataat	~ t- t- t- t- t	2580
caacaccaac aacacacaga	auttrearra	OT OT COSSICA	2+4+2222		2640
toatygyaat aadadadaga	agaaaaggaa	acantttann	~ ~ <del>+ + + ~ + +</del>		2700 ·
autycette taaaatggca	tcagtcaagc	aagttgctgt	gcattattat	atgtccaaat	2760
aaaatgctaa ttcataaaat	taagg .			•	2785
		•			
<210> 15			•		
<210> 15 <211> 2787					
		•• •			
<213> Homo sapiens		• • • • •	•		
<400> 15		•			
	mh a a a - · ·				
cgtggtggcg cacgcgtgta	greceageta	CTTgggaggc	tgaggcagaa	gaatcccttg	60
aucceaggag Georgagae	Cauraancea	anattena.	+		120
~g~ggaagac cccatcttaa	aaaaaaaaaa	<i>*************************************</i>	~~+~~++~~		180
	attrocoar	TTDDACECTAL	222244LLL		240
aucacaacaa aaccaccaac	catteragerr	addamanata -	~~~~~~		300
ctagtcaaat tatatatctt	ccaccatcca	ccaaaaatct	cttctgattt	ctggttagaa	360
			•	•	•

WO 2004/043999					
	~~~~	at	-4	T/CA20	03/001716
ggcatactat taattga	yaaaalaaaa	crgaaggeet	ctaacatatc	ac <del>ag</del> ggtaat	420
aagaatatag ggaaagttag	ttcaatagtt	taaattaaag	cacacttctt	acagtataga	480
actagtcggg cttttatgcc	ttgttttagt	tettactett	cctttaactc	tttttctgtt	540
gatgtaattt acattaatgc	ttaagagtga	actttttaag	tgtgggtaaa	aacgaaataa	600
ttacttacaa agtttaattc	ttccatttcc	tttgagagag	gaaagttatg	gaaaagcagc	660
tcttatctaa agcaaagagc	ccacagattg	atttcattgg	ccctggatgt	atttaatgga	720
tttttactat gcacataatt	tccagaagca	ttgttattta	tttattaatt	ataaatttag	780
tgtaaccatt tcatagggtt	acacagaact	acccagttgt	gcatgtctga	tgtaatttca	840
catatgaatg tatgaattac	ttgtcttatt	catgttgata	cagcctcagt	ccatggcgca	900
tccgtgtggg gggaccccaa	catacccaga	atcacagata	tttttcccaa	ctattcatga	960
acgtccagtt tcttttcac	cacctcccac	ctgcccaccg	aaaqtaqcca	tttcccaaca	1020
gcgtaagagc acctccttcc	tggaagccca	aactcaccac	ttccaacccc	toctoaggac	1080
tgttggccaa agtcttcttc	cacctggtgg	cagcccaact	aactggacac	cagagggggt	1140
agttatgttg ggtactacag	ccagtagagt	aactggagag	tcatgtgaga	tacaddtcca	1200
tcctatgttt gaaccatctc	aagtttacag	tgactataga	cctggactag	tacttccaga	1260
agaagctcac tattttattc	ctcaggaagc	agtgtatgta	actagaatac	attaccagg	1320
ccgggtggca gaacagtatg	agggcattcc	atacaactca	tcagtactgt	caactcctat	1380
gaaacagata cctgaacaga	agccagtaca	aggggggggt	acttcaactt	ctatattta	1440
atttccatct ggacaggctt	tectagtagg	acacettead	aatctaaget	tagattataa	1500
attgggtccg ggatctccc	tetetagtat	ttctgcacct	atcactacac	agattetgg	
tttgaaattt caccctgtct	ttatteetea	ttctgcacct	actatatata	atgetacacg	1560
tgagagcaga agcaactgtg	tatttgaatt	tcatgttcag	acaccanant	cccataacaa	1620
agaaggaggt ggaattttac	ctcagcatat	ttacccaset	acaccaayet	colocidagg	1680
gaatcaagaa gaactgcctc	ctcaaatcac	ttacegaaac	teastaste	cagtggactt	1740
ctgaagaaaa gcataattac	catacccag	aattaaaaat	thetete	cageetgtga	1800
gacagaactg gccaatagga	accccag	attegacege	ttetgtggta	gagcctatcg	1860
cagaccccag tgattttcag	tcacctccc	attectagega	cceccacaa	atcacttctt	1920
ctgacgtctc aatgcccttt	atccatctcc	ctacaggggg	ageageegea	cettttgget	1980
tcttctgttt cccccaagga	acceatate	accagacage	grtacaagaa	tccccacttt	2040
gaggatctgc acttcatcca	Cacacacccc	ageaggiett	aactgcctca	ttttcttcag	2100
tactttgcac cataacattt	eaggicalag	gaaaacttec	acaattattt	taaactaccc	2160
agaaatatto tttaatttta	taratrarat	tteettattt	ccctgaatca	tggattttgg	2220
agaaatattg tttaatttta	atataaaaa	recedentet	rrggggggtt	gtgaactaca	2280
tatatgcatt taaaaacaaa	acycyayaya	agetaeetga	tttacctatt	atatgtgaaa	2340
accagtggaa aaaacacaaa	aactagaatt	ttagtcattc	ttcacaatca	cgacttctat	2400
gcacgttatt ttcaaccagt	ttaaatatta	caagtgtatg	taatgtatgg	ttgacccagc	2460
attatttagg aatacaaatc	taagtatta	CLLCCTCCT	ccaaacaagt	ttttaaaaaa	2520
taggataaat tttttttta	caaaatataa	aacatggaaa	atagggaatg	ctgtttttga	2580
ggtaatatta ataatacaca	gaacticat	tagtgtcgaa	ggatctaaaa	agacaaagta	2640
tatcatggga ataaaaaaag	arayaaaagg	aaacagttta	ggaatttgcc	ttaacaaatg	2700
aaaatgcctt tttaaaatgg ataaaatgct aattcataaa	ottoagicaa	gcaagttgct	grgcattatt	atatgtccaa	2760
acadacyce datteatada	accaagg		•	•	2787
		•	•		
<210> 16					
<211> 2786					
<212> DNA			•		
<213> Homo sapiens					
vers nome saptens			•		
<400> 16					
	~t ~~~~		•	•	
cgtggtggcg cacgcgtgta	greecagera	cccgggagge	tgaggcagaa	gaatcccttg	60
aacccaggag gcggaggttg	cagtaageca	agattgtcac	tgcactccag	cctgggcgaa	120
agaggaagac tccatctcaa	aaaaaagaaa	aaagaaattt	catggttatg	caactcttat	180
ttatgatcag aaaaatggac	accetgegat	ttaactctgt	aacatgtttc	atgtagtaaa	240
aatataataa aactattaat	catctagett	gggagagata	Denceshann	2++20+0+02	300
Clayidaat talatatett	ttactatcca	ccaaaaatct	Cttctcattt	ataattaaaa	360
ggcatactat taattgataa	yaadataaaa	ctgaaggcct	ctaacatatc	acagggtaat	420
aagaatatag ggaaagttag	ttatt	taaattaaag	cacacttctt	acagtataga	480
actagtcggg cttttatgcc	ttanes	cctactett	cctttaactc	tttttctgtt	540
gargraartt acattaatuc	ttaadadtda	actttttaam	+~+~~~+		600
tracticated agiliaatic	ttccatttcc	TTTCACCACA	annathata	~~~~~~~	660
tcttatctaa agcaaagagc	ccacagattg	atttcattgg	ccctggatgt	atttaatgga	720
			. ••		
	:		•		
		21	•		

	WO 2004/0439	999				T/CA200	3/001716
	tttttactat		tccagaagca	ttgttattta	tttattaatt	a aatttag	780
	tgtaaccatt	tcatagggtt	acacagaact	acccagttgt	gcatgtctga	tgtaatttca	840
	catatgaatg	tatgaattac	ttgtcttatt	catgttgata	cagcctcagt	ccatggcgca	900
	recgrataga	gggaccccaa	catacccaga	atcacagata	tttttcccaa	ctattcatga	960
	acgtccagtt	tcttttcac	cacctcccac	ctgcccaccg	aaagtagcca	tttcccagcg	1020
	gcgtaagagc	acctccttcc	tggaagccca	aactcaccac	ttccaacccc	tgctgaggac	1080
	tgttggccaa	agtettette	cacctggtgg	cagcccaact	aactggacac	cagaggccgt	1140
	agttatgttg	ggtactacag	ccagtagagt	aactggagag	tcatgtgaga	tacaggtcca	1200
	tcctatgttt	gaaccatctc	aagtttacag	tgactataga	cctggactag	tacttccaga	1260
	agaagctcac	tattttattc	ctcaggaagc	agtgtatgta	gctggggtac	attaccagge	1320
	ccgggtggca	gaacagtatg	agggcattcc	atacaactca	tcagtactgt	caagtcctat	1380
	gaaacagata	cctgaacaga	agccagtaca	agggggccct	acttcaagtt	ctgtctttga	1440
	atttccatct	ggacaggctt	tcctggtagg	acaccttcag	aatctaagat	tagattctgg	1500
	attgggteeg	ggatetecee	tctctagtat	ttctgcacct	atcagtacag	atgctacacg	1560
	tagaaattt	caccctgtct	ttgttcctca	ttctgcgcct	gctgtgttaa	ctcataacaa	1620
	cgagagcaga	agcaactgtg	tatttgaatt	tcatgttcac	acaccaaget	cctcttcagg	1680
	agaaggaggt	ggaattttac	ctcagcgtgt	ttaccgaaat	cggcaggttg	cagtggactt	1740
	gaatcaagaa	gaactgcctc	ctcaatcagt	tggattacat	ggctacttgt	agcctgtgac	1800
	rgaagaaaag	cataattacc	atgccccaga	attgaccgtt	tctgtggtag	agcctatcgg	1860
	acagaactgg	ccaataggaa	gcccagaata	ttccagtgat	tcctcacaaa	tcacttcttc	1920
	agaccccagt	gattttcagt	cacctcccc	tacaggggga	gcagctgcac	cttttggctc	1980
	tgacgtetea	atgecettta	tccatctgcc	tcagacagtg	ttacaagaat	ccccactttt	2040
	detelegence	ccccaaggaa	ccacatctca	gcaggtetta	actorctcat	tttattaaaa	2100
	aggatetgea	cttcatccac	aggttatagg	aaaacttcca	caattattt	aaactaccct	2160
	actitgeace	ataacattta	aattttctat	tccttatttc	cctgaatcat	ggattttgga	2220
•	gaaatattgt	ttaattttat	cagtagagtt	tccccatctt	tggggggttg	tgaactacat	2280
	acacgeattt	aaaaacaaaa	tgtgagagaa	gctacctgat	ttacctatta	tatgtgaaaa	2340
	ccagtggaaa	aaacacaaaa	actagaattt	tagtcattct	tcacaatcac	gacttctatg	2400
	caegitattt	tcaaccagta	qtqaaaatqc	aagtgtatgt	aatotatoot	tazaaaaaaa	2460
	ccacccagga	atacaaatct	taaqtattac	tttetteete	Caaacaan++	+++	2520
	aggataaatt	ttttttttat	aaaatataaa	acatogaaaa	tagggaatgg	+~++++	2580
	glaalallaa	taatacacaq	aattttcatt	agtgtcgaag	datctasass	gagaaagtat	2640
	accargggaa	Laaaaaaaqa	tagaaaagga	aacagtttag	gaatttgcct	taagaaatea	2700
	aaatgeettt	ttaaaatggc	atcagtcaag	caagttgctg	tgcattatta	tatgtccaaa	2760
	taaaatgcta	attcataaaa	ttaagg	•			2786
				•.	•		
	<210> 17			•	•		
	<211> 2365						
	<211> 2365 <212> DNA		•		•		
		2275 f	•				
	\213\ Sus	scrofa					
	<400> 17				•		
	gaatteggca	cyagygrace	caccaaaaat	ctcttctgat	ttctaggtag	aagacacact	60
	attagttaat	ttagaaactaa	ctctggagcc	tctaacagca	cacaacaata	aagcttcaga	120
	ataggaaaac	azatazzaet	ctcattctta	cttaactctg	tttccactga	tgcagtttac	180
	attaagtcat	gagigaacai	actaattgtg	ggtaaaagca	gaataatcac	ttaggaagtt	240
	aaatccttcc	accidenti	agagaggaga	attgtggaaa	agcagctcct	atctaatgca	300
	aagagtccca	cagaacaacc	ttattgaccc	tggatgtatt	taatggattt	tttttttta	360
	ctgtgcacat	aattteegaa	agcattgtta	tttctttatt	aattataaat	ttggtgtaac	420
	catttcgtag	ttacttatat	tattactes	ttatgcatgt	ctaatgtaat	ttcacatatg	480
	aatgtatgaa	ccaecitycct	catteatgtt	gatacagcct	cagtccatgg	cgcatccgcg	540
	tggggggacc	tracracato	Cayaatcaca	gatattttc	ccaactattc	atgaacgtcc	600
	agtttctttt	ttootacoic	ccacctgtcc	accgaaggtg	gctatttccc	agcggcgtaa	660
	gagcaccccc	LLCCLQQaaq	cccaaactca	TCACTTCCAA	CCCCtactac		720
	ccaaaatctt	acaccaccity	grayetgece	aactaactgg	acaccagagg	ccgtagttat	780
	gttgggtact	acayccayta	yayıaactgg	agagccatgt	gagatacagg	tccaacctct	840
	gtttgagcct	attoctore	arggrgactg	tagacctgga	ctagtacttc	cagaagaagc	900
	ccactacttt .	attuctuagg	aagcagtgta	tataggaggg	atacattaca		960
	ggcagaacag	caraarros-~	tggaagaga	ctctccagtc	ctgtcaagtc	ctatgaaaca	1020
	gatacctgaa	cayaayccag	cycaaggggg	ccctccttcg	agttctgtct	ttgaatttcc	1080

WO 2004/043999				T/CA2003	/001716
atctggacag gctttcc	taggacatct	tcagaattta	cgattagatt	clactaag	1140
tccaggatet ccctctcta	gcatttctac	acctatcagt	acagatgcta	cacqtttqaa	1200
atttcaccct gtctttgttc	ctcattctgc	acctgctgtg	ttaactcata	acaatgagag	1260
cagaagcaat tgtgtatttg	agtttcatgt	tcatactcca	agctcctctt	caggagaagg	1320
aggagtttta cctcagcgta	tttaccgaaa	tcgacaggtt	gccgtggact	tgaatcagga	1380
agaaccacct cctcaatcag	ctggattaca	cggccgcctg	cagcctgtga	ctgaagaaca	1440
acataatttc cagcccccag	aattgaccgt	ttctgtggta	gagcctactg	gacagagetg	1500
gccaatagga agcccagaat	attccagtga	ttcctcacaa	atcacttctt	cagaccccag	1560
tgattttcaa tcacctcccc	ctacaggggg	aacagctgca	ccttttggct	ctgacgtctc	1620
attaccettt atccatctge	ctcagacagt	gatacaagaa	tccccacttt	tcttctgttt	1680
cccccaagga accacttctc	cgcagatttt	atctgcatca	ttttcttcag	gaggatctgc	1740
actccatcca caggttatag	gaaaacttcc	acagttctct	taaactaccc	tactatacac	1800
cattgcattt aagttttctg	tccctccttt	ccattcatga	ggattattgt	ttaattttat	1860
tacaatttct ccattttgtg	tgtgtgttgg	gggggttatt	ttaaactact	tgtatttaag	1920
aacaaaatct gagagcaagc	ctgcctgatt	tacctataat	caaaccattg	gaaaagaaaa	1980
gaaactagaa ttttagttac	ttgtcaaaat	cagtgacttc	tgttcatatg	tagaacgttt	2040
tcaactagaa gtgaaatgta	aatgtctgta	aagttgactc	agaattgatg	cttcacacat	2100
actaatgtga agtatttctt	tcttcctaga	aatgaacgtg	gctagttttt	taagagaaga	2160
taacattttt ttttcctgta	aaatgaaaag	aatgggaagt	ggagaatcct	ttttctaaaa	2220
gtagtattag gagtacatac	agaaattaaa	agagaggaaa	catcttaata	agtgaagttg	2280
cctttttaaa atggcatcaa	acaaatcaat	ttgtattatg	tgttcaaata	aaatgttaat	2340
ccataaaaaa aaaaaaaaaa		_	-	•	2365
<210> 18					
<211> 433				•	
<212> PRT					
<213> Sus scrofa					
<400> 18		•			
Met Tyr Glu Leu Leu V	al Leu Phe i	Met Leu Ile	Gln Pro Glr	Ser Met	
1 5	•	10		15	
Ala His Pro Arg Gly G	ly Thr Pro :	Thr Tyr Pro	Glu Ser Glr	Ile Phe	
20		25	30		
Phe Pro Thr Ile His G	lu Arg Pro 🎙	Val Ser Phe	Ser Pro Pro	Pro Thr	
35	40		45		
Cys Pro Pro Lys Val A	la Ile Ser (	Gln Arg Arg	Lys Ser Thr	Ser Phe	

Ala His Pro Arg Glu Bell Leu Fro Fro Het 10 Fro Glu Ser Met 15 Fro Ret 16 Fro Ret 16 Fro Ret 15 Fro Ret 15 Fro Ret 16 Fro Ret 16 Fro Ret 16 Fro Ret 15 Fro Ret 16 Fro





Pro Met Lys Gln Ile Pro Glu Gln Lys Pro Val Gln Gly Gly Pro Pro 180 185 190

Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly 195 200 205

His Leu Gln Asn Leu Arg Leu Asp Ser Gly Leu Ser Pro Gly Ser Pro 210 215 220

Leu Ser Ser Ile Ser Thr Pro Ile Ser Thr Asp Ala Thr Arg Leu Lys 225 230 235 240

Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His 245 250 255

Asn Asn Glu Ser Arg Ser Asn Cys Val Phe Glu Phe His Val His Thr 260 265 270

Pro Ser Ser Ser Gly Glu Gly Gly Val Leu Pro Gln Arg Ile Tyr 275 280 285

Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Pro Pro 290 295 300

Gln Ser Ala Gly Leu His Gly Arg Leu Gln Pro Val Thr Glu Glu Gln 305 310 315 320

His Asn Phe Gln Pro Pro Glu Leu Thr Val Ser Val Val Glu Pro Thr 325 330 335

Gly Gln Ser Trp Pro Ile Gly Ser Pro Glu Tyr Ser Ser Asp Ser Ser 340 345  $\cdot 350$ 

Gln Ile Thr Ser Ser Asp Pro Ser Asp Phe Gln Ser Pro Pro Pro Thr 355 360 . 365

Gly Gly Thr Ala Ala Pro Phe Gly Ser Asp Val Ser Leu Pro Phe Ile 370 380

His Leu Pro Gln Thr Val Ile Gln Glu Ser Pro Leu Phe Phe Cys Phe 385 390 395 400

Pro Gln Gly Thr Thr Ser Pro Gln Ile Leu Ser Ala Ser Phe Ser Ser 405

Gly Gly Ser Ala Leu His Pro Gln Val Ile Gly Lys Leu Pro Gln Phe 420 425 430

Ser

<210> 19

<211> 426

<212> PRT

<213> Homo sapiens

<400> 19

Met Leu Ile Gln Pro Gln Ser Met Ala His Pro Cys Gly Gly Thr Pro



Thr Tyr Pro Glu Ser Gln Ile Phe Phe Pro Thr Ile His Glu Arg Pro 25 Val Ser Phe Ser Pro Pro Pro Thr Cys Pro Pro Lys Val Ala Ile Ser 40 Gln Arg Arg Lys Ser Thr Ser Phe Leu Glu Ala Gln Thr His His Phe Gln Pro Leu Leu Arg Thr Val Gly Gln Ser Leu Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro Glu Ala Val Val Met Leu Gly Thr Thr Ala Ser Arg Val Thr Gly Glu Ser Cys Glu Ile Gln Val His Pro Met 105 Phe Glu Pro Ser Gln Val Tyr Ser Asp Tyr Arg Pro Gly Leu Val Leu 120 Pro Glu Glu Ala His Tyr Phe Ile Pro Gln Glu Ala Val Tyr Val Ala 135 Gly Val His Tyr Gln Ala Arg Val Ala Glu Gln Tyr Glu Gly Ile Pro Tyr Asn Ser Ser Val Leu Ser Ser Pro Met Lys Gln Ile Pro Glu Gln 170 Lys Pro Val Gln Gly Gly Pro Thr Ser Ser Val Phe Glu Phe Pro 185 Ser Gly Gln Ala Phe Leu Val Gly His Leu Gln Asn Leu Arg Leu Asp 200 Ser Gly Leu Gly Pro Gly Ser Pro Leu Ser Ser Ile Ser Ala Pro Ile Ser Thr Asp Ala Thr Arg Leu Lys Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr His Asn Asn Glu Ser Arg Ser Asn Cys 250 Val Phe Glu Phe His Val His Thr Pro Ser Ser Ser Gly Glu Gly Gly Gly Ile Leu Pro Gln Arg Val Tyr Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Leu Pro Pro Gln Ser Val Gly Leu His Gly 295 300 Tyr Leu Gln Pro Val Thr Glu Glu Lys His Asn Tyr His Ala Pro Glu 310 315 Leu Thr Val Ser Val Val Glu Pro Ile Gly Gln Asn Trp Pro Ile Gly 330 335



Ser Pro Glu Tyr Ser Ser Asp Ser Ser Gln Ile Thr Ser Ser Asp Pro 340 345 350

Ser Asp Phe Gln Ser Pro Pro Pro Thr Gly Gly Ala Ala Pro Phe 355 360 365

Gly Ser Asp Val Ser Met Pro Phe Ile His Leu Pro Gln Thr Val Leu 370 380

Gln Glu Ser Pro Leu Phe Phe Cys Phe Pro Gln Gly Thr Thr Ser Gln 385 395 400

Gln Val Leu Thr Ala Ser Phe Ser Ser Gly Gly Ser Ala Leu His Pro 405 410 415

Gln Val Ile Gly Lys Leu Pro Gln Leu Phe 420 425

<210> 20

<211> 419

<212> PRT

<213> Homo sapiens

<400> 20

Met Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile 1 5 . 10 15

Phe Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro 20 25 30

Thr Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser 35 40 45

Phe Leu Glu Ala Gln Thr His His Phe Gln Pro Leu Leu Arg Thr Val 50 55 60

Gly Gln Ser Leu Leu Pro Pro Gly Gly Ser Pro Thr Asn Trp Thr Pro 65 75 80

Glu Ala Val Val Met Leu Gly Thr Thr Ala Ser Arg Val Thr Gly Glu
. 85 90 95

Ser Cys Glu Ile Gln Val His Pro Met Phe Glu Pro Ser Gln Val Tyr 100 105 110

Ser Asp Tyr Arg Pro Gly Leu Val Leu Pro Glu Glu Ala His Tyr Phe 115 120 125

Ile Pro Gln Glu Ala Val Tyr Val Ala Gly Val His Tyr Gln Ala Arg 130 135 140

Val Ala Glu Gln Tyr Glu Gly Ile Pro Tyr Asn Ser Ser Val Leu Ser 145 150 155 160

Ser Pro Met Lys Gln Ile Pro Glu Gln Lys Pro Val Gln Gly Gly Pro 165 170 175

Thr Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val



Gly His Leu Gln Asn Leu Arg Leu Asp Ser Gly Leu Gly Pro Gly Ser 195 200 205

Pro Leu Ser Ser Ile Ser Ala Pro Ile Ser Thr Asp Ala Thr Arg Leu 210 215 220

Lys Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr 225 230 235 240

His Asn Asn Glu Ser Arg Ser Asn Cys Val Phe Glu Phe His Val His
245 250 255

Thr Pro Ser Ser Ser Ser Gly Glu Gly Gly Gly Ile Leu Pro Gln Arg 260 265 270

Val Tyr Arg Asn Arg Gln Val Ala Val Asp Leu Asn Gln Glu Glu Leu 275 280 285

Pro Pro Gln Ser Val Gly Leu His Gly Tyr Leu Gln Pro Val Thr Glu 290 295 300

Glu Lys His Asn Tyr His Ala Pro Glu Leu Thr Val Ser Val Val Glu 305 310 315 320

Pro Ile Gly Gln Asn Trp Pro Ile Gly Ser Pro Glu Tyr Ser Ser Asp 325 330 . 335

Ser Ser Gln Ile Thr Ser Ser Asp Pro Ser Asp Phe Gln Ser Pro Pro 340 345 350

Pro Thr Gly Gly Ala Ala Ala Pro Phe Gly Ser Asp Val Ser Met Pro 355 360 · 365

Phe Ile His Leu Pro Gln Thr Val Leu Gln Glu Ser Pro Leu Phe Phe 370 380

Cys Phe Pro Gln Gly Thr Thr Ser Gln Gln Val Leu Thr Ala Ser Phe 385 390 395 400

Ser Ser Gly Gly Ser Ala Leu His Pro Gln Val Ile Gly Lys Leu Pro 405 410 415

Gln Leu Phe

<210> 21

<211> 425

<212> PRT


<213> Mus musculus

<400> 21

Met Leu Ile Gln Pro Gln Ser Met Ala His Pro Cys Gly Gly Thr Pro 1 5 10 15


Thr Tyr Pro Glu Ser Gln Ile Phe Phe Pro Thr Ile Hig Glu Arg Pro 20 25 30

Val Ser Phe Ser Pro Pro Pro Thr Cys Pro Pro Lys Val Ala Ile Ser



Gln Arg Arg Lys Ser Thr Ser Phe Leu Glu Ala Gln Thr Arg His Phe Gln Pro Leu Leu Arg Thr Val Gly Gln Asn His Leu Pro Pro Gly Ser Ser Pro Thr Asn Trp Thr Pro Glu Ala Ile Val Met Leu Gly Ala Thr Ala Asn Arg Val Asn Arg Glu Leu Cys Glu Met Gln Val Gln Pro Val Phe Glu Pro Thr Gln Ile Tyr Ser Asp Tyr Arg Pro Gly Leu Val Leu 120 Ala Glu Glu Ala His Tyr Phe Ile Pro Gln Glu Thr Val Tyr Leu Ala 135 Gly Val His Tyr Gln Ala Gln Val Ala Gly Gln Tyr Glu Gly Ile Ser 150 155 Tyr Asn Ser Pro Val Leu Ser Ser Pro Met Lys Gln Ile Ser Glu Gln 170 Lys Pro Val Pro Gly Gly Pro Ala Ser Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val Gly His Leu Gln Asn Leu Arg Leu Asp Ser Gly Pro Ser Pro Ala Ser Pro Leu Ser Ser Ile Ser Ala Pro Asn Ser Thr Asp Ala Thr His Leu Lys Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr Asn Ser Asn Glu Asn Arg Ser Asn Cys Val Phe Glu Phe His Ala Gln Thr Pro Ser Ser Ser Gly Glu Gly Gly Ile Leu Pro Gln Arg Val Tyr Arg Asn Arg Gln Val Ala Val Asp Ser Asn Gln Glu Glu Leu Ser Pro Gln Ser Val Gly Leu His Cys His 295 Leu Gln Pro Val Thr Glu Glu Gln Arg Asn Asn His Ala Pro Glu Leu 310 Thr Ile Ser Val Val Glu Pro Met Gly Gln Ile Trp Pro Ile Gly Ser 325 330 Pro Glu Tyr Ser Ser Asp Ser Ser Gln Ile Thr Ser Ser Asp Leu Ser 345 Asp Phe Gln Ser Pro Pro Pro Thr Gly Gly Thr Ala Ala Pro Phe Gly 360 365





Ser Asp Val Ser Leu Pro Phe Ile Arg Leu Pro Gln Thr Val Leu Gln 370 380

Glu Ser Pro Leu Phe Phe Cys Phe Pro Gln Gly Thr Thr Ser Gln Gln 385 390 395 400

Val Leu Ser Ala Ser Tyr Ser Ser Gly Gly Ser Thr Leu His Pro Gln 405 410 415

Val Ile Gly Lys Leu Ser Gln Phe Phe 420 425

<210> 22

<211> 418

<212> PRT

<213> Mus musculus

<400> 22

Met Ala His Pro Cys Gly Gly Thr Pro Thr Tyr Pro Glu Ser Gln Ile 1 5 10 15

Phe Phe Pro Thr Ile His Glu Arg Pro Val Ser Phe Ser Pro Pro Pro 20 25 30

Thr Cys Pro Pro Lys Val Ala Ile Ser Gln Arg Arg Lys Ser Thr Ser 35 40 45

Phe Leu Glu Ala Gln Thr Arg His Phe Gln Pro Leu Leu Arg Thr Val 50 55 60

Gly Gln Asn His Leu Pro Pro Gly Ser Ser Pro Thr Asn Trp Thr Pro 65 70 75 80

Glu Ala Ile Val Met Leu Gly Ala Thr Ala Asn Arg Val Asn Arg Glu 85 90 95

Leu Cys Glu Met Gln Val Gln Pro Val Phe Glu Pro Thr Gln Ile Tyr 100 105 110

Ser Asp Tyr Arg Pro Gly Leu Val Leu Ala Glu Glu Ala His Tyr Phe 115 120 125

Ile Pro Gln Glu Thr Val Tyr Leu Ala Gly Val His Tyr Gln Ala Gln 130 135 140

Val Ala Gly Gln Tyr Glu Gly Ile Ser Tyr Asn Ser Pro Val Leu Ser 145 150 155 160

Ser Pro Met Lys Gln Ile Ser Glu Gln Lys Pro Val Pro Gly Gly Pro 165 170 175

Ala Ser Ser Val Phe Glu Phe Pro Ser Gly Gln Ala Phe Leu Val 180 185 190

Gly His Leu Gln Asn Leu Arg Leu Asp Ser Gly Pro Ser Pro Ala Ser 195 200 205

Pro Leu Ser Ser Ile Ser Ala Pro Asn Ser Thr Asp Ala Thr His Leu



Lys Phe His Pro Val Phe Val Pro His Ser Ala Pro Ala Val Leu Thr 225 230 235 240

Asn Ser Asn Glu Asn Arg Ser Asn Cys Val Phe Glu Phe His Ala Gln 245 250 255

Thr Pro Ser Ser Ser Gly Glu Gly Gly Gly Ile Leu Pro Gln Arg Val 260 265 270

Tyr Arg Asn Arg Gln Val Ala Val Asp Ser Asn Gln Glu Glu Leu Ser 275 280 285

Pro Gln Ser Val Gly Leu His Cys His Leu Gln Pro Val Thr Glu Glu 290 295 300

Gln Arg Asn Asn His Ala Pro Glu Leu Thr Ile Ser Val Val Glu Pro 305 310 315 320

Met Gly Gln Ile Trp Pro Ile Gly Ser Pro Glu Tyr Ser Ser Asp Ser 325 330 335

Ser Gln Ile Thr Ser Ser Asp Leu Ser Asp Phe Gln Ser Pro Pro Pro 340 345 350

Thr Gly Gly Thr Ala Ala Pro Phe Gly Ser Asp Val Ser Leu Pro Phe 355 360 365

Ile Arg Leu Pro Gln Thr Val Leu Gln Glu Ser Pro Leu Phe Phe Cys 370 380

Phe Pro Gln Gly Thr Thr Ser Gln Gln Val Leu Ser Ala Ser Tyr Ser 385 390 395 400

Ser Gly Gly Ser Thr Leu His Pro Gln Val Ile Gly Lys Leu Ser Gln 405 410 415

Phe Phe

<210> 23

<211> 426

<212> PRT

<213> Ratus ratus

<400> 23

Met Leu Ile Gln Pro Gln Ser Val Ala His Pro Cys Gly Gly Thr Pro 1 5 10 15

Thr Tyr Pro Glu Ser Gln Ile Phe Phe Pro Thr Ile His Glu Arg Pro 20 25 30

Val Ser Phe Ser Pro Pro Pro Thr Cys Pro Pro Lys Val Ala Ile Ser 35 40 45

Gln Arg Arg Lys Ser Thr Ser Phe Leu Glu Ala Gln Thr Arg His Phe 50 55 60

Gln Pro Leu Leu Arg Thr Val Gly Gln Asn His Leu Pro Pro Gly Gly



- Ser Pro Thr Asn Trp Thr Pro Glu Ala Ile Val Met Leu Gly Thr Thr 85 90 95
- Ala Asn Arg Val Asn Arg Glu Leu Cys Glu Met Gln Val Gln Pro Val 100 105 110
- Phe Glu Thr Thr Gln Ile Tyr Ser Asp Tyr Arg Pro Gly Leu Val Leu 115 120 125
- Ala Glu Glu Ala His Tyr Phe Ile Pro Gln Glu Thr Val Tyr Leu Ala 130 135 140
- Gly Val His Tyr Gln Ala His Ala Ala Gly Gln Tyr Glu Gly Ile Ser 145 150 155 160
- Tyr Asn Ser Pro Val Leu Ser Ser Pro Met Lys Gln Ile Thr Glu Gln
  165 170 175
- Lys Pro Val Pro Gly Cys Pro Ala Ser Ser Ser Val Phe Glu Phe Pro 180 185
- Ser Gly Gln Ala Phe Leu Val Gly His Leu Gln Asn Leu Arg Leu Asp 195 200 205
- Ser Gly Pro Ser Pro Ala Ser Pro Leu Ser Ser Ile Ser Ala Pro Asn 210 215 220
- Ser Thr Asp Ala Thr His Leu Lys Phe His Pro Val Phe Val Pro His 225 235 240
- Ser Ala Pro Ala Val Leu Thr His Ser Asn Glu Asn Arg Ser Asn Cys 245 250 255
- Val Phe Glu Phe His Ala Gln Thr Pro Ser Ser Ser Ser Gly Glu Gly 260 265 270
- Gly Gly Ile Leu Pro Gln Arg Val Tyr Arg Asn Arg Gln Val Ala Val 275 280 285
- Asp Ser Ser Gln Glu Glu Leu Ser Pro Gln Ser Val Gly Leu His Cys 290 295 300
- His Leu Gln Pro Val Thr Glu Glu Gln Arg Asn Asn His Thr Pro Glu 305 310 315 320
- Leu Thr Ile Ser Val Val Glu Pro Met Gly Gln Asn Trp Pro Val Gly 325 330 335
- Ser Pro Glu Tyr Ser Ser Asp Ser Ser Gln Ile Thr Ser Ser Asp Ile 340 345 350
- Ser Asp Phe Gln Ser Pro Pro Pro Thr Gly Gly Thr Ala Ala Pro Phe 355 360 365
- Gly Ser Asp Val Ser Leu Pro Tyr Ile Arg Leu Pro Gln Thr Val Leu 370 380
- Gln Glu Ser Pro Leu Phe Phe Cys Phe Pro Gln Gly Thr Thr Ser Gln 385 390 395 400



Gln Val Leu Ser Ala Ser Tyr Ser Ser Gly Gly Ser Ala Leu His Pro 405 410

Gln Val Ile Gly Lys Leu Ser Gln Phe Phe 420 425

- <210> 24 <211> 24 <212> DNA <213> Artificial

<220>

- <223> Forward amplification Primer
- <400> 24

ttccagaagc attgttattt attt

24

- <210> 25
- <211> 19
- <212> DNA
- <213> Artificial

<220>

- <223> Reverse Replication Primer
- <400> 25

ccccttgta ctggcttct

19

- <210> 26
- <211> 23
- <212> DNA
- <213> Artificial

<220>

- <223> Forward Replication Primer
- <400> 26

caccagaggc cgtagttatg ttg

23

- <210> 27
- <211> 24 <212> DNA
- <213> Artificial

<220>

- <223> Reverse replication primer.
- <400> 27

ttgaggaggc agttcttctt gatt

24

- <210> 28
- <211> 23
- <212> DNA
- <213> Artificial

WO 200	04/043999	T/CA2003/001716
<220> <223>	Forward replication primer.	
<400>		
	gctg tgttaactca taa	23
<210>		
<211> <212>		
	Artificial	
<220>	Paraman manal disability and an	
<223>	•	
<400> ccaaag	29 atgg ggaaactcta ctga	24
<210> <211>		
<211>		
	Artificial	
<220>		
<223>	Forward replication primer.	
<400>	30 acct aaggagacag acc	
accacc	acct aaggagacag acc	23
<210>		
<211>		
<212>	Artificial	
<220>		
<223>	Reverse replication primer.	
<400>	31	
tgcaac	aaat gtaccactct gg	22
· <210>	32	
<211>	16	
<212> <213>	DNA Artificial	
	ALCIIIGIAI	
<220> <223>	Forward replication primer.	
<400>	32	
	taaa teeceg	16
<210>	33	
<211>	21	
<212> <213>	DNA Artificial	
<220>		

WO 2004/043999 <223> Reverse replaction primer.



<400> 33 gccatgtcta taaataccct g

21

## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
I FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER.

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.